

**2023 Nevada High School  
Youth Risk Behavior Survey (YRBS)  
Washoe County Special Report**



**School of Public Health**

*Making Health Happen™*

7/1/2024

### **Acknowledgements**

We would like to acknowledge those who assisted with the 2023 Nevada High School Youth Risk Behavior Survey (YRBS) including the Nevada Department of Education; Nevada Department of Health and Human Services, Division of Public and Behavioral Health; school district superintendents; school principals, teachers, and staff; and the Nevada Statewide Coalition Partnership.

### **Recommended Citation**

Howard, L., Powers, M.G., Zhang, F., Peek, J., Clements-Nolle, K., Yang, W. (2024). University of Nevada, Reno School of Public Health and State of Nevada, Division of Public and Behavioral Health. *2023 Nevada High School Youth Risk Behavior Survey (YRBS) Washoe County Special Report*.

### **Funding Source**

This surveillance project was partially supported by a grant from the Centers for Disease Control and Prevention (CDC-PS18-1807). Supplemental funding was also provided by the Nevada Division of Public and Behavioral Health. The report contents are solely the responsibility of the authors and do not necessarily represent the official views of the funders.

### **Additional Resources**

Nevada YRBS Statewide and Special Reports

<https://www.unr.edu/public-health/research-activities/nevada-youth-risk-behavior-survey>

YRBS Adolescent and School Health

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

Nevada Division of Public and Behavioral Health

<http://dpbh.nv.gov/>

### **For additional information regarding this publication, contact:**

Kristen Clements-Nolle, Ph.D., MPH

University of Nevada, Reno

School of Public Health

[clements@unr.edu](mailto:clements@unr.edu)

775-682-7097

Lesley Howard, PhD Student

University of Nevada, Reno

School of Public Health

[L.howard@unr.edu](mailto:L.howard@unr.edu)

## Contents

<b>INTRODUCTION</b> .....	<b>1</b>
<b>METHODS</b> .....	<b>1</b>
<b>SAMPLING, WEIGHTING, AND ANALYSIS</b> .....	<b>1</b>
<b>PERMISSION STATUS AND RESPONSE RATES</b> .....	<b>2</b>
<b>RESULTS</b> .....	<b>3</b>
<b>PARTICIPANT CHARACTERISTICS</b> .....	<b>3</b>
Table 1: Demographic characteristics of participating students .....	3
Table 2: Percentage of high school students who had parents or other adults in their home serving on active duty in the military.....	4
Table 3: Percentage of high school students who qualified for or received free or reduced price lunches at school.....	5
Table 4: Percentage of high school students who identified as heterosexual (straight), gay or lesbian, bisexual, some other identity, or questioning identity .....	6
Table 5: Percentage of high school students who identified as transgender.....	7
Table 6: Percentage of high school students who experienced housing insecurity during the 30 days before the survey .....	8
<b>VIOLENCE-RELATED BEHAVIORS</b> .....	<b>9</b>
Table 7: Percentage of high school students who carried a gun during the 12 months before the survey.....	9
Table 8: Percentage of high school students who were threatened or injured by someone with a weapon on school property during the 12 months before the survey .....	10
Table 9: Percentage of high school students who were in a physical fight on school property during the 12 months before the survey .....	11
Table 10: Percentage of high school students who were bullied on school property during the 12 months before the survey .....	12
Table 11: Percentage of high school students who were electronically bullied during the 12 months before the survey.....	13
Table 12: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey.....	14
Table 13: Percentage of high school students who experienced physical dating violence during the 12 months before the survey .....	15
Table 14: Percentage of high school students who experienced sexual dating violence during the 12 months before the survey .....	16
<b>ADVERSE CHILDHOOD EXPERIENCES</b> .....	<b>17</b>
Table 15: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in any way by a parent or other adult in their home .....	17
Table 16: Percentage of students who reported that an adult or person at least 5 years older than them made them do sexual things they did not want to do .....	18
Table 17: Percentage of high school students who have ever been insulted or put down by a parent or other adult in their home .....	19

Table 18: Percentage of high school students who never/rarely had an adult in their household who tried hard to make sure their basic needs were met..... 20

Table 19: Percentage of high school students who have ever had parents or other adults in their home slapped, hit, kicked, punched, or beat each other up ..... 21

Table 20: Percentage of high school students who have ever lived with a parent or guardian who had severe depression, anxiety, or another mental illness, or was suicidal ..... 22

Table 21: Percentage of high school students who have ever lived with a parent or guardian who was having a problem with alcohol or drug use ..... 23

Table 22: Percentage of high school students who have ever been separated from a parent or guardian because their parent/guardian went to jail, prison, or a detention center ..... 24

Table 23: Percentage of high school students who have ever seen someone get physically attacked, beaten, stabbed, or shot in their neighborhood ..... 25

**EMOTIONAL HEALTH..... 26**

Table 24: Percentage of high school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey..... 26

Table 25: Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey ..... 27

Table 26: Percentage of high school students who made a plan about how they would attempt suicide during the 12 months before the survey..... 28

Table 27: Percentage of high school students who attempted suicide during the 12 months before the survey ..... 29

Table 28: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the 12 months before the survey ..... 30

Table 29: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey ..... 31

Table 30: Percentage of high school students who ever got the kind of help they need when they felt sad, empty, hopeless, angry, or anxious ..... 32

**ELECTRONIC VAPOR PRODUCT USE ..... 33**

Table 31: Percentage of high school students who ever used electronic vapor products ..... 33

Table 32: Percentage of high school students who tried electronic vapor products for the first time before age 13 years ..... 34

Table 33: Percentage of high school students who used electronic vapor products during the 30 days before the survey ..... 35

Table 34: Percentage of high school students who used electronic vapor products on 20 or more days during the 30 days before the survey ..... 36

Table 35: Percentage of high school students who used an electronic vapor product to vape marijuana during the 30 days before the survey ..... 37

Table 36: Percentage of high school students who used an electronic vapor product to vape nicotine during the 30 days before the survey ..... 38

Table 37: Percentage of high school students who usually obtained their own electronic vapor products by various means during the 30 days before the survey 39

Table 38: Percentage of high school students who thought it would be difficult or easy to get electronic vapor products if they wanted some ..... 40

**TOBACCO USE ..... 41**

Table 39: Percentage of high school students who ever smoked cigarettes ..... 41

Table 40: Percentage of high school students who smoked cigarettes for the first time before age 13 years..... 42

Table 41: Percentage of high school students who smoked cigarettes during the 30 days before the survey ..... 43

Table 42: Percentage of high school students who smoked cigarettes on 20 or more days during the 30 days before the survey..... 44

Table 43: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station during the 30 days before the survey..... 45

Table 44: Percentage of high school students who thought it would be difficult or easy to get cigarettes if they wanted some ..... 46

Table 45: Percentage of high school students who used smokeless tobacco during the 30 days before the survey ..... 47

**ALCOHOL USE ..... 48**

Table 46: Percentage of high school students who ever drank alcohol..... 48

Table 47: Percentage of high school students who drank alcohol for the first time before age 13 years ..... 49

Table 48: Percentage of high school students who had at least one drink of alcohol during the 30 days before the survey ..... 50

Table 49: Percentage of high school students who had at least one drink of alcohol on 20 or more days during the 30 days before the survey ..... 51

Table 50: Percentage of high school students who participated in binge drinking during the 30 days before the survey ..... 52

Table 51: Percentage of high school students who usually got the alcohol they drank by various means during the 30 days before the survey ..... 53

Table 52: Percentage of high school students who thought it would be difficult or easy to get alcohol if they wanted some..... 54

Table 53: Percentage of students who rode with a driver who had been drinking alcohol during the 30 days before the survey ..... 55

Table 54: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol during the 30 days before the survey..... 56

**MARIJUANA USE ..... 57**

Table 55: Percentage of high school students who ever used marijuana..... 57

Table 56: Percentage of high school students who tried marijuana for the first time before age 13 years ..... 58

Table 57: Percentage of high school students who used marijuana during the 30 days before the survey ..... 59

Table 58: Percentage of high school students who used marijuana 20 or more times during the 30 days before the survey ..... 60

Table 59: Percentage of high school students who usually used marijuana by different methods during the past 30 days before the survey ..... 61

Table 60: Percentage of high school students who thought it would be difficult or easy to get marijuana if they wanted some ..... 62

Table 61: Percentage of students who rode with a driver who had been using marijuana during the 30 days before the survey ..... 63

Table 62: Percentage of high school students who drove a car or other vehicle when they had been using marijuana during the 30 days before the survey ..... 64

**NON-MEDICAL PRESCRIPTION PAIN MEDICINE USE ..... 65**

Table 63: Percentage of high school students who ever took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it..... 65

Table 64: Percentage of high school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it during the 30 days before the survey ..... 66

Table 65: Percentage of high school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it 20 or more times during the 30 days before the survey ..... 67

Table 66: Percentage of high school students who thought it would be difficult or easy to get prescription pain medicine if they wanted some ..... 68

**OTHER DRUG USE..... 69**

Table 67: Percentage of high school students who ever used cocaine ..... 69

Table 68: Percentage of high school students who ever used heroin ..... 70

Table 69: Percentage of high school students who ever used methamphetamines 71

Table 70: Percentage of high school students who ever used ecstasy ..... 72

Table 71: Percentage of high school students who ever used synthetic marijuana 73

Table 72: Percentage of high school students who ever injected any illegal drugs . 74

Table 73: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property during the 12 months before the survey ..... 75

**SUBSTANCE USE – PERCEPTION OF RISK ..... 76**

Table 74: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week..... 76

Table 75: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day ..... 77

Table 76: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week..... 78

Table 77: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them ..... 79

**SUBSTANCE USE – PERCEPTION OF PARENT DISAPPROVAL ..... 80**

Table 78: Percentage of high school students who reported that their parents feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day..... 80

Table 79: Percentage of high school students who reported that their parents feel it would be wrong for them to smoke tobacco ..... 81

Table 80: Percentage of high school students who reported that their parents feel it would be wrong for them to smoke marijuana..... 82

Table 81: Percentage of high school students who reported that their parents feel it would be wrong for them to use prescription drugs not prescribed to them ..... 83

**SUBSTANCE USE – PERCEPTION OF PEER DISAPPROVAL..... 84**

Table 82: Percentage of high school students who reported that their friends feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day..... 84

Table 83: Percentage of high school students who reported that their friends feel it would be wrong for them to smoke tobacco ..... 85

Table 84: Percentage of high school students who reported that their friends feel it would be wrong for them to smoke marijuana..... 86

Table 85: Percentage of high school students who reported that their friends feel it would be wrong for them to use prescription drugs not prescribed to them ..... 87

**SEXUAL BEHAVIORS..... 88**

Table 86: Percentage of high school students who ever had sexual intercourse ... 88

Table 87: Percentage of high school students who had sexual intercourse for the first time before age 13 years ..... 89

Table 88: Percentage of high school students who had sexual intercourse with four or more persons during their life..... 90

Table 89: Percentage of high school students who had sexual intercourse with at least one person during the 3 months before the survey..... 91

Table 90: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse ..... 92

Table 91: Percentage of high school students who used a condom during last sexual intercourse ..... 93

Table 92: Percentage of high school students who used birth control pills before last sexual intercourse ..... 94

Table 93: Percentage of high school students who used an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse ..... 95

Table 94: Percentage of high school students who used birth control pills, an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse..... 96

Table 95: Percentage of high school students who used both a condom and birth control pills, an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse ..... 97

Table 96: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse ..... 98

Table 97: Percentage of high school students who have ever been pregnant or gotten someone pregnant ..... 99

Table 98: Percentage of high school students who did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes ..... 100

**DIET ..... 101**

Table 99: Percentage of high school students who did not eat fruit during the 7 days before the survey..... 101

Table 100: Percentage of high school students who ate fruit one or more times/day during the 7 days before the survey ..... 102

Table 101: Percentage of high school students who ate fruit two or more times/day during the 7 days before the survey ..... 103

Table 102: Percentage of high school students who ate fruit three or more times/day during the 7 days before the survey ..... 104

Table 103: Percentage of high school students who did not eat vegetables during the 7 days before the survey ..... 105

Table 104: Percentage of high school students who ate vegetables one or more times/day during the 7 days before the survey ..... 106

Table 105: Percentage of high school students who ate vegetables two or more times/day during the 7 days before the survey ..... 107

Table 106: Percentage of high school students who ate vegetables three or more times/day during the 7 days before the survey ..... 108

Table 107: Percentage of high school students who did not drink soda or pop during the 7 days before the survey ..... 109

Table 108: Percentage of high school students who drank soda or pop one or more times/day during the 7 days before the survey ..... 110

Table 109: Percentage of high school students who drank soda or pop two or more times/day during the 7 days before the survey ..... 111

Table 110: Percentage of high school students who drank soda or pop three or more times/day during the 7 days before the survey ..... 112

Table 111: Percentage of high school students who did not eat breakfast during the 7 days before the survey ..... 113

Table 112: Percentage of high school students who ate breakfast on all 7 days before the survey ..... 114

Table 113: Percentage of high school students who went hungry because there was not enough food in their home during the 30 days before the survey ..... 115

**PHYSICAL ACTIVITY ..... 116**

Table 114: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey ..... 116

Table 115: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey ..... 117

Table 116: Percentage of high school students who were physically active at least 60 minutes/day on all 7 days before the survey ..... 118

Table 117: Percentage of high school students who attended physical education (PE) classes on one or more days in an average school week ..... 119

Table 118: Percentage of high school students who attended physical education (PE) classes daily ..... 120

Table 119: Percentage of high school students who got 8 or more hours of sleep on an average school night ..... 121

**WEIGHT ..... 122**

Table 120: Percentage of high school students who were obese ..... 122

Table 121: Percentage of high school students who were overweight ..... 123

**RESILIENCY FACTORS ..... 124**  
Table 122: Percentage of high school students who talked to their parents or other adults in their home about their problems ..... 124  
Table 123: Percentage of high school students who talked to their parents about what is right and wrong ..... 125  
Table 124: Percentage of high school students who felt comfortable talking to their parents about personal matters..... 126  
Table 125: Percentage of high school students who felt close to people at their school..... 127  
Table 126: Percentage of high school students who were happy to be at their school ..... 128  
Table 127: Percentage of high school students who felt like their teachers really care about them and give them a lot of encouragement ..... 129  
**OTHER ..... 130**  
Table 128: Percentage of high school students who visited a dentist during the 12 months before the survey..... 130

## INTRODUCTION

Priority health risk behaviors (i.e. preventable behaviors that contribute to the leading causes of morbidity and mortality) are often established during childhood and adolescence and extend into adulthood. Ongoing surveillance of youth risk behaviors is critical for the design, implementation, and evaluation of public health interventions to improve adolescent health. The Youth Risk Behavior Survey (YRBS) is a national surveillance system that was established in 1991 by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health risk behaviors among youth. The Nevada High School YRBS is a biennial, anonymous, and voluntary survey of students in 9<sup>th</sup> through 12<sup>th</sup> grade in regular public, charter, and alternative schools. Students self-report their behaviors in six major areas of health that directly lead to morbidity and mortality; these include:

- 1) Behaviors that contribute to unintentional injuries and violence;
- 2) Sexual behaviors that contribute to human immunodeficiency virus (HIV) infection, other sexually transmitted diseases, and unintended pregnancy;
- 3) Tobacco use;
- 4) Alcohol and other drug use;
- 5) Unhealthy dietary behaviors; and
- 6) Physical inactivity.

In 2023, 36 high schools were randomly chosen by the CDC to represent Nevada. To ensure greater representation from schools in all districts, the Nevada Division of Public and Behavioral Health contracted with the University of Nevada, Reno School of Public Health to conduct the YRBS in all high schools throughout the state. The 2023 Nevada High School YRBS provides statewide data to assess priority health-risk behaviors among high school students, measures progress toward achieving national health objectives for *Healthy People 2030* and other program and policy indicators, and evaluates the impact of school and community interventions at the national, state, and local level. It is our intention that these data will be used by education and health professionals, policy makers, community members, and researchers to improve the health of Nevada's high school students. **This report focuses on 2023 YRBS data from Washoe County High Schools (17 High Schools and 941 students).**

## METHODS

### Sampling, Weighting, and Analysis

The 2023 Nevada YRBS sampling plan was designed to ensure that every eligible student had an equal chance of selection. A random cluster sample design was used to produce a representative sample of students in grades 9–12 (from all Nevada regular public, charter, and alternative high schools). In order to provide regional data that represent all counties in the state, all 17 school districts were grouped into 8 regions that generally reflect the Nevada Statewide Coalition Partnership. The regional grouping also helped ensure that individual schools could not be identified. Next, classes were randomly selected within every school with the probability based on a

required margin of error in the sample size for each region. Intact classes of either all second period or all required English courses were randomly selected from each school (second period classes were sampled in Washoe County). The questionnaire was administered to all students in sampled classes from February 2023 to June 2023.

The 2023 Nevada YRBS data in this report were weighted based on the sex, race/ethnicity, and grade level of students in each region. The weighting process ensured that the estimates accurately represent the entire student population in each region and the state as a whole. Non-response or poor sampling procedures can result in a sample that is not a representative subset of the population; therefore, un-weighted results from these samples may not accurately reflect student behaviors and could be misleading. This report only displays weighted results.

**NOTE: The 2021 YRBS data was collected fall semester rather than spring semester, so the students were younger on average. Age can influence the risk behavior prevalence estimates. When comparing 2023 data to 2021 data, please refer to the UNR trend reports which weight the data by age for all years compared.**

### Permission Status and Response Rates

The Nevada legislature passed SB69, which requires Nevada public, charter, and alternative secondary schools to participate in the Nevada YRBS. SB69 also requires passive parental permission for YRBS participation. Passive parental permission means the students take a permission form home and return it only if their parent or guardian does not want them to participate in the survey. In 2023, Washoe County had an overall response rate (a combination of school and student response rates) of 65.2%.

## RESULTS

### Participant Characteristics

**Table 1: Demographic characteristics of participating students — Nevada YRBS 2023**

		Student Participants <sup>a</sup>	Unweighted %	Weighted %
<b>Overall</b>	<b>Total</b>	941	100.0%	100.0%
<b>Sex</b>	<b>Female</b>	460	49.7%	48.1%
	<b>Male</b>	466	50.3%	51.9%
<b>Age Groups</b>	<b>14 years old or younger</b>	101	10.8%	11.4%
	<b>15 years old</b>	266	28.3%	25.4%
	<b>16 years old</b>	259	27.6%	25.2%
	<b>17 years old</b>	205	21.8%	24.8%
	<b>18 years old or older</b>	108	11.5%	13.3%
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	225	24.2%	25.7%
	<b>10<sup>th</sup> grade</b>	317	34.1%	26.9%
	<b>11<sup>th</sup> grade</b>	199	21.4%	23.7%
	<b>12<sup>th</sup> grade</b>	187	20.1%	23.6%
	<b>Ungraded or other grade</b>	3	0.3%	0.1%
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>b</sup></b>	11	1.2%	1.1%
	<b>Asian<sup>b</sup></b>	59	6.6%	4.8%
	<b>Black<sup>b</sup></b>	35	3.9%	2.6%
	<b>Native Hawaiian/Pacific Islander<sup>b</sup></b>	15	1.7%	1.3%
	<b>White<sup>b</sup></b>	339	37.8%	40.9%
	<b>Hispanic/Latino</b>	382	42.6%	43.6%
	<b>Other/Multiple<sup>b</sup></b>	56	6.2%	5.8%

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Non-Hispanic

**Table 2: Percentage of high school students who had parents or other adults in their home serving on active duty in the military — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	38	4.1%	(2.7-5.5)	860	95.9%	(94.5-97.3)
<b>Sex</b>	<b>Female</b>	17	3.6%	(1.8-5.4)	426	96.4%	(94.6-98.2)
	<b>Male</b>	20	4.4%	(2.4-6.5)	427	95.6%	(93.5-97.6)
<b>Age</b>	<b>14 years old or younger</b>	6	5.9%	(0.4-11.4)	87	94.1%	(88.6-99.6)
	<b>15 years old</b>	12	4.9%	(2.2-7.7)	241	95.1%	(92.3-97.8)
	<b>16 years old</b>	11	4.3%	(1.2-7.5)	240	95.7%	(92.5-98.8)
	<b>17 years old</b>	5	2.5%	(0.1-4.9)	190	97.5%	(95.1-99.9)
	<b>18 years old or older</b>	3	2.9%	(0.0-6.1)	102	97.1%	(93.9-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	11	5.6%	(2.3-8.8)	204	94.4%	(91.2-97.7)
	<b>10<sup>th</sup> grade</b>	13	4.5%	(1.5-7.5)	292	95.5%	(92.5-98.5)
	<b>11<sup>th</sup> grade</b>	9	3.7%	(1.0-6.4)	182	96.3%	(93.6-99.0)
	<b>12<sup>th</sup> grade</b>	4	2.2%	(0.2-4.1)	176	97.8%	(95.9-99.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	14.4%	(0.0-41.6)	7	85.6%	(58.4-100.0)
	<b>Asian<sup>d</sup></b>	2	3.3%	(0.0-8.1)	54	96.7%	(91.9-100.0)
	<b>Black<sup>d</sup></b>	1	3.8%	(0.0-11.4)	32	96.2%	(88.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.0%	(0.0-22.4)	12	92.0%	(77.6-100.0)
	<b>White<sup>d</sup></b>	10	3.0%	(1.0-5.0)	323	97.0%	(95.0-99.0)
	<b>Hispanic/Latino</b>	21	5.5%	(3.0-7.9)	347	94.5%	(92.1-97.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-.)	54	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 3: Percentage of high school students who qualified for or received free or reduced price lunches at school — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	349	39.4%	(33.7-45.1)	551	60.6%	(54.9-66.3)
<b>Sex</b>	<b>Female</b>	156	36.0%	(29.4-42.6)	289	64.0%	(57.4-70.6)
	<b>Male</b>	191	42.8%	(36.1-49.5)	256	57.2%	(50.5-63.9)
<b>Age</b>	<b>14 years old or younger</b>	44	46.7%	(35.4-57.9)	50	53.3%	(42.1-64.6)
	<b>15 years old</b>	96	38.7%	(30.2-47.3)	157	61.3%	(52.7-69.8)
	<b>16 years old</b>	84	33.7%	(25.1-42.3)	168	66.3%	(57.7-74.9)
	<b>17 years old</b>	75	38.7%	(27.7-49.8)	121	61.3%	(50.2-72.3)
	<b>18 years old or older</b>	49	45.9%	(32.3-59.4)	55	54.1%	(40.6-67.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	95	44.0%	(38.3-49.6)	119	56.0%	(50.4-61.7)
	<b>10<sup>th</sup> grade</b>	114	38.7%	(28.9-48.5)	194	61.3%	(51.5-71.1)
	<b>11<sup>th</sup> grade</b>	69	36.8%	(23.7-50.0)	122	63.2%	(50.0-76.3)
	<b>12<sup>th</sup> grade</b>	70	38.2%	(27.4-49.0)	111	61.8%	(51.0-72.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	15.7%	(0.0-40.1)	6	84.3%	(59.9-100.0)
	<b>Asian<sup>d</sup></b>	7	14.0%	(2.9-25.1)	48	86.0%	(74.9-97.1)
	<b>Black<sup>d</sup></b>	12	37.2%	(19.0-55.3)	22	62.8%	(44.7-81.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	59.6%	(31.5-87.7)	6	40.4%	(12.3-68.5)
	<b>White<sup>d</sup></b>	105	31.5%	(25.5-37.4)	227	68.5%	(62.6-74.5)
	<b>Hispanic/Latino</b>	184	49.8%	(43.8-55.7)	185	50.2%	(44.3-56.2)
	<b>Other/Multiple<sup>d</sup></b>	20	38.0%	(24.6-51.4)	34	62.0%	(48.6-75.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 4: Percentage of high school students who identified as heterosexual (straight), gay or lesbian, bisexual, some other identity, or questioning identity — Nevada YRBS 2023\***

		Heterosexual (straight)			Gay or lesbian			Bisexual			Some other identity			Questioning identity		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	654	75.9%	(72.6-79.3)	43	5.1%	(3.5-6.6)	93	10.7%	(8.5-12.9)	38	3.8%	(2.5-5.0)	44	4.5%	(2.9-6.1)
<b>Sex</b>	<b>Female</b>	276	63.5%	(58.7-68.3)	27	6.7%	(4.4-9.0)	74	17.4%	(13.4-21.4)	28	5.4%	(3.3-7.5)	32	7.0%	(4.4-9.6)
	<b>Male</b>	376	88.7%	(85.6-91.8)	15	3.6%	(1.7-5.4)	18	4.3%	(2.6-6.0)	6	1.2%	(0.2-2.3)	10	2.2%	(0.6-3.8)
<b>Age</b>	<b>14 years old or younger</b>	68	75.3%	(66.4-84.2)	4	3.9%	(0.0-7.8)	12	14.6%	(7.3-21.8)	2	1.2%	(0.0-3.3)	5	5.1%	(0.8-9.4)
	<b>15 years old</b>	197	81.0%	(75.4-86.7)	4	1.7%	(0.2-3.3)	23	9.0%	(5.2-12.8)	14	4.4%	(1.8-6.9)	11	3.8%	(0.8-6.9)
	<b>16 years old</b>	170	69.7%	(63.4-75.9)	15	6.3%	(3.0-9.6)	36	14.7%	(10.2-19.2)	13	5.6%	(2.2-9.0)	11	3.8%	(1.6-6.0)
	<b>17 years old</b>	145	77.2%	(71.2-83.1)	11	5.7%	(3.1-8.3)	16	9.0%	(5.3-12.6)	5	2.3%	(0.0-5.0)	12	5.9%	(2.7-9.1)
	<b>18 years old or older</b>	74	76.4%	(69.4-83.3)	9	9.2%	(1.5-16.9)	6	6.2%	(1.2-11.2)	4	3.9%	(0.3-7.5)	5	4.3%	(0.0-10.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	167	80.8%	(75.3-86.2)	6	2.8%	(0.9-4.6)	22	11.3%	(7.2-15.3)	4	1.4%	(0.0-2.9)	8	3.7%	(1.0-6.4)
	<b>10<sup>th</sup> grade</b>	214	71.5%	(64.7-78.4)	13	4.4%	(2.1-6.7)	40	13.2%	(9.1-17.2)	21	6.0%	(3.3-8.7)	15	4.8%	(1.4-8.3)
	<b>11<sup>th</sup> grade</b>	135	73.4%	(66.8-80.0)	10	6.0%	(2.3-9.6)	21	12.4%	(8.2-16.6)	6	3.6%	(0.5-6.7)	10	4.6%	(1.4-7.8)
	<b>12<sup>th</sup> grade</b>	135	78.8%	(72.9-84.8)	13	7.0%	(3.0-11.1)	10	5.8%	(1.7-9.9)	6	3.4%	(1.0-5.7)	9	5.0%	(1.6-8.3)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	88.7%	(65.7-100.0)	0	.	(.-)	1	11.3%	(0.0-34.3)	0	.	(.-)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	44	82.5%	(72.3-92.8)	0	.	(.-)	3	6.3%	(0.0-13.0)	2	2.6%	(0.0-6.2)	4	8.6%	(0.0-17.7)
	<b>Black<sup>d</sup></b>	27	87.5%	(76.9-98.2)	1	2.2%	(0.0-6.5)	1	2.2%	(0.0-6.8)	2	4.5%	(0.0-10.9)	1	3.5%	(0.0-10.5)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	9	67.4%	(40.0-94.7)	1	9.6%	(0.0-27.9)	0	.	(.-)	3	23.1%	(0.0-47.2)	0	.	(.-)
	<b>White<sup>d</sup></b>	228	72.4%	(66.6-78.1)	19	5.8%	(3.7-7.8)	44	13.1%	(9.2-17.0)	13	3.7%	(1.7-5.7)	18	5.0%	(2.2-7.9)
	<b>Hispanic/Latino</b>	285	79.7%	(75.8-83.5)	17	4.8%	(2.3-7.3)	33	8.7%	(5.4-11.9)	10	2.8%	(1.1-4.6)	14	4.0%	(1.4-6.6)
	<b>Other/Multiple<sup>d</sup></b>	34	64.0%	(50.7-77.4)	3	7.0%	(0.0-14.2)	9	18.2%	(7.4-28.9)	4	8.2%	(0.8-15.5)	2	2.7%	(0.0-6.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 5: Percentage of high school students who identified as transgender<sup>e</sup> — Nevada YRBS 2023\***

		No, I am not transgender			Yes, I am transgender			I am not sure if I am transgender		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	827	94.9%	(93.3-96.4)	30	3.2%	(2.0-4.5)	18	1.9%	(1.1-2.7)
<b>Sex</b>	<b>Female</b>	406	92.9%	(90.5-95.3)	19	4.5%	(2.4-6.7)	12	2.6%	(1.0-4.1)
	<b>Male</b>	417	97.4%	(96.0-98.8)	7	1.3%	(0.2-2.4)	6	1.3%	(0.2-2.3)
<b>Age</b>	<b>14 years/younger</b>	86	95.0%	(89.7-100.0)	3	3.8%	(0.0-8.7)	1	1.2%	(0.0-3.7)
	<b>15 years old</b>	237	96.0%	(93.8-98.3)	5	1.4%	(0.0-2.9)	7	2.6%	(0.6-4.5)
	<b>16 years old</b>	223	90.9%	(87.3-94.5)	13	5.2%	(2.1-8.4)	9	3.8%	(1.4-6.3)
	<b>17 years old</b>	185	97.2%	(95.1-99.3)	6	2.8%	(0.7-4.9)	0	.	(-.)
	<b>18 years/older</b>	96	96.0%	(91.5-100.0)	3	3.1%	(0.0-7.6)	1	0.9%	(0.0-2.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	203	96.7%	(93.8-99.7)	3	1.7%	(0.0-4.0)	3	1.6%	(0.0-3.3)
	<b>10<sup>th</sup> grade</b>	273	91.6%	(88.3-95.0)	16	5.5%	(2.8-8.2)	9	2.9%	(1.0-4.8)
	<b>11<sup>th</sup> grade</b>	179	95.4%	(92.6-98.3)	4	2.1%	(0.0-4.3)	5	2.5%	(0.3-4.6)
	<b>12<sup>th</sup> grade</b>	169	96.5%	(92.9-100.0)	7	3.5%	(0.0-7.1)	0	.	(-.)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	6	100.0%	(100.0-100.0)	0	.	(-.)	0	.	(-.)
	<b>Asian<sup>d</sup></b>	52	96.9%	(92.6-100.0)	2	3.1%	(0.0-7.4)	0	.	(-.)
	<b>Black<sup>d</sup></b>	32	94.6%	(87.2-100.0)	1	3.2%	(0.0-9.6)	1	2.1%	(0.0-6.3)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	12	94.5%	(83.4-100.0)	0	.	(-.)	1	5.5%	(0.0-16.6)
	<b>White<sup>d</sup></b>	296	92.6%	(89.5-95.7)	17	4.9%	(2.4-7.5)	9	2.5%	(1.1-4.0)
	<b>Hispanic/Latino</b>	349	97.0%	(95.4-98.6)	6	1.6%	(0.3-2.8)	5	1.5%	(0.2-2.7)
	<b>Other/Multiple<sup>d</sup></b>	49	94.0%	(87.4-100.0)	2	4.6%	(0.0-10.8)	1	1.3%	(0.0-4.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> As in, when their sex at birth does not match the way they think or feel about their gender

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 6: Percentage of high school students who experienced housing insecurity during the 30 days before the survey<sup>e,f</sup>— Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	33	4.3%	(2.2-6.5)	704	95.7%	(93.5-97.8)
<b>Sex</b>	<b>Female</b>	14	4.1%	(1.9-6.2)	344	95.9%	(93.8-98.1)
	<b>Male</b>	15	4.0%	(1.0-7.0)	353	96.0%	(93.0-99.0)
<b>Age</b>	<b>14 years old or younger</b>	2	1.2%	(0.0-3.8)	83	98.8%	(96.2-100.0)
	<b>15 years old</b>	11	5.3%	(0.9-9.6)	225	94.7%	(90.4-99.1)
	<b>16 years old</b>	17	7.6%	(3.4-11.7)	216	92.4%	(88.3-96.6)
	<b>17 years old</b>	3	1.5%	(0.0-3.2)	180	98.5%	(96.8-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	4.2%	(0.2-8.3)	187	95.8%	(91.7-99.8)
	<b>10<sup>th</sup> grade</b>	15	5.7%	(1.9-9.5)	267	94.3%	(90.5-98.1)
	<b>11<sup>th</sup> grade</b>	6	3.4%	(1.0-5.7)	172	96.6%	(94.3-99.0)
	<b>12<sup>th</sup> grade</b>	1	1.2%	(0.0-3.7)	76	98.8%	(96.3-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.8%	(0.0-44.3)	8	80.2%	(55.7-100.0)
	<b>Asian<sup>d</sup></b>	2	4.6%	(0.0-11.2)	48	95.4%	(88.8-100.0)
	<b>Black<sup>d</sup></b>	1	4.0%	(0.0-11.4)	26	96.0%	(88.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.5%	(0.0-25.2)	10	91.5%	(74.8-100.0)
	<b>White<sup>d</sup></b>	9	2.7%	(0.1-5.3)	278	97.3%	(94.7-99.9)
	<b>Hispanic/Latino</b>	17	6.0%	(2.7-9.2)	266	94.0%	(90.8-97.3)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-.)	36	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> In the home of other people, a shelter or emergency housing, a motel or hotel, a public place, or no usual place

<sup>f</sup> Among students who were aged <18 years

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Violence-Related Behaviors

**Table 7: Percentage of high school students who carried a gun during the 12 months before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	43	4.5%	(2.3-6.7)	873	95.5%	(93.3-97.7)
<b>Sex</b>	<b>Female</b>	8	1.7%	(0.0-3.5)	441	98.3%	(96.5-100.0)
	<b>Male</b>	32	6.9%	(3.6-10.2)	423	93.1%	(89.8-96.4)
<b>Age</b>	<b>14 years old or younger</b>	6	2.3%	(0.0-5.3)	90	97.7%	(94.7-100.0)
	<b>15 years old</b>	7	2.9%	(0.6-5.2)	254	97.1%	(94.8-99.4)
	<b>16 years old</b>	13	5.8%	(2.2-9.5)	240	94.2%	(90.5-97.8)
	<b>17 years old</b>	8	3.7%	(0.7-6.7)	192	96.3%	(93.3-99.3)
	<b>18 years old or older</b>	9	8.0%	(0.0-18.8)	96	92.0%	(81.2-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	5	2.5%	(0.3-4.6)	213	97.5%	(95.4-99.7)
	<b>10<sup>th</sup> grade</b>	11	3.6%	(0.6-6.6)	302	96.4%	(93.4-99.4)
	<b>11<sup>th</sup> grade</b>	12	5.7%	(1.4-9.9)	182	94.3%	(90.1-98.6)
	<b>12<sup>th</sup> grade</b>	9	4.9%	(0.0-10.5)	173	95.1%	(89.5-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	3	6.1%	(0.0-12.5)	53	93.9%	(87.5-100.0)
	<b>Black<sup>d</sup></b>	1	2.7%	(0.0-7.9)	33	97.3%	(92.1-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	12	3.7%	(1.0-6.4)	323	96.3%	(93.6-99.0)
	<b>Hispanic/Latino</b>	21	5.6%	(2.6-8.6)	354	94.4%	(91.4-97.4)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	53	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including carrying a gun only for hunting or for sport, such as target shooting

<sup>f</sup> One or more days during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 8: Percentage of high school students who were threatened or injured by someone with a weapon on school property during the 12 months before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	82	8.7%	(6.9-10.4)	834	91.3%	(89.6-93.1)
<b>Sex</b>	<b>Female</b>	31	7.6%	(5.0-10.2)	416	92.4%	(89.8-95.0)
	<b>Male</b>	44	9.1%	(5.9-12.2)	411	90.9%	(87.8-94.1)
<b>Age</b>	<b>14 years old or younger</b>	16	11.9%	(4.1-19.8)	80	88.1%	(80.2-95.9)
	<b>15 years old</b>	13	5.6%	(2.4-8.8)	248	94.4%	(91.2-97.6)
	<b>16 years old</b>	29	11.7%	(7.7-15.8)	224	88.3%	(84.2-92.3)
	<b>17 years old</b>	11	5.6%	(2.7-8.4)	190	94.4%	(91.6-97.3)
	<b>18 years old or older</b>	13	12.1%	(6.8-17.3)	91	87.9%	(82.7-93.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	18	8.2%	(3.2-13.2)	199	91.8%	(86.8-96.8)
	<b>10<sup>th</sup> grade</b>	21	6.2%	(3.7-8.6)	292	93.8%	(91.4-96.3)
	<b>11<sup>th</sup> grade</b>	22	11.7%	(7.2-16.2)	173	88.3%	(83.8-92.8)
	<b>12<sup>th</sup> grade</b>	14	7.6%	(4.8-10.4)	168	92.4%	(89.6-95.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.8%	(0.0-44.3)	8	80.2%	(55.7-100.0)
	<b>Asian<sup>d</sup></b>	5	7.8%	(0.7-14.9)	51	92.2%	(85.1-99.3)
	<b>Black<sup>d</sup></b>	2	5.7%	(0.0-13.1)	32	94.3%	(86.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	27	8.5%	(5.0-11.9)	308	91.5%	(88.1-95.0)
	<b>Hispanic/Latino</b>	32	8.9%	(5.8-11.9)	342	91.1%	(88.1-94.2)
	<b>Other/Multiple<sup>d</sup></b>	5	10.0%	(1.7-18.2)	47	90.0%	(81.8-98.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> For example, a gun, knife, or club

<sup>f</sup> One or more times during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 9: Percentage of high school students who were in a physical fight on school property during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	88	9.6%	(7.2-12.0)	828	90.4%	(88.0-92.8)
<b>Sex</b>	<b>Female</b>	23	5.2%	(2.6-7.9)	424	94.8%	(92.1-97.4)
	<b>Male</b>	60	13.1%	(9.8-16.4)	395	86.9%	(83.6-90.2)
<b>Age</b>	<b>14 years old or younger</b>	13	11.3%	(3.0-19.7)	84	88.7%	(80.3-97.0)
	<b>15 years old</b>	17	7.7%	(4.0-11.4)	244	92.3%	(88.6-96.0)
	<b>16 years old</b>	28	11.1%	(6.2-16.0)	224	88.9%	(84.0-93.8)
	<b>17 years old</b>	20	9.6%	(4.7-14.6)	179	90.4%	(85.4-95.3)
	<b>18 years old or older</b>	10	8.9%	(3.0-14.8)	96	91.1%	(85.2-97.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	20	9.6%	(5.4-13.7)	198	90.4%	(86.3-94.6)
	<b>10<sup>th</sup> grade</b>	27	9.7%	(5.5-13.9)	286	90.3%	(86.1-94.5)
	<b>11<sup>th</sup> grade</b>	24	11.1%	(6.8-15.4)	169	88.9%	(84.6-93.2)
	<b>12<sup>th</sup> grade</b>	12	6.7%	(3.0-10.4)	170	93.3%	(89.6-97.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.8%	(0.0-44.3)	8	80.2%	(55.7-100.0)
	<b>Asian<sup>d</sup></b>	2	3.8%	(0.0-9.2)	54	96.2%	(90.8-100.0)
	<b>Black<sup>d</sup></b>	3	9.9%	(0.0-20.1)	31	90.1%	(79.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	12	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	31	9.5%	(6.1-12.8)	304	90.5%	(87.2-93.9)
	<b>Hispanic/Latino</b>	38	10.1%	(6.8-13.5)	336	89.9%	(86.5-93.2)
	<b>Other/Multiple<sup>d</sup></b>	6	10.9%	(0.2-21.5)	47	89.1%	(78.5-99.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 10: Percentage of high school students who were bullied on school property during the 12 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	145	16.3%	(13.9-18.7)	750	83.7%	(81.3-86.1)
<b>Sex</b>	<b>Female</b>	81	19.4%	(15.7-23.0)	357	80.6%	(77.0-84.3)
	<b>Male</b>	60	13.2%	(10.8-15.7)	384	86.8%	(84.3-89.2)
<b>Age</b>	<b>14 years old or younger</b>	19	21.7%	(13.0-30.4)	71	78.3%	(69.6-87.0)
	<b>15 years old</b>	49	19.6%	(14.8-24.3)	208	80.4%	(75.7-85.2)
	<b>16 years old</b>	38	15.7%	(11.1-20.4)	209	84.3%	(79.6-88.9)
	<b>17 years old</b>	24	12.0%	(6.7-17.4)	173	88.0%	(82.6-93.3)
	<b>18 years old or older</b>	15	14.6%	(6.5-22.6)	87	85.4%	(77.4-93.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	37	18.9%	(14.1-23.7)	176	81.1%	(76.3-85.9)
	<b>10<sup>th</sup> grade</b>	57	19.3%	(16.1-22.5)	248	80.7%	(77.5-83.9)
	<b>11<sup>th</sup> grade</b>	24	13.2%	(8.2-18.3)	166	86.8%	(81.7-91.8)
	<b>12<sup>th</sup> grade</b>	23	12.4%	(7.0-17.9)	154	87.6%	(82.1-93.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.7%	(0.0-50.3)	8	78.3%	(49.7-100.0)
	<b>Asian<sup>d</sup></b>	6	9.4%	(3.5-15.4)	49	90.6%	(84.6-96.5)
	<b>Black<sup>d</sup></b>	4	12.4%	(1.0-23.8)	28	87.6%	(76.2-99.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	17.1%	(0.0-39.6)	11	82.9%	(60.4-100.0)
	<b>White<sup>d</sup></b>	70	20.6%	(16.1-25.1)	258	79.4%	(74.9-83.9)
	<b>Hispanic/Latino</b>	45	12.2%	(8.8-15.6)	322	87.8%	(84.4-91.2)
	<b>Other/Multiple<sup>d</sup></b>	11	23.0%	(9.9-36.2)	41	77.0%	(63.8-90.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 11: Percentage of high school students who were electronically bullied during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	158	17.5%	(14.6-20.4)	743	82.5%	(79.6-85.4)
<b>Sex</b>	<b>Female</b>	90	21.3%	(16.9-25.7)	353	78.7%	(74.3-83.1)
	<b>Male</b>	64	13.8%	(10.2-17.4)	382	86.2%	(82.6-89.8)
<b>Age</b>	<b>14 years old or younger</b>	25	23.9%	(15.2-32.6)	67	76.1%	(67.4-84.8)
	<b>15 years old</b>	52	20.9%	(15.4-26.4)	204	79.1%	(73.6-84.6)
	<b>16 years old</b>	41	17.6%	(12.4-22.7)	207	82.4%	(77.3-87.6)
	<b>17 years old</b>	27	13.8%	(8.3-19.3)	172	86.2%	(80.7-91.7)
	<b>18 years old or older</b>	13	12.8%	(7.1-18.5)	91	87.2%	(81.5-92.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	45	22.0%	(15.9-28.2)	166	78.0%	(71.8-84.1)
	<b>10<sup>th</sup> grade</b>	54	17.2%	(13.0-21.4)	254	82.8%	(78.6-87.0)
	<b>11<sup>th</sup> grade</b>	30	15.8%	(10.3-21.3)	162	84.2%	(78.7-89.7)
	<b>12<sup>th</sup> grade</b>	25	13.7%	(7.7-19.7)	158	86.3%	(80.3-92.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	31.6%	(0.6-62.6)	6	68.4%	(37.4-99.4)
	<b>Asian<sup>d</sup></b>	9	13.8%	(3.4-24.2)	47	86.2%	(75.8-96.6)
	<b>Black<sup>d</sup></b>	4	11.8%	(1.5-22.1)	29	88.2%	(77.9-98.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.9%	(0.0-26.0)	13	91.1%	(74.0-100.0)
	<b>White<sup>d</sup></b>	63	19.1%	(14.5-23.8)	266	80.9%	(76.2-85.5)
	<b>Hispanic/Latino</b>	54	14.8%	(11.1-18.5)	315	85.2%	(81.5-88.9)
	<b>Other/Multiple<sup>d</sup></b>	16	31.8%	(17.2-46.3)	36	68.2%	(53.7-82.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including being bullied through texting, Instagram, Facebook, or other social media

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 12: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	99	10.8%	(7.7-13.8)	821	89.2%	(86.2-92.3)
<b>Sex</b>	<b>Female</b>	54	12.9%	(7.7-18.1)	398	87.1%	(81.9-92.3)
	<b>Male</b>	39	8.3%	(5.2-11.4)	417	91.7%	(88.6-94.8)
<b>Age</b>	<b>14 years old or younger</b>	15	12.8%	(4.4-21.1)	82	87.2%	(78.9-95.6)
	<b>15 years old</b>	14	5.4%	(2.4-8.4)	247	94.6%	(91.6-97.6)
	<b>16 years old</b>	21	8.7%	(5.1-12.4)	233	91.3%	(87.6-94.9)
	<b>17 years old</b>	28	13.0%	(6.4-19.5)	172	87.0%	(80.5-93.6)
	<b>18 years old or older</b>	21	19.0%	(7.7-30.3)	86	81.0%	(69.7-92.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	19	8.1%	(5.0-11.3)	200	91.9%	(88.7-95.0)
	<b>10<sup>th</sup> grade</b>	22	7.5%	(3.0-12.1)	292	92.5%	(87.9-97.0)
	<b>11<sup>th</sup> grade</b>	26	13.3%	(6.8-19.8)	168	86.7%	(80.2-93.2)
	<b>12<sup>th</sup> grade</b>	27	13.9%	(5.2-22.7)	157	86.1%	(77.3-94.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.9%	(0.0-31.8)	8	88.1%	(68.2-100.0)
	<b>Asian<sup>d</sup></b>	3	6.1%	(0.0-12.2)	53	93.9%	(87.8-100.0)
	<b>Black<sup>d</sup></b>	2	6.3%	(0.0-14.5)	32	93.7%	(85.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	22	6.7%	(3.9-9.6)	314	93.3%	(90.4-96.1)
	<b>Hispanic/Latino</b>	57	15.6%	(10.6-20.7)	320	84.4%	(79.3-89.4)
	<b>Other/Multiple<sup>d</sup></b>	5	9.9%	(1.5-18.3)	49	90.1%	(81.7-98.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 13: Percentage of high school students who experienced physical dating violence during the 12 months before the survey<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	49	9.1%	(6.5-11.7)	484	90.9%	(88.3-93.5)
<b>Sex</b>	<b>Female</b>	26	9.3%	(5.4-13.2)	244	90.7%	(86.8-94.6)
	<b>Male</b>	18	7.9%	(4.8-11.0)	236	92.1%	(89.0-95.2)
<b>Age</b>	<b>14 years old or younger</b>	9	14.0%	(5.0-23.0)	47	86.0%	(77.0-95.0)
	<b>15 years old</b>	8	5.9%	(1.8-10.1)	127	94.1%	(89.9-98.2)
	<b>16 years old</b>	16	9.9%	(5.8-13.9)	144	90.1%	(86.1-94.2)
	<b>17 years old</b>	9	7.4%	(2.0-12.8)	111	92.6%	(87.2-98.0)
	<b>18 years old or older</b>	7	11.8%	(3.5-20.0)	54	88.2%	(80.0-96.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	9	8.6%	(2.9-14.2)	108	91.4%	(85.8-97.1)
	<b>10<sup>th</sup> grade</b>	17	9.4%	(5.3-13.5)	165	90.6%	(86.5-94.7)
	<b>11<sup>th</sup> grade</b>	10	8.2%	(2.8-13.6)	115	91.8%	(86.4-97.2)
	<b>12<sup>th</sup> grade</b>	9	8.7%	(4.7-12.7)	93	91.3%	(87.3-95.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	20.3%	(0.0-54.0)	4	79.7%	(46.0-100.0)
	<b>Asian<sup>d</sup></b>	2	7.7%	(0.0-18.2)	27	92.3%	(81.8-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	18	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	10.2%	(0.0-30.4)	6	89.8%	(69.6-100.0)
	<b>White<sup>d</sup></b>	19	10.0%	(5.4-14.6)	162	90.0%	(85.4-94.6)
	<b>Hispanic/Latino</b>	20	8.2%	(4.8-11.7)	217	91.8%	(88.3-95.2)
	<b>Other/Multiple<sup>d</sup></b>	4	12.4%	(1.3-23.6)	28	87.6%	(76.4-98.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with

<sup>f</sup> One or more times during the 12 months before the survey

<sup>g</sup> Among students who dated or went out with someone during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 14: Percentage of high school students who experienced sexual dating violence during the 12 months before the survey<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	84	15.6%	(11.2-19.9)	448	84.4%	(80.1-88.8)
<b>Sex</b>	<b>Female</b>	55	21.1%	(14.7-27.5)	211	78.9%	(72.5-85.3)
	<b>Male</b>	21	8.7%	(5.2-12.2)	235	91.3%	(87.8-94.8)
<b>Age</b>	<b>14 years old or younger</b>	15	24.8%	(11.9-37.7)	42	75.2%	(62.3-88.1)
	<b>15 years old</b>	24	18.9%	(11.8-25.9)	109	81.1%	(74.1-88.2)
	<b>16 years old</b>	20	11.6%	(6.2-16.9)	139	88.4%	(83.1-93.8)
	<b>17 years old</b>	19	15.7%	(7.6-23.9)	101	84.3%	(76.1-92.4)
	<b>18 years old or older</b>	6	10.4%	(2.9-17.8)	56	89.6%	(82.2-97.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	22	21.0%	(11.4-30.6)	94	79.0%	(69.4-88.6)
	<b>10<sup>th</sup> grade</b>	29	15.7%	(9.5-22.0)	151	84.3%	(78.0-90.5)
	<b>11<sup>th</sup> grade</b>	13	10.5%	(4.9-16.0)	112	89.5%	(84.0-95.1)
	<b>12<sup>th</sup> grade</b>	16	15.3%	(6.5-24.1)	87	84.7%	(75.9-93.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	42.0%	(0.0-88.8)	3	58.0%	(11.2-100.0)
	<b>Asian<sup>d</sup></b>	2	5.9%	(0.0-14.3)	27	94.1%	(85.7-100.0)
	<b>Black<sup>d</sup></b>	1	6.0%	(0.0-18.0)	17	94.0%	(82.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	18.4%	(0.0-51.9)	5	81.6%	(48.1-100.0)
	<b>White<sup>d</sup></b>	34	18.6%	(11.0-26.1)	145	81.4%	(73.9-89.0)
	<b>Hispanic/Latino</b>	31	13.0%	(8.3-17.6)	206	87.0%	(82.4-91.7)
	<b>Other/Multiple<sup>d</sup></b>	8	23.2%	(7.7-38.7)	25	76.8%	(61.3-92.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with

<sup>f</sup> One or more times during the 12 months before the survey

<sup>g</sup> Among students who dated or went out with someone during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Adverse Childhood Experiences

**Table 15: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in any way by a parent or other adult in their home — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	300	32.7%	(28.4-37.0)	607	67.3%	(63.0-71.6)
<b>Sex</b>	<b>Female</b>	172	38.8%	(33.6-44.1)	272	61.2%	(55.9-66.4)
	<b>Male</b>	125	27.1%	(21.7-32.5)	327	72.9%	(67.5-78.3)
<b>Age</b>	<b>14 years old or younger</b>	30	34.9%	(22.9-46.8)	59	65.1%	(53.2-77.1)
	<b>15 years old</b>	86	32.0%	(26.0-38.0)	174	68.0%	(62.0-74.0)
	<b>16 years old</b>	87	34.2%	(25.9-42.4)	165	65.8%	(57.6-74.1)
	<b>17 years old</b>	62	31.3%	(22.7-39.9)	135	68.7%	(60.1-77.3)
	<b>18 years old or older</b>	34	31.9%	(20.8-43.1)	73	68.1%	(56.9-79.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	66	31.7%	(23.1-40.3)	148	68.3%	(59.7-76.9)
	<b>10<sup>th</sup> grade</b>	104	32.6%	(26.5-38.8)	206	67.4%	(61.2-73.5)
	<b>11<sup>th</sup> grade</b>	68	34.4%	(26.1-42.8)	124	65.6%	(57.2-73.9)
	<b>12<sup>th</sup> grade</b>	56	30.7%	(23.4-37.9)	127	69.3%	(62.1-76.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.8%	(0.0-50.3)	8	78.2%	(49.7-100.0)
	<b>Asian<sup>d</sup></b>	24	43.0%	(30.3-55.6)	31	57.0%	(44.4-69.7)
	<b>Black<sup>d</sup></b>	8	25.1%	(7.6-42.6)	24	74.9%	(57.4-92.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	50.6%	(24.8-76.4)	7	49.4%	(23.6-75.2)
	<b>White<sup>d</sup></b>	94	28.8%	(23.2-34.5)	236	71.2%	(65.5-76.8)
	<b>Hispanic/Latino</b>	131	34.3%	(28.0-40.6)	245	65.7%	(59.4-72.0)
	<b>Other/Multiple<sup>d</sup></b>	22	42.0%	(25.6-58.4)	31	58.0%	(41.6-74.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 16: Percentage of students who reported that an adult or person at least 5 years older than them made them do sexual things they did not want to do<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	87	9.6%	(7.3-12.0)	809	90.4%	(88.0-92.7)
<b>Sex</b>	<b>Female</b>	59	13.7%	(10.0-17.4)	376	86.3%	(82.6-90.0)
	<b>Male</b>	26	5.7%	(3.6-7.9)	425	94.3%	(92.1-96.4)
<b>Age</b>	<b>14 years old or younger</b>	4	4.5%	(0.4-8.5)	87	95.5%	(91.5-99.6)
	<b>15 years old</b>	27	9.6%	(5.6-13.7)	232	90.4%	(86.3-94.4)
	<b>16 years old</b>	25	10.5%	(5.6-15.4)	221	89.5%	(84.6-94.4)
	<b>17 years old</b>	20	10.5%	(5.8-15.2)	175	89.5%	(84.8-94.2)
	<b>18 years old or older</b>	11	10.7%	(6.0-15.5)	93	89.3%	(84.5-94.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	17	7.8%	(4.6-11.1)	197	92.2%	(88.9-95.4)
	<b>10<sup>th</sup> grade</b>	32	9.9%	(4.7-15.0)	273	90.1%	(85.0-95.3)
	<b>11<sup>th</sup> grade</b>	20	11.3%	(5.9-16.8)	170	88.7%	(83.2-94.1)
	<b>12<sup>th</sup> grade</b>	16	8.8%	(5.6-12.1)	164	91.2%	(87.9-94.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	12.7%	(0.0-37.0)	8	87.3%	(63.0-100.0)
	<b>Asian<sup>d</sup></b>	7	13.4%	(2.7-24.1)	46	86.6%	(75.9-97.3)
	<b>Black<sup>d</sup></b>	3	7.3%	(0.0-15.3)	29	92.7%	(84.7-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	9.6%	(0.0-27.9)	12	90.4%	(72.1-100.0)
	<b>White<sup>d</sup></b>	26	7.4%	(4.2-10.5)	302	92.6%	(89.5-95.8)
	<b>Hispanic/Latino</b>	37	10.1%	(7.1-13.1)	333	89.9%	(86.9-92.9)
	<b>Other/Multiple<sup>d</sup></b>	10	20.1%	(9.6-30.6)	42	79.9%	(69.4-90.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including kissing, touching, or being made to have sexual intercourse

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 17: Percentage of high school students who have ever been insulted or put down by a parent or other adult in their home — Nevada YRBS 2023**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	552	61.2%	(57.0-65.4)	355	38.8%	(34.6-43.0)
<b>Sex</b>	<b>Female</b>	304	69.8%	(64.9-74.6)	141	30.2%	(25.4-35.1)
	<b>Male</b>	236	52.5%	(47.1-57.9)	214	47.5%	(42.1-52.9)
<b>Age</b>	<b>14 years old or younger</b>	56	62.5%	(47.1-77.9)	34	37.5%	(22.1-52.9)
	<b>15 years old</b>	158	61.7%	(55.4-68.0)	100	38.3%	(32.0-44.6)
	<b>16 years old</b>	163	66.0%	(60.0-72.1)	88	34.0%	(27.9-40.0)
	<b>17 years old</b>	117	59.9%	(53.1-66.7)	82	40.1%	(33.3-46.9)
	<b>18 years old or older</b>	56	52.1%	(41.5-62.6)	51	47.9%	(37.4-58.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	128	61.8%	(54.0-69.7)	86	38.2%	(30.3-46.0)
	<b>10<sup>th</sup> grade</b>	193	63.2%	(57.1-69.2)	116	36.8%	(30.8-42.9)
	<b>11<sup>th</sup> grade</b>	118	61.1%	(52.9-69.3)	74	38.9%	(30.7-47.1)
	<b>12<sup>th</sup> grade</b>	106	57.8%	(50.0-65.6)	77	42.2%	(34.4-50.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	47.8%	(16.7-78.9)	5	52.2%	(21.1-83.3)
	<b>Asian<sup>d</sup></b>	37	65.5%	(50.8-80.2)	19	34.5%	(19.8-49.2)
	<b>Black<sup>d</sup></b>	18	56.5%	(37.3-75.7)	15	43.5%	(24.3-62.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	50.6%	(24.8-76.4)	7	49.4%	(23.6-75.2)
	<b>White<sup>d</sup></b>	223	67.2%	(61.8-72.6)	107	32.8%	(27.4-38.2)
	<b>Hispanic/Latino</b>	204	54.6%	(48.5-60.6)	168	45.4%	(39.4-51.5)
	<b>Other/Multiple<sup>d</sup></b>	38	71.6%	(55.7-87.5)	15	28.4%	(12.5-44.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 18: Percentage of high school students who never/rarely had an adult in their household who tried hard to make sure their basic needs were met<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	111	13.3%	(10.1-16.5)	723	86.7%	(83.5-89.9)
<b>Sex</b>	<b>Female</b>	44	10.7%	(7.4-14.1)	364	89.3%	(85.9-92.6)
	<b>Male</b>	63	15.3%	(10.6-19.9)	351	84.7%	(80.1-89.4)
<b>Age</b>	<b>14 years old or younger</b>	7	7.9%	(2.1-13.7)	78	92.1%	(86.3-97.9)
	<b>15 years old</b>	28	12.6%	(7.8-17.4)	209	87.4%	(82.6-92.2)
	<b>16 years old</b>	30	13.1%	(7.9-18.4)	199	86.9%	(81.6-92.1)
	<b>17 years old</b>	25	12.9%	(7.3-18.5)	158	87.1%	(81.5-92.7)
	<b>18 years old or older</b>	20	19.8%	(10.7-28.9)	79	80.2%	(71.1-89.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	24	11.9%	(6.8-16.9)	172	88.1%	(83.1-93.2)
	<b>10<sup>th</sup> grade</b>	32	11.8%	(7.0-16.7)	248	88.2%	(83.3-93.0)
	<b>11<sup>th</sup> grade</b>	22	11.8%	(6.8-16.7)	157	88.2%	(83.3-93.2)
	<b>12<sup>th</sup> grade</b>	30	17.1%	(9.7-24.4)	141	82.9%	(75.6-90.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	51.3%	(25.0-77.7)	5	48.7%	(22.3-75.0)
	<b>Asian<sup>d</sup></b>	8	15.2%	(8.0-22.3)	47	84.8%	(77.7-92.0)
	<b>Black<sup>d</sup></b>	4	14.2%	(0.8-27.5)	27	85.8%	(72.5-99.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	15.6%	(0.0-36.2)	11	84.4%	(63.8-100.0)
	<b>White<sup>d</sup></b>	24	7.8%	(4.3-11.3)	286	92.2%	(88.7-95.7)
	<b>Hispanic/Latino</b>	59	18.0%	(13.1-23.0)	276	82.0%	(77.0-86.9)
	<b>Other/Multiple<sup>d</sup></b>	3	7.4%	(0.0-18.4)	42	92.6%	(81.6-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Such as looking after their safety and making sure they had clean clothes and enough to eat

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 19: Percentage of high school students who have ever had parents or other adults in their home slapped, hit, kicked, punched, or beat each other up — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	192	21.3%	(18.3-24.4)	716	78.7%	(75.6-81.7)
<b>Sex</b>	<b>Female</b>	119	28.3%	(23.6-32.9)	324	71.7%	(67.1-76.4)
	<b>Male</b>	65	14.4%	(10.7-18.2)	386	85.6%	(81.8-89.3)
<b>Age</b>	<b>14 years old or younger</b>	24	22.6%	(14.3-30.8)	70	77.4%	(69.2-85.7)
	<b>15 years old</b>	48	19.1%	(13.6-24.7)	212	80.9%	(75.3-86.4)
	<b>16 years old</b>	52	22.3%	(16.6-28.0)	198	77.7%	(72.0-83.4)
	<b>17 years old</b>	43	21.3%	(14.9-27.7)	154	78.7%	(72.3-85.1)
	<b>18 years old or older</b>	24	22.4%	(12.3-32.4)	81	77.6%	(67.6-87.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	48	22.3%	(16.7-27.8)	167	77.7%	(72.2-83.3)
	<b>10<sup>th</sup> grade</b>	53	17.5%	(12.3-22.7)	256	82.5%	(77.3-87.7)
	<b>11<sup>th</sup> grade</b>	43	23.1%	(17.7-28.4)	149	76.9%	(71.6-82.3)
	<b>12<sup>th</sup> grade</b>	41	21.9%	(15.3-28.6)	141	78.1%	(71.4-84.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	26.4%	(0.0-59.6)	7	73.6%	(40.4-100.0)
	<b>Asian<sup>d</sup></b>	8	15.3%	(3.8-26.8)	47	84.7%	(73.2-96.2)
	<b>Black<sup>d</sup></b>	7	22.4%	(6.0-38.8)	26	77.6%	(61.2-94.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	33.8%	(8.1-59.4)	9	66.2%	(40.6-91.9)
	<b>White<sup>d</sup></b>	63	19.6%	(14.5-24.7)	264	80.4%	(75.3-85.5)
	<b>Hispanic/Latino</b>	84	22.3%	(17.8-26.9)	291	77.7%	(73.1-82.2)
	<b>Other/Multiple<sup>d</sup></b>	14	26.8%	(15.1-38.6)	40	73.2%	(61.4-84.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 20: Percentage of high school students who have ever lived with a parent or guardian who had severe depression, anxiety, or another mental illness, or was suicidal — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	258	32.2%	(28.4-36.1)	564	67.8%	(63.9-71.6)
<b>Sex</b>	<b>Female</b>	145	38.2%	(32.1-44.2)	258	61.8%	(55.8-67.9)
	<b>Male</b>	106	26.2%	(20.8-31.6)	302	73.8%	(68.4-79.2)
<b>Age</b>	<b>14 years old or younger</b>	36	45.5%	(38.5-52.5)	47	54.5%	(47.5-61.5)
	<b>15 years old</b>	63	28.0%	(20.3-35.6)	169	72.0%	(64.4-79.7)
	<b>16 years old</b>	78	35.9%	(29.0-42.7)	149	64.1%	(57.3-71.0)
	<b>17 years old</b>	55	29.7%	(23.5-35.8)	128	70.3%	(64.2-76.5)
	<b>18 years old or older</b>	25	27.4%	(18.7-36.1)	71	72.6%	(63.9-81.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	68	37.7%	(31.2-44.2)	123	62.3%	(55.8-68.8)
	<b>10<sup>th</sup> grade</b>	79	28.8%	(21.3-36.2)	201	71.2%	(63.8-78.7)
	<b>11<sup>th</sup> grade</b>	56	31.8%	(24.6-39.0)	120	68.2%	(61.0-75.4)
	<b>12<sup>th</sup> grade</b>	52	30.6%	(25.1-36.2)	116	69.4%	(63.8-74.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	59.8%	(26.8-92.8)	3	40.2%	(7.2-73.2)
	<b>Asian<sup>d</sup></b>	10	18.8%	(4.1-33.5)	45	81.2%	(66.5-95.9)
	<b>Black<sup>d</sup></b>	6	20.8%	(7.3-34.3)	25	79.2%	(65.7-92.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	35.1%	(7.0-63.2)	9	64.9%	(36.8-93.0)
	<b>White<sup>d</sup></b>	120	39.3%	(33.9-44.6)	188	60.7%	(55.4-66.1)
	<b>Hispanic/Latino</b>	88	26.9%	(20.9-32.9)	240	73.1%	(67.1-79.1)
	<b>Other/Multiple<sup>d</sup></b>	14	32.4%	(18.6-46.1)	32	67.6%	(53.9-81.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: The wording of this question changed in 2023. Comparisons should not be made with previous years.**

**Table 21: Percentage of high school students who have ever lived with a parent or guardian who was having a problem with alcohol or drug use — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	243	30.4%	(26.3-34.4)	577	69.6%	(65.6-73.7)
<b>Sex</b>	<b>Female</b>	127	33.8%	(27.6-40.0)	275	66.2%	(60.0-72.4)
	<b>Male</b>	110	27.0%	(21.9-32.0)	298	73.0%	(68.0-78.1)
<b>Age</b>	<b>14 years old or younger</b>	35	41.5%	(33.1-49.8)	48	58.5%	(50.2-66.9)
	<b>15 years old</b>	64	28.2%	(21.6-34.8)	167	71.8%	(65.2-78.4)
	<b>16 years old</b>	61	29.8%	(22.0-37.5)	166	70.2%	(62.5-78.0)
	<b>17 years old</b>	61	32.7%	(24.8-40.6)	123	67.3%	(59.4-75.2)
	<b>18 years old or older</b>	21	22.0%	(14.6-29.3)	73	78.0%	(70.7-85.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	70	36.5%	(29.9-43.1)	121	63.5%	(56.9-70.1)
	<b>10<sup>th</sup> grade</b>	65	24.0%	(17.3-30.7)	213	76.0%	(69.3-82.7)
	<b>11<sup>th</sup> grade</b>	55	31.3%	(24.1-38.6)	124	68.7%	(61.4-75.9)
	<b>12<sup>th</sup> grade</b>	50	30.2%	(21.5-38.8)	116	69.8%	(61.2-78.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	59.8%	(26.8-92.8)	3	40.2%	(7.2-73.2)
	<b>Asian<sup>d</sup></b>	9	18.2%	(9.4-27.0)	45	81.8%	(73.0-90.6)
	<b>Black<sup>d</sup></b>	5	19.2%	(4.9-33.5)	25	80.8%	(66.5-95.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	51.2%	(22.5-79.8)	7	48.8%	(20.2-77.5)
	<b>White<sup>d</sup></b>	113	37.6%	(31.8-43.3)	194	62.4%	(56.7-68.2)
	<b>Hispanic/Latino</b>	78	24.2%	(18.8-29.5)	250	75.8%	(70.5-81.2)
	<b>Other/Multiple<sup>d</sup></b>	13	29.5%	(16.9-42.0)	33	70.5%	(58.0-83.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: The wording of this question changed in 2023. Comparisons should not be made with previous years.**

**Table 22: Percentage of high school students who have ever been separated from a parent or guardian because their parent/guardian went to jail, prison, or a detention center — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	146	18.1%	(14.4-21.7)	676	81.9%	(78.3-85.6)
<b>Sex</b>	<b>Female</b>	76	19.7%	(14.7-24.7)	328	80.3%	(75.3-85.3)
	<b>Male</b>	67	16.3%	(11.5-21.1)	340	83.7%	(78.9-88.5)
<b>Age</b>	<b>14 years old or younger</b>	16	18.0%	(11.5-24.5)	66	82.0%	(75.5-88.5)
	<b>15 years old</b>	35	15.7%	(8.7-22.8)	197	84.3%	(77.2-91.3)
	<b>16 years old</b>	43	20.0%	(14.3-25.7)	185	80.0%	(74.3-85.7)
	<b>17 years old</b>	32	17.0%	(10.1-23.9)	151	83.0%	(76.1-89.9)
	<b>18 years old or older</b>	20	21.0%	(12.4-29.6)	76	79.0%	(70.4-87.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	35	18.9%	(12.7-25.1)	155	81.1%	(74.9-87.3)
	<b>10<sup>th</sup> grade</b>	40	14.2%	(8.9-19.4)	238	85.8%	(80.6-91.1)
	<b>11<sup>th</sup> grade</b>	38	21.0%	(13.8-28.2)	142	79.0%	(71.8-86.2)
	<b>12<sup>th</sup> grade</b>	32	18.6%	(10.7-26.4)	135	81.4%	(73.6-89.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	45.6%	(18.6-72.7)	5	54.4%	(27.3-81.4)
	<b>Asian<sup>d</sup></b>	4	7.2%	(0.0-16.3)	51	92.8%	(83.7-100.0)
	<b>Black<sup>d</sup></b>	5	18.1%	(4.0-32.3)	24	81.9%	(67.7-96.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	43.7%	(14.9-72.5)	8	56.3%	(27.5-85.1)
	<b>White<sup>d</sup></b>	47	15.1%	(11.1-19.1)	258	84.9%	(80.9-88.9)
	<b>Hispanic/Latino</b>	66	20.6%	(14.9-26.3)	266	79.4%	(73.7-85.1)
	<b>Other/Multiple<sup>d</sup></b>	9	20.3%	(8.1-32.6)	36	79.7%	(67.4-91.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\* Note: We caution against group comparisons when a cell size is less than 5.**

**Table 23: Percentage of high school students who have ever seen someone get physically attacked, beaten, stabbed, or shot in their neighborhood — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	273	30.8%	(26.3-35.3)	636	69.2%	(64.7-73.7)
<b>Sex</b>	<b>Female</b>	137	31.5%	(25.5-37.5)	310	68.5%	(62.5-74.5)
	<b>Male</b>	134	30.3%	(25.2-35.4)	317	69.7%	(64.6-74.8)
<b>Age</b>	<b>14 years old or younger</b>	28	30.2%	(19.5-40.9)	66	69.8%	(59.1-80.5)
	<b>15 years old</b>	79	30.9%	(24.5-37.2)	183	69.1%	(62.8-75.5)
	<b>16 years old</b>	72	29.3%	(21.9-36.7)	179	70.7%	(63.3-78.1)
	<b>17 years old</b>	64	33.0%	(22.0-43.9)	134	67.0%	(56.1-78.0)
	<b>18 years old or older</b>	30	29.9%	(20.2-39.5)	73	70.1%	(60.5-79.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	69	32.8%	(25.3-40.3)	149	67.2%	(59.7-74.7)
	<b>10<sup>th</sup> grade</b>	89	28.5%	(21.3-35.8)	222	71.5%	(64.2-78.7)
	<b>11<sup>th</sup> grade</b>	53	28.8%	(21.8-35.7)	138	71.2%	(64.3-78.2)
	<b>12<sup>th</sup> grade</b>	60	32.8%	(23.2-42.3)	122	67.2%	(57.7-76.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	25.5%	(0.0-57.5)	7	74.5%	(42.5-100.0)
	<b>Asian<sup>d</sup></b>	14	24.0%	(11.8-36.1)	42	76.0%	(63.9-88.2)
	<b>Black<sup>d</sup></b>	9	28.3%	(11.5-45.1)	24	71.7%	(54.9-88.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	42.7%	(14.5-70.9)	7	57.3%	(29.1-85.5)
	<b>White<sup>d</sup></b>	80	24.2%	(18.3-30.1)	253	75.8%	(69.9-81.7)
	<b>Hispanic/Latino</b>	141	37.9%	(31.2-44.7)	233	62.1%	(55.3-68.8)
	<b>Other/Multiple<sup>d</sup></b>	15	29.6%	(17.9-41.4)	37	70.4%	(58.6-82.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\* Note: We caution against group comparisons when a cell size is less than 5.**

## Emotional Health

**Table 24: Percentage of high school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	367	41.5%	(37.0-46.1)	525	58.5%	(53.9-63.0)
<b>Sex</b>	<b>Female</b>	231	53.5%	(47.4-59.5)	205	46.5%	(40.5-52.6)
	<b>Male</b>	130	30.3%	(24.9-35.6)	316	69.7%	(64.4-75.1)
<b>Age</b>	<b>14 years old or younger</b>	38	44.5%	(34.0-55.1)	50	55.5%	(44.9-66.0)
	<b>15 years old</b>	100	37.4%	(28.8-46.1)	157	62.6%	(53.9-71.2)
	<b>16 years old</b>	106	45.1%	(38.3-51.8)	138	54.9%	(48.2-61.7)
	<b>17 years old</b>	80	40.4%	(31.3-49.5)	116	59.6%	(50.5-68.7)
	<b>18 years old or older</b>	43	42.8%	(34.2-51.4)	62	57.2%	(48.6-65.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	77	38.2%	(29.2-47.1)	136	61.8%	(52.9-70.8)
	<b>10<sup>th</sup> grade</b>	132	43.0%	(35.0-51.0)	170	57.0%	(49.0-65.0)
	<b>11<sup>th</sup> grade</b>	79	42.9%	(34.5-51.4)	108	57.1%	(48.6-65.5)
	<b>12<sup>th</sup> grade</b>	77	42.1%	(32.8-51.4)	105	57.9%	(48.6-67.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	47.7%	(17.7-77.7)	5	52.3%	(22.3-82.3)
	<b>Asian<sup>d</sup></b>	18	31.9%	(15.9-48.0)	36	68.1%	(52.0-84.1)
	<b>Black<sup>d</sup></b>	11	33.5%	(17.0-50.0)	20	66.5%	(50.0-83.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	26.5%	(2.0-51.0)	10	73.5%	(49.0-98.0)
	<b>White<sup>d</sup></b>	130	39.6%	(33.4-45.9)	194	60.4%	(54.1-66.6)
	<b>Hispanic/Latino</b>	163	43.9%	(37.8-50.0)	208	56.1%	(50.0-62.2)
	<b>Other/Multiple<sup>d</sup></b>	26	51.0%	(35.6-66.4)	26	49.0%	(33.6-64.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> So that they stopped doing some usual activities

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 25: Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	164	19.0%	(16.2-21.7)	715	81.0%	(78.3-83.8)
<b>Sex</b>	<b>Female</b>	98	23.5%	(19.4-27.6)	330	76.5%	(72.4-80.6)
	<b>Male</b>	61	14.2%	(10.5-17.8)	380	85.8%	(82.2-89.5)
<b>Age</b>	<b>14 years old or younger</b>	22	25.6%	(17.7-33.5)	66	74.4%	(66.5-82.3)
	<b>15 years old</b>	41	14.8%	(10.3-19.4)	215	85.2%	(80.6-89.7)
	<b>16 years old</b>	47	20.5%	(14.9-26.2)	195	79.5%	(73.8-85.1)
	<b>17 years old</b>	37	19.4%	(14.5-24.3)	153	80.6%	(75.7-85.5)
	<b>18 years old or older</b>	17	17.9%	(12.9-22.8)	84	82.1%	(77.2-87.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	36	17.3%	(12.0-22.6)	176	82.7%	(77.4-88.0)
	<b>10<sup>th</sup> grade</b>	57	19.0%	(14.5-23.5)	241	81.0%	(76.5-85.5)
	<b>11<sup>th</sup> grade</b>	38	21.2%	(16.3-26.2)	150	78.8%	(73.8-83.7)
	<b>12<sup>th</sup> grade</b>	32	18.4%	(13.1-23.6)	141	81.6%	(76.4-86.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	53.7%	(22.8-84.7)	4	46.3%	(15.3-77.2)
	<b>Asian<sup>d</sup></b>	10	17.7%	(6.2-29.2)	42	82.3%	(70.8-93.8)
	<b>Black<sup>d</sup></b>	4	12.0%	(0.9-23.0)	27	88.0%	(77.0-99.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.3%	(0.0-24.4)	13	91.7%	(75.6-100.0)
	<b>White<sup>d</sup></b>	66	20.5%	(15.8-25.3)	256	79.5%	(74.7-84.2)
	<b>Hispanic/Latino</b>	62	16.9%	(12.8-20.9)	301	83.1%	(79.1-87.2)
	<b>Other/Multiple<sup>d</sup></b>	12	24.7%	(13.8-35.6)	40	75.3%	(64.4-86.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 26: Percentage of high school students who made a plan about how they would attempt suicide during the 12 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	170	19.3%	(16.5-22.0)	725	80.7%	(78.0-83.5)
<b>Sex</b>	<b>Female</b>	91	20.9%	(16.6-25.3)	346	79.1%	(74.7-83.4)
	<b>Male</b>	73	17.0%	(13.8-20.2)	374	83.0%	(79.8-86.2)
<b>Age</b>	<b>14 years old or younger</b>	18	20.6%	(14.1-27.1)	70	79.4%	(72.9-85.9)
	<b>15 years old</b>	51	19.5%	(15.5-23.5)	207	80.5%	(76.5-84.5)
	<b>16 years old</b>	46	19.7%	(14.3-25.2)	201	80.3%	(74.8-85.7)
	<b>17 years old</b>	31	15.7%	(11.0-20.4)	165	84.3%	(79.6-89.0)
	<b>18 years old or older</b>	24	23.5%	(17.4-29.7)	81	76.5%	(70.3-82.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	39	19.3%	(13.7-24.9)	174	80.7%	(75.1-86.3)
	<b>10<sup>th</sup> grade</b>	60	19.9%	(15.2-24.6)	244	80.1%	(75.4-84.8)
	<b>11<sup>th</sup> grade</b>	30	16.6%	(11.9-21.3)	158	83.4%	(78.7-88.1)
	<b>12<sup>th</sup> grade</b>	35	20.0%	(14.7-25.4)	147	80.0%	(74.6-85.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	46.2%	(16.3-76.2)	5	53.8%	(23.8-83.7)
	<b>Asian<sup>d</sup></b>	9	14.4%	(2.6-26.1)	46	85.6%	(73.9-97.4)
	<b>Black<sup>d</sup></b>	6	18.4%	(6.1-30.7)	26	81.6%	(69.3-93.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.9%	(0.0-26.2)	12	91.1%	(73.8-100.0)
	<b>White<sup>d</sup></b>	62	19.5%	(14.9-24.1)	263	80.5%	(75.9-85.1)
	<b>Hispanic/Latino</b>	71	18.6%	(14.6-22.7)	302	81.4%	(77.3-85.4)
	<b>Other/Multiple<sup>d</sup></b>	12	24.9%	(9.5-40.4)	39	75.1%	(59.6-90.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 27: Percentage of high school students who attempted suicide during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	91	11.7%	(9.0-14.3)	690	88.3%	(85.7-91.0)
<b>Sex</b>	<b>Female</b>	46	12.5%	(8.5-16.5)	341	87.5%	(83.5-91.5)
	<b>Male</b>	40	10.4%	(7.5-13.4)	341	89.6%	(86.6-92.5)
<b>Age</b>	<b>14 years old or younger</b>	12	14.0%	(6.7-21.3)	69	86.0%	(78.7-93.3)
	<b>15 years old</b>	30	14.5%	(9.7-19.4)	182	85.5%	(80.6-90.3)
	<b>16 years old</b>	20	9.5%	(4.7-14.3)	199	90.5%	(85.7-95.3)
	<b>17 years old</b>	19	10.5%	(6.4-14.5)	157	89.5%	(85.5-93.6)
	<b>18 years old or older</b>	9	10.2%	(2.2-18.2)	82	89.8%	(81.8-97.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	22	13.3%	(7.7-18.8)	162	86.7%	(81.2-92.3)
	<b>10<sup>th</sup> grade</b>	33	13.2%	(8.0-18.3)	225	86.8%	(81.7-92.0)
	<b>11<sup>th</sup> grade</b>	17	10.0%	(4.5-15.5)	149	90.0%	(84.5-95.5)
	<b>12<sup>th</sup> grade</b>	14	8.6%	(3.9-13.3)	151	91.4%	(86.7-96.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	30.0%	(1.0-58.9)	7	70.0%	(41.1-99.0)
	<b>Asian<sup>d</sup></b>	4	8.8%	(0.1-17.4)	41	91.2%	(82.6-99.9)
	<b>Black<sup>d</sup></b>	3	10.6%	(0.0-22.1)	24	89.4%	(77.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.4%	(0.0-23.5)	11	91.6%	(76.5-100.0)
	<b>White<sup>d</sup></b>	28	9.6%	(6.3-13.0)	262	90.4%	(87.0-93.7)
	<b>Hispanic/Latino</b>	43	13.4%	(10.0-16.9)	269	86.6%	(83.1-90.0)
	<b>Other/Multiple<sup>d</sup></b>	6	12.8%	(4.8-20.8)	44	87.2%	(79.2-95.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 28: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the 12 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	31	4.0%	(2.7-5.4)	736	96.0%	(94.6-97.3)
<b>Sex</b>	<b>Female</b>	16	4.0%	(2.1-5.9)	368	96.0%	(94.1-97.9)
	<b>Male</b>	14	3.9%	(2.0-5.7)	361	96.1%	(94.3-98.0)
<b>Age</b>	<b>14 years old or younger</b>	2	2.9%	(0.0-7.1)	75	97.1%	(92.9-100.0)
	<b>15 years old</b>	12	5.6%	(2.6-8.7)	200	94.4%	(91.3-97.4)
	<b>16 years old</b>	5	2.3%	(0.1-4.4)	210	97.7%	(95.6-99.9)
	<b>17 years old</b>	8	4.4%	(1.6-7.2)	166	95.6%	(92.8-98.4)
	<b>18 years old or older</b>	4	4.8%	(0.9-8.6)	84	95.2%	(91.4-99.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	6	3.7%	(0.4-6.9)	177	96.3%	(93.1-99.6)
	<b>10<sup>th</sup> grade</b>	11	4.2%	(1.5-6.9)	242	95.8%	(93.1-98.5)
	<b>11<sup>th</sup> grade</b>	7	4.0%	(1.6-6.3)	159	96.0%	(93.7-98.4)
	<b>12<sup>th</sup> grade</b>	5	3.2%	(0.6-5.8)	156	96.8%	(94.2-99.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	30.0%	(1.0-58.9)	7	70.0%	(41.1-99.0)
	<b>Asian<sup>d</sup></b>	2	4.1%	(0.0-10.1)	43	95.9%	(89.9-100.0)
	<b>Black<sup>d</sup></b>	1	2.8%	(0.0-8.4)	25	97.2%	(91.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	11	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	6	2.1%	(0.5-3.8)	283	97.9%	(96.2-99.5)
	<b>Hispanic/Latino</b>	18	5.6%	(3.4-7.9)	288	94.4%	(92.1-96.6)
	<b>Other/Multiple<sup>d</sup></b>	1	2.3%	(0.0-6.8)	47	97.7%	(93.2-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\* Note: We caution against group comparisons when a cell size is less than 5.**

**Table 29: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	200	22.1%	(19.2-25.1)	698	77.9%	(74.9-80.8)
<b>Sex</b>	<b>Female</b>	128	29.9%	(25.1-34.6)	307	70.1%	(65.4-74.9)
	<b>Male</b>	63	14.1%	(10.9-17.3)	387	85.9%	(82.7-89.1)
<b>Age</b>	<b>14 years old or younger</b>	29	30.3%	(23.8-36.8)	63	69.7%	(63.2-76.2)
	<b>15 years old</b>	58	22.2%	(16.9-27.4)	201	77.8%	(72.6-83.1)
	<b>16 years old</b>	57	23.5%	(18.0-28.9)	186	76.5%	(71.1-82.0)
	<b>17 years old</b>	35	18.2%	(13.1-23.3)	162	81.8%	(76.7-86.9)
	<b>18 years old or older</b>	20	19.8%	(12.2-27.4)	85	80.2%	(72.6-87.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	47	23.4%	(18.2-28.7)	165	76.6%	(71.3-81.8)
	<b>10<sup>th</sup> grade</b>	77	25.1%	(19.5-30.7)	228	74.9%	(69.3-80.5)
	<b>11<sup>th</sup> grade</b>	36	19.4%	(14.0-24.8)	153	80.6%	(75.2-86.0)
	<b>12<sup>th</sup> grade</b>	34	18.7%	(12.7-24.7)	147	81.3%	(75.3-87.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	40.4%	(5.9-74.9)	6	59.6%	(25.1-94.1)
	<b>Asian<sup>d</sup></b>	11	17.6%	(7.6-27.5)	42	82.4%	(72.5-92.4)
	<b>Black<sup>d</sup></b>	5	15.4%	(3.6-27.1)	27	84.6%	(72.9-96.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	12.5%	(0.0-28.3)	12	87.5%	(71.7-100.0)
	<b>White<sup>d</sup></b>	83	24.9%	(20.1-29.7)	242	75.1%	(70.3-79.9)
	<b>Hispanic/Latino</b>	77	20.5%	(16.1-25.0)	295	79.5%	(75.0-83.9)
	<b>Other/Multiple<sup>d</sup></b>	10	20.0%	(9.4-30.5)	41	80.0%	(69.5-90.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 30: Percentage of high school students who ever got the kind of help they need when they felt sad, empty, hopeless, angry, or anxious<sup>e</sup> — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	399	60.7%	(56.0-65.5)	130	19.6%	(17.1-22.2)	136	19.7%	(15.7-23.6)
<b>Sex</b>	<b>Female</b>	204	58.7%	(53.1-64.3)	81	22.8%	(19.2-26.4)	73	18.5%	(14.4-22.6)
	<b>Male</b>	186	62.7%	(55.5-69.8)	48	16.5%	(12.2-20.7)	61	20.9%	(14.1-27.7)
<b>Age</b>	<b>14 years/younger</b>	40	70.1%	(59.8-80.5)	7	11.1%	(3.8-18.5)	13	18.8%	(8.7-28.8)
	<b>15 years old</b>	121	65.2%	(57.7-72.7)	30	15.9%	(10.3-21.4)	39	18.9%	(12.4-25.5)
	<b>16 years old</b>	103	53.3%	(46.0-60.5)	52	27.6%	(21.6-33.5)	36	19.2%	(13.4-24.9)
	<b>17 years old</b>	81	56.7%	(46.9-66.5)	28	19.6%	(14.2-24.9)	36	23.7%	(15.8-31.6)
	<b>18 years/older</b>	54	68.3%	(56.4-80.2)	13	17.2%	(9.4-25.1)	11	14.5%	(5.2-23.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	98	69.1%	(61.3-76.8)	21	14.6%	(8.8-20.5)	24	16.3%	(9.4-23.2)
	<b>10<sup>th</sup> grade</b>	130	58.1%	(50.9-65.2)	51	22.3%	(17.9-26.7)	48	19.6%	(13.6-25.6)
	<b>11<sup>th</sup> grade</b>	84	55.7%	(48.5-63.0)	33	23.3%	(17.3-29.3)	33	21.0%	(14.9-27.1)
	<b>12<sup>th</sup> grade</b>	83	61.5%	(51.5-71.4)	24	18.1%	(12.8-23.5)	27	20.4%	(10.8-30.0)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	80.5%	(44.3-100.0)	1	19.5%	(0.0-55.7)	0	.	(.-.)
	<b>Asian<sup>d</sup></b>	22	52.8%	(36.9-68.7)	7	15.7%	(5.0-26.5)	14	31.5%	(16.1-46.9)
	<b>Black<sup>d</sup></b>	9	40.6%	(19.9-61.4)	7	31.5%	(12.0-51.0)	6	27.9%	(8.7-47.1)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	8	77.0%	(52.2-100.0)	0	.	(.-.)	3	23.0%	(0.0-47.8)
	<b>White<sup>d</sup></b>	145	60.1%	(52.6-67.6)	50	20.4%	(16.0-24.8)	48	19.5%	(13.5-25.5)
	<b>Hispanic/Latino</b>	172	63.5%	(57.8-69.3)	54	19.7%	(15.5-24.0)	47	16.7%	(12.2-21.3)
	<b>Other/Multiple<sup>d</sup></b>	23	52.8%	(36.8-68.8)	7	16.5%	(6.3-26.7)	13	30.7%	(14.4-47.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among those who felt sad, empty, hopeless, angry, or anxious

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Electronic Vapor Product Use

**Table 31: Percentage of high school students who ever used electronic vapor products<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	301	37.4%	(32.6-42.2)	539	62.6%	(57.8-67.4)
<b>Sex</b>	<b>Female</b>	163	42.3%	(35.7-48.9)	251	57.7%	(51.1-64.3)
	<b>Male</b>	134	32.7%	(27.5-37.9)	284	67.3%	(62.1-72.5)
<b>Age</b>	<b>14 years old or younger</b>	27	32.4%	(24.5-40.4)	58	67.6%	(59.6-75.5)
	<b>15 years old</b>	73	30.9%	(22.1-39.7)	170	69.1%	(60.3-77.9)
	<b>16 years old</b>	89	40.5%	(32.6-48.3)	144	59.5%	(51.7-67.4)
	<b>17 years old</b>	77	42.2%	(33.7-50.8)	110	57.8%	(49.2-66.3)
	<b>18 years old or older</b>	35	39.7%	(30.0-49.5)	56	60.3%	(50.5-70.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	64	33.6%	(26.3-40.9)	134	66.4%	(59.1-73.7)
	<b>10<sup>th</sup> grade</b>	93	32.7%	(23.9-41.5)	200	67.3%	(58.5-76.1)
	<b>11<sup>th</sup> grade</b>	76	43.5%	(31.2-55.7)	104	56.5%	(44.3-68.8)
	<b>12<sup>th</sup> grade</b>	66	40.4%	(33.6-47.2)	99	59.6%	(52.8-66.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	9.7%	(0.0-29.3)	6	90.3%	(70.7-100.0)
	<b>Asian<sup>d</sup></b>	13	25.2%	(7.0-43.5)	39	74.8%	(56.5-93.0)
	<b>Black<sup>d</sup></b>	8	26.8%	(9.0-44.7)	24	73.2%	(55.3-91.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	27.2%	(0.0-54.9)	8	72.8%	(45.1-100.0)
	<b>White<sup>d</sup></b>	122	39.5%	(33.5-45.4)	196	60.5%	(54.6-66.5)
	<b>Hispanic/Latino</b>	131	38.9%	(31.9-45.9)	208	61.1%	(54.1-68.1)
	<b>Other/Multiple<sup>d</sup></b>	14	31.7%	(17.5-45.9)	34	68.3%	(54.1-82.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 32: Percentage of high school students who tried electronic vapor products for the first time before age 13 years<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	97	11.4%	(8.4-14.4)	753	88.6%	(85.6-91.6)
<b>Sex</b>	<b>Female</b>	48	11.8%	(7.4-16.1)	372	88.2%	(83.9-92.6)
	<b>Male</b>	45	10.6%	(7.5-13.6)	375	89.4%	(86.4-92.5)
<b>Age</b>	<b>14 years old or younger</b>	16	18.3%	(9.7-26.9)	69	81.7%	(73.1-90.3)
	<b>15 years old</b>	33	14.1%	(8.2-20.1)	213	85.9%	(79.9-91.8)
	<b>16 years old</b>	32	14.2%	(9.0-19.4)	203	85.8%	(80.6-91.0)
	<b>17 years old</b>	8	4.7%	(1.7-7.6)	181	95.3%	(92.4-98.3)
	<b>18 years old or older</b>	8	7.5%	(1.0-14.0)	86	92.5%	(86.0-99.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	32	17.1%	(11.6-22.5)	170	82.9%	(77.5-88.4)
	<b>10<sup>th</sup> grade</b>	40	14.0%	(8.2-19.8)	254	86.0%	(80.2-91.8)
	<b>11<sup>th</sup> grade</b>	13	7.8%	(3.9-11.6)	167	92.2%	(88.4-96.1)
	<b>12<sup>th</sup> grade</b>	8	4.9%	(1.1-8.7)	159	95.1%	(91.3-98.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	7	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	3	5.9%	(0.0-12.6)	50	94.1%	(87.4-100.0)
	<b>Black<sup>d</sup></b>	3	9.7%	(0.0-20.1)	29	90.3%	(79.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	17.0%	(0.0-40.0)	9	83.0%	(60.0-100.0)
	<b>White<sup>d</sup></b>	41	12.7%	(8.0-17.4)	281	87.3%	(82.6-92.0)
	<b>Hispanic/Latino</b>	39	10.8%	(6.4-15.2)	302	89.2%	(84.8-93.6)
	<b>Other/Multiple<sup>d</sup></b>	6	12.3%	(0.4-24.2)	43	87.7%	(75.8-99.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 33: Percentage of high school students who used electronic vapor products during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	146	18.1%	(14.6-21.6)	694	81.9%	(78.4-85.4)
<b>Sex</b>	<b>Female</b>	83	22.0%	(16.8-27.2)	331	78.0%	(72.8-83.2)
	<b>Male</b>	57	14.1%	(10.2-18.1)	358	85.9%	(81.9-89.8)
<b>Age</b>	<b>14 years old or younger</b>	15	17.3%	(9.2-25.4)	68	82.7%	(74.6-90.8)
	<b>15 years old</b>	40	17.1%	(11.3-22.9)	208	82.9%	(77.1-88.7)
	<b>16 years old</b>	44	20.8%	(13.3-28.4)	186	79.2%	(71.6-86.7)
	<b>17 years old</b>	33	19.0%	(12.8-25.2)	148	81.0%	(74.8-87.2)
	<b>18 years old or older</b>	14	14.1%	(7.5-20.7)	83	85.9%	(79.3-92.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	35	19.0%	(12.4-25.6)	164	81.0%	(74.4-87.6)
	<b>10<sup>th</sup> grade</b>	49	17.1%	(10.9-23.3)	245	82.9%	(76.7-89.1)
	<b>11<sup>th</sup> grade</b>	32	20.5%	(12.6-28.4)	140	79.5%	(71.6-87.4)
	<b>12<sup>th</sup> grade</b>	25	15.1%	(10.1-20.2)	142	84.9%	(79.8-89.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	20.3%	(0.0-56.7)	6	79.7%	(43.3-100.0)
	<b>Asian<sup>d</sup></b>	4	6.6%	(0.0-14.2)	49	93.4%	(85.8-100.0)
	<b>Black<sup>d</sup></b>	3	9.7%	(0.0-20.7)	27	90.3%	(79.3-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	65	21.0%	(15.8-26.2)	250	79.0%	(73.8-84.2)
	<b>Hispanic/Latino</b>	62	18.5%	(13.5-23.5)	275	81.5%	(76.5-86.5)
	<b>Other/Multiple<sup>d</sup></b>	4	9.1%	(0.0-18.7)	43	90.9%	(81.3-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

<sup>f</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 34: Percentage of high school students who used electronic vapor products on 20 or more days during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	51	34.0%	(26.1-41.9)	95	66.0%	(58.1-73.9)
<b>Sex</b>	<b>Female</b>	25	29.7%	(18.9-40.4)	58	70.3%	(59.6-81.1)
	<b>Male</b>	21	38.4%	(25.8-51.0)	36	61.6%	(49.0-74.2)
<b>Age</b>	<b>14 years old or younger</b>	6	31.4%	(11.6-51.1)	9	68.6%	(48.9-88.4)
	<b>15 years old</b>	12	29.1%	(15.4-42.7)	28	70.9%	(57.3-84.6)
	<b>16 years old</b>	13	30.0%	(15.9-44.2)	31	70.0%	(55.8-84.1)
	<b>17 years old</b>	12	33.2%	(14.6-51.7)	21	66.8%	(48.3-85.4)
	<b>18 years old or older</b>	8	61.7%	(36.8-86.6)	6	38.3%	(13.4-63.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	23.4%	(11.1-35.7)	27	76.6%	(64.3-88.9)
	<b>10<sup>th</sup> grade</b>	17	34.6%	(21.1-48.1)	32	65.4%	(51.9-78.9)
	<b>11<sup>th</sup> grade</b>	10	31.6%	(13.5-49.7)	22	68.4%	(50.3-86.5)
	<b>12<sup>th</sup> grade</b>	12	45.9%	(29.4-62.4)	13	54.1%	(37.6-70.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	4	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	1	31.6%	(0.0-86.5)	2	68.4%	(13.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>White<sup>d</sup></b>	22	35.1%	(23.1-47.1)	43	64.9%	(52.9-76.9)
	<b>Hispanic/Latino</b>	21	32.4%	(21.1-43.8)	41	67.6%	(56.2-78.9)
	<b>Other/Multiple<sup>d</sup></b>	1	28.5%	(0.0-82.0)	3	71.5%	(18.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

<sup>f</sup> Among those who used an electronic vapor product during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 35: Percentage of high school students who used an electronic vapor product to vape marijuana during the 30 days before the survey<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	147	17.1%	(14.1-20.0)	749	82.9%	(80.0-85.9)
<b>Sex</b>	<b>Female</b>	82	20.1%	(15.3-25.0)	359	79.9%	(75.0-84.7)
	<b>Male</b>	58	13.6%	(9.8-17.4)	384	86.4%	(82.6-90.2)
<b>Age</b>	<b>14 years old or younger</b>	19	19.2%	(12.8-25.5)	72	80.8%	(74.5-87.2)
	<b>15 years old</b>	36	14.8%	(9.6-20.0)	218	85.2%	(80.0-90.4)
	<b>16 years old</b>	42	19.0%	(11.4-26.5)	206	81.0%	(73.5-88.6)
	<b>17 years old</b>	34	16.9%	(13.3-20.6)	162	83.1%	(79.4-86.7)
	<b>18 years old or older</b>	16	16.4%	(9.9-22.9)	90	83.6%	(77.1-90.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	34	18.3%	(12.8-23.7)	173	81.7%	(76.3-87.2)
	<b>10<sup>th</sup> grade</b>	43	13.9%	(8.2-19.7)	263	86.1%	(80.3-91.8)
	<b>11<sup>th</sup> grade</b>	36	19.2%	(12.9-25.5)	155	80.8%	(74.5-87.1)
	<b>12<sup>th</sup> grade</b>	31	17.1%	(12.4-21.9)	151	82.9%	(78.1-87.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	26.4%	(0.0-59.6)	7	73.6%	(40.4-100.0)
	<b>Asian<sup>d</sup></b>	7	12.1%	(2.5-21.8)	49	87.9%	(78.2-97.5)
	<b>Black<sup>d</sup></b>	4	13.1%	(2.2-24.0)	29	86.9%	(76.0-97.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	62	19.2%	(15.4-23.0)	267	80.8%	(77.0-84.6)
	<b>Hispanic/Latino</b>	58	16.4%	(11.8-20.9)	306	83.6%	(79.1-88.2)
	<b>Other/Multiple<sup>d</sup></b>	7	14.6%	(3.6-25.6)	43	85.4%	(74.4-96.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

<sup>f</sup> Used marijuana (also called "pot" or "weed"), including THC, THC concentrates, hash oils, or waxes

<sup>g</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 36: Percentage of high school students who used an electronic vapor product to vape nicotine during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	154	17.7%	(14.4-20.9)	737	82.3%	(79.1-85.6)
<b>Sex</b>	<b>Female</b>	80	19.6%	(15.0-24.3)	360	80.4%	(75.7-85.0)
	<b>Male</b>	66	15.3%	(11.2-19.5)	372	84.7%	(80.5-88.8)
<b>Age</b>	<b>14 years old or younger</b>	18	15.4%	(10.0-20.8)	71	84.6%	(79.2-90.0)
	<b>15 years old</b>	36	15.2%	(8.9-21.5)	217	84.8%	(78.5-91.1)
	<b>16 years old</b>	45	19.3%	(12.6-26.0)	203	80.7%	(74.0-87.4)
	<b>17 years old</b>	37	19.6%	(13.4-25.7)	159	80.4%	(74.3-86.6)
	<b>18 years old or older</b>	18	17.5%	(9.0-26.0)	86	82.5%	(74.0-91.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	34	17.1%	(11.2-23.0)	171	82.9%	(77.0-88.8)
	<b>10<sup>th</sup> grade</b>	48	15.9%	(9.8-21.9)	258	84.1%	(78.1-90.2)
	<b>11<sup>th</sup> grade</b>	36	20.3%	(13.3-27.3)	154	79.7%	(72.7-86.7)
	<b>12<sup>th</sup> grade</b>	29	16.4%	(11.4-21.5)	151	83.6%	(78.5-88.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	29.4%	(0.0-65.8)	6	70.6%	(34.2-100.0)
	<b>Asian<sup>d</sup></b>	3	5.2%	(0.0-11.3)	53	94.8%	(88.7-100.0)
	<b>Black<sup>d</sup></b>	4	11.9%	(1.9-21.9)	29	88.1%	(78.1-98.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	62	19.5%	(14.9-24.0)	267	80.5%	(76.0-85.1)
	<b>Hispanic/Latino</b>	65	18.0%	(13.0-23.0)	295	82.0%	(77.0-87.0)
	<b>Other/Multiple<sup>d</sup></b>	7	14.9%	(4.3-25.6)	43	85.1%	(74.4-95.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

<sup>f</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 37: Percentage of high school students who usually obtained their own electronic vapor products by various means during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Bought them myself in a store			On the internet			Got or bought them from a friend, family member, or someone else			Others		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	6	3.8%	(0.5-7.1)	3	2.4%	(0.0-5.0)	64	45.2%	(36.8-53.5)	69	48.6%	(41.2-56.1)
<b>Sex</b>	<b>Female</b>	4	5.1%	(0.0-10.3)	1	1.5%	(0.0-4.5)	40	50.7%	(38.3-63.2)	34	42.7%	(31.7-53.7)
	<b>Male</b>	1	2.1%	(0.0-6.2)	1	2.3%	(0.0-6.8)	22	38.3%	(25.1-51.6)	33	57.3%	(42.9-71.7)
<b>Age</b>	<b>14 years old or younger</b>	1	0.3%	(0.0-0.9)	0	.	(.-)	7	46.4%	(23.7-69.1)	7	53.3%	(30.8-75.8)
	<b>15 years old</b>	2	5.5%	(0.0-13.5)	0	.	(.-)	18	50.8%	(32.6-69.1)	17	43.7%	(26.5-60.9)
	<b>16 years old</b>	0	.	(.-)	0	.	(.-)	21	46.0%	(31.9-60.0)	23	54.0%	(40.0-68.1)
	<b>17 years old</b>	1	3.2%	(0.0-9.5)	2	5.8%	(0.0-14.4)	15	49.5%	(33.3-65.8)	15	41.5%	(24.1-58.8)
	<b>18 years old or older</b>	2	16.7%	(0.0-35.7)	1	8.5%	(0.0-25.5)	3	16.1%	(0.0-38.0)	7	58.7%	(32.7-84.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	1	3.1%	(0.0-9.6)	0	.	(.-)	17	53.3%	(42.5-64.2)	15	43.5%	(32.8-54.3)
	<b>10<sup>th</sup> grade</b>	1	1.9%	(0.0-5.5)	0	.	(.-)	22	44.7%	(26.6-62.9)	25	53.4%	(35.0-71.8)
	<b>11<sup>th</sup> grade</b>	0	.	(.-)	1	2.3%	(0.0-7.0)	15	47.6%	(28.7-66.4)	16	50.2%	(30.8-69.6)
	<b>12<sup>th</sup> grade</b>	3	12.8%	(0.0-25.5)	2	9.1%	(0.0-21.1)	8	34.8%	(16.0-53.7)	11	43.3%	(25.0-61.5)
<b>Race/ Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	1	58.9%	(58.9-58.9)	0	.	(.-)	1	41.1%	(41.1-41.1)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	2	46.5%	(0.0-100.0)	2	53.5%	(0.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	2	75.0%	(27.7-100.0)	1	25.0%	(0.0-72.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	1	1.7%	(0.0-5.0)	2	3.5%	(0.0-8.4)	30	46.1%	(35.5-56.7)	32	48.7%	(37.8-59.6)
	<b>Hispanic/Latino</b>	4	7.0%	(0.4-13.5)	0	.	(.-)	24	40.9%	(26.9-54.9)	30	52.1%	(39.1-65.1)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	4	100.0%	(100.0-100.0)	0	.	(.-)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

<sup>f</sup> Among students who used electronic vapor products during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 38: Percentage of high school students who thought it would be difficult or easy to get electronic vapor products if they wanted some<sup>e</sup> — Nevada YRBS 2023\***

		Very difficult			Fairly difficult			Fairly easy			Very easy			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	139	15.2%	(12.4-18.0)	93	10.5%	(8.4-12.5)	209	23.9%	(19.6-28.1)	277	32.8%	(29.2-36.4)	156	17.7%	(13.8-21.7)
<b>Sex</b>	<b>Female</b>	73	15.4%	(11.9-19.0)	50	10.7%	(7.8-13.6)	115	26.6%	(21.3-31.9)	130	32.2%	(27.2-37.2)	66	15.1%	(10.0-20.1)
	<b>Male</b>	64	14.9%	(10.7-19.2)	42	10.1%	(6.8-13.5)	91	21.0%	(16.0-26.0)	143	33.4%	(28.7-38.1)	89	20.5%	(16.0-25.1)
<b>Age</b>	<b>14 years old or younger</b>	10	11.3%	(3.5-19.1)	9	9.7%	(3.6-15.8)	23	27.7%	(15.2-40.2)	34	39.6%	(29.2-50.0)	11	11.7%	(5.2-18.2)
	<b>15 years old</b>	51	18.7%	(13.6-23.9)	31	12.9%	(9.3-16.4)	54	22.0%	(14.0-30.0)	66	26.7%	(21.5-31.9)	49	19.7%	(13.7-25.8)
	<b>16 years old</b>	35	14.8%	(9.9-19.7)	25	10.5%	(5.9-15.1)	71	27.5%	(21.3-33.8)	78	34.0%	(27.1-40.9)	35	13.2%	(7.6-18.7)
	<b>17 years old</b>	25	12.1%	(7.6-16.6)	19	9.2%	(3.9-14.5)	41	22.9%	(17.6-28.2)	61	32.3%	(26.3-38.2)	44	23.5%	(15.6-31.5)
	<b>18 years old or older</b>	18	18.0%	(8.9-27.1)	9	8.7%	(3.3-14.1)	20	19.3%	(12.7-26.0)	37	37.4%	(26.1-48.7)	17	16.6%	(6.9-26.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	26	12.0%	(8.1-15.8)	27	13.2%	(10.3-16.1)	49	25.6%	(13.8-37.4)	68	33.8%	(27.4-40.1)	32	15.5%	(9.4-21.6)
	<b>10<sup>th</sup> grade</b>	57	18.0%	(13.8-22.2)	31	10.4%	(5.8-15.0)	78	25.2%	(19.2-31.1)	82	28.2%	(22.2-34.1)	54	18.3%	(12.3-24.3)
	<b>11<sup>th</sup> grade</b>	27	14.9%	(10.3-19.5)	17	8.9%	(4.7-13.0)	41	21.5%	(15.8-27.2)	63	34.8%	(28.2-41.4)	38	19.9%	(11.3-28.6)
	<b>12<sup>th</sup> grade</b>	28	15.9%	(8.6-23.1)	16	9.4%	(5.2-13.7)	39	22.5%	(16.8-28.3)	62	35.2%	(26.4-43.9)	30	17.0%	(10.7-23.3)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	4	42.3%	(12.9-71.7)	3	35.9%	(6.7-65.2)	1	10.9%	(0.0-32.1)	0	.	(.-)	1	10.9%	(0.0-32.1)
	<b>Asian<sup>d</sup></b>	8	14.3%	(5.9-22.7)	10	18.8%	(9.3-28.3)	15	25.5%	(17.1-34.0)	11	20.3%	(9.0-31.6)	11	21.1%	(10.4-31.7)
	<b>Black<sup>d</sup></b>	8	24.9%	(10.3-39.5)	2	5.9%	(0.0-13.3)	8	24.1%	(8.9-39.3)	10	35.0%	(17.0-53.1)	3	10.1%	(0.5-19.7)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	2	15.1%	(0.0-35.8)	0	.	(.-)	2	18.5%	(0.0-42.1)	4	28.1%	(3.0-53.3)	5	38.2%	(10.4-66.0)
	<b>White<sup>d</sup></b>	38	11.0%	(7.6-14.5)	41	12.3%	(8.6-16.0)	83	25.8%	(19.8-31.8)	123	38.4%	(33.1-43.7)	40	12.5%	(8.2-16.7)
	<b>Hispanic/Latino</b>	63	17.8%	(13.4-22.2)	30	8.5%	(5.9-11.0)	82	22.9%	(17.9-27.9)	96	28.1%	(23.1-33.1)	81	22.8%	(17.7-27.8)
	<b>Other/Multiple<sup>d</sup></b>	9	18.4%	(7.4-29.5)	3	4.7%	(0.0-9.6)	9	18.6%	(5.2-32.1)	22	42.3%	(27.9-56.6)	9	15.9%	(3.7-28.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, and mods such as 'JUUL', 'Vuse', 'NJOY', Puff Bar', 'blu', or 'Bidi Stick'

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Tobacco Use**

**Table 39: Percentage of high school students who ever smoked cigarettes<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	129	15.2%	(12.4-18.0)	727	84.8%	(82.0-87.6)
<b>Sex</b>	<b>Female</b>	61	15.1%	(10.9-19.2)	360	84.9%	(80.8-89.1)
	<b>Male</b>	61	14.7%	(11.5-17.9)	362	85.3%	(82.1-88.5)
<b>Age</b>	<b>14 years old or younger</b>	11	9.6%	(2.7-16.4)	77	90.4%	(83.6-97.3)
	<b>15 years old</b>	26	10.3%	(6.2-14.4)	223	89.7%	(85.6-93.8)
	<b>16 years old</b>	41	18.1%	(12.0-24.2)	199	81.9%	(75.8-88.0)
	<b>17 years old</b>	35	17.9%	(12.0-23.8)	155	82.1%	(76.2-88.0)
	<b>18 years old or older</b>	16	19.3%	(13.8-24.9)	72	80.7%	(75.1-86.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	20	9.9%	(6.2-13.7)	185	90.1%	(86.3-93.8)
	<b>10<sup>th</sup> grade</b>	43	14.9%	(9.5-20.4)	253	85.1%	(79.6-90.5)
	<b>11<sup>th</sup> grade</b>	32	17.5%	(12.0-23.1)	151	82.5%	(76.9-88.0)
	<b>12<sup>th</sup> grade</b>	30	18.2%	(12.8-23.5)	135	81.8%	(76.5-87.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	6	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	5	9.9%	(0.2-19.6)	51	90.1%	(80.4-99.8)
	<b>Black<sup>d</sup></b>	2	7.2%	(0.0-16.6)	30	92.8%	(83.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	16.9%	(0.0-39.7)	9	83.1%	(60.3-100.0)
	<b>White<sup>d</sup></b>	44	14.2%	(9.4-19.0)	275	85.8%	(81.0-90.6)
	<b>Hispanic/Latino</b>	59	16.9%	(13.0-20.7)	290	83.1%	(79.3-87.0)
	<b>Other/Multiple<sup>d</sup></b>	9	19.8%	(9.7-29.9)	40	80.2%	(70.1-90.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Even one or two puffs

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 40: Percentage of high school students who smoked cigarettes for the first time before age 13 years<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	61	7.1%	(5.2-9.0)	796	92.9%	(91.0-94.8)
<b>Sex</b>	<b>Female</b>	26	6.5%	(4.3-8.6)	398	93.5%	(91.4-95.7)
	<b>Male</b>	30	7.1%	(4.4-9.9)	392	92.9%	(90.1-95.6)
<b>Age</b>	<b>14 years old or younger</b>	7	6.0%	(1.6-10.5)	81	94.0%	(89.5-98.4)
	<b>15 years old</b>	16	7.3%	(3.5-11.1)	232	92.7%	(88.9-96.5)
	<b>16 years old</b>	21	8.7%	(3.8-13.6)	217	91.3%	(86.4-96.2)
	<b>17 years old</b>	11	5.9%	(2.3-9.4)	179	94.1%	(90.6-97.7)
	<b>18 years old or older</b>	6	6.7%	(2.6-10.8)	86	93.3%	(89.2-97.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	15	8.0%	(4.5-11.4)	190	92.0%	(88.6-95.5)
	<b>10<sup>th</sup> grade</b>	22	8.2%	(3.7-12.7)	272	91.8%	(87.3-96.3)
	<b>11<sup>th</sup> grade</b>	10	5.2%	(2.0-8.3)	172	94.8%	(91.7-98.0)
	<b>12<sup>th</sup> grade</b>	10	5.9%	(2.8-9.0)	158	94.1%	(91.0-97.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	6	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	2	3.8%	(0.0-9.0)	54	96.2%	(91.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	31	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	10.3%	(0.0-30.0)	10	89.7%	(70.0-100.0)
	<b>White<sup>d</sup></b>	18	5.5%	(2.6-8.3)	300	94.5%	(91.7-97.4)
	<b>Hispanic/Latino</b>	31	8.9%	(5.8-12.0)	321	91.1%	(88.0-94.2)
	<b>Other/Multiple<sup>d</sup></b>	5	11.3%	(1.5-21.2)	45	88.7%	(78.8-98.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Even one or two puffs

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 41: Percentage of high school students who smoked cigarettes during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	28	2.9%	(1.6-4.2)	861	97.1%	(95.8-98.4)
<b>Sex</b>	<b>Female</b>	10	2.7%	(1.0-4.4)	428	97.3%	(95.6-99.0)
	<b>Male</b>	11	2.4%	(0.9-3.9)	428	97.6%	(96.1-99.1)
<b>Age</b>	<b>14 years old or younger</b>	6	3.9%	(0.0-8.0)	84	96.1%	(92.0-100.0)
	<b>15 years old</b>	1	0.5%	(0.0-1.5)	255	99.5%	(98.5-100.0)
	<b>16 years old</b>	13	5.4%	(2.4-8.5)	231	94.6%	(91.5-97.6)
	<b>17 years old</b>	2	0.6%	(0.0-1.9)	193	99.4%	(98.1-100.0)
	<b>18 years old or older</b>	6	6.2%	(2.6-9.9)	97	93.8%	(90.1-97.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	1.7%	(0.1-3.3)	207	98.3%	(96.7-99.9)
	<b>10<sup>th</sup> grade</b>	11	4.1%	(1.6-6.6)	292	95.9%	(93.4-98.4)
	<b>11<sup>th</sup> grade</b>	3	1.3%	(0.0-3.2)	185	98.7%	(96.8-100.0)
	<b>12<sup>th</sup> grade</b>	7	3.5%	(1.4-5.6)	173	96.5%	(94.4-98.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	8	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	1.7%	(0.0-5.2)	55	98.3%	(94.8-100.0)
	<b>Black<sup>d</sup></b>	1	3.1%	(0.0-8.9)	32	96.9%	(91.1-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	12	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	9	2.9%	(1.2-4.7)	315	97.1%	(95.3-98.8)
	<b>Hispanic/Latino</b>	13	3.5%	(1.5-5.4)	354	96.5%	(94.6-98.5)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	51	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 42: Percentage of high school students who smoked cigarettes on 20 or more days during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	3	7.8%	(0.0-19.1)	25	92.2%	(80.9-100.0)
<b>Sex</b>	<b>Female</b>	0	.	(.-)	10	100.0%	(100.0-100.0)
	<b>Male</b>	1	8.6%	(0.0-26.9)	10	91.4%	(73.1-100.0)
<b>Age</b>	<b>14 years old or younger</b>	2	29.2%	(0.0-83.0)	4	70.8%	(17.0-100.0)
	<b>15 years old</b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>16 years old</b>	1	7.6%	(0.0-22.0)	12	92.4%	(78.0-100.0)
	<b>17 years old</b>	0	.	(.-)	2	100.0%	(100.0-100.0)
	<b>18 years old or older</b>	0	.	(.-)	6	100.0%	(100.0-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>10<sup>th</sup> grade</b>	1	9.4%	(0.0-26.9)	10	90.6%	(73.1-100.0)
	<b>11<sup>th</sup> grade</b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>12<sup>th</sup> grade</b>	0	.	(.-)	7	100.0%	(100.0-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)
	<b>White<sup>d</sup></b>	0	.	(.-)	9	100.0%	(100.0-100.0)
	<b>Hispanic/Latino</b>	2	14.5%	(0.0-35.6)	11	85.5%	(64.4-100.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	0	.	(.-)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among those who smoked cigarettes during the past 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 43: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	6	14.4%	(1.2-27.6)	22	85.6%	(72.4-98.8)
<b>Sex</b>	<b>Female</b>	0	.	(.-)	10	100.0%	(100.0-100.0)
	<b>Male</b>	2	20.4%	(0.0-49.4)	9	79.6%	(50.6-100.0)
<b>Age</b>	<b>14 years old or younger</b>	1	1.3%	(0.0-3.6)	5	98.7%	(96.4-100.0)
	<b>15 years old</b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>16 years old</b>	3	19.5%	(0.0-41.6)	10	80.5%	(58.4-100.0)
	<b>17 years old</b>	1	3.4%	(0.0-13.3)	1	96.6%	(86.7-100.0)
	<b>18 years old or older</b>	1	17.1%	(0.0-50.5)	5	82.9%	(49.5-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>10<sup>th</sup> grade</b>	3	24.1%	(0.0-51.5)	8	75.9%	(48.5-100.0)
	<b>11<sup>th</sup> grade</b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>12<sup>th</sup> grade</b>	2	17.6%	(0.0-51.2)	5	82.4%	(48.8-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Black<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)
	<b>White<sup>d</sup></b>	0	.	(.-)	9	100.0%	(100.0-100.0)
	<b>Hispanic/Latino</b>	2	16.1%	(0.0-37.3)	11	83.9%	(62.7-100.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	0	.	(.-)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who smoked cigarettes in the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 44: Percentage of high school students who thought it would be difficult or easy to get cigarettes if they wanted some — Nevada YRBS 2023\***

		Very difficult			Fairly difficult			Fairly easy			Very easy			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	165	17.9%	(14.9-20.9)	149	16.2%	(13.3-19.1)	230	25.7%	(22.2-29.3)	149	17.5%	(15.0-20.1)	203	22.6%	(18.8-26.5)
<b>Sex</b>	<b>Female</b>	86	18.4%	(14.1-22.7)	84	17.4%	(13.6-21.2)	120	27.9%	(23.4-32.4)	57	14.1%	(10.5-17.7)	97	22.1%	(17.6-26.7)
	<b>Male</b>	78	17.4%	(13.2-21.6)	64	15.0%	(11.5-18.5)	108	23.8%	(18.5-29.1)	88	20.6%	(17.2-24.1)	105	23.2%	(18.4-27.9)
<b>Age</b>	<b>14 years old or younger</b>	9	9.6%	(3.4-15.8)	17	17.7%	(11.1-24.4)	29	33.2%	(23.7-42.6)	17	19.6%	(9.6-29.7)	17	19.8%	(13.4-26.3)
	<b>15 years old</b>	58	21.5%	(16.0-27.0)	43	16.2%	(11.5-20.9)	63	25.5%	(18.0-32.9)	29	12.3%	(7.8-16.9)	63	24.5%	(18.3-30.7)
	<b>16 years old</b>	41	17.3%	(11.9-22.6)	49	19.6%	(13.5-25.7)	69	27.2%	(21.7-32.7)	45	18.6%	(13.6-23.6)	45	17.3%	(10.9-23.7)
	<b>17 years old</b>	37	18.0%	(13.3-22.6)	26	13.3%	(8.6-18.0)	41	21.6%	(14.3-28.8)	37	19.5%	(14.0-25.0)	55	27.6%	(20.6-34.7)
	<b>18 years old or older</b>	20	18.5%	(9.0-28.1)	14	13.8%	(7.0-20.7)	28	25.3%	(17.4-33.3)	20	20.2%	(14.7-25.8)	23	22.1%	(12.0-32.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	34	15.1%	(10.3-19.9)	36	16.8%	(11.1-22.4)	59	29.2%	(23.0-35.3)	31	15.9%	(11.5-20.2)	49	23.1%	(16.5-29.7)
	<b>10<sup>th</sup> grade</b>	62	19.7%	(13.5-25.8)	57	18.6%	(12.4-24.8)	79	25.5%	(20.4-30.6)	42	14.1%	(9.7-18.5)	68	22.1%	(15.2-29.1)
	<b>11<sup>th</sup> grade</b>	31	16.8%	(12.7-21.0)	32	15.7%	(10.4-21.0)	41	21.7%	(14.1-29.4)	38	20.5%	(15.0-26.0)	48	25.2%	(17.2-33.2)
	<b>12<sup>th</sup> grade</b>	36	19.9%	(13.7-26.2)	24	13.5%	(9.1-18.0)	49	26.2%	(19.6-32.7)	36	19.9%	(14.6-25.2)	38	20.4%	(14.4-26.5)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	54.2%	(17.0-91.4)	2	23.6%	(0.0-54.1)	1	11.3%	(0.0-33.2)	0	.	(-.)	1	10.9%	(0.0-32.1)
	<b>Asian<sup>d</sup></b>	9	15.4%	(6.8-24.0)	10	17.2%	(5.9-28.4)	16	28.7%	(16.0-41.4)	5	9.6%	(2.2-17.0)	16	29.1%	(18.4-39.9)
	<b>Black<sup>d</sup></b>	8	25.3%	(10.2-40.4)	5	15.5%	(3.6-27.4)	8	24.5%	(10.8-38.1)	4	12.1%	(0.4-23.8)	7	22.6%	(7.5-37.7)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	4	30.2%	(3.8-56.7)	2	14.1%	(0.0-33.5)	2	17.5%	(0.0-40.2)	1	8.5%	(0.0-24.9)	4	29.6%	(3.8-55.5)
	<b>White<sup>d</sup></b>	47	14.1%	(9.4-18.7)	60	17.4%	(12.6-22.3)	101	30.7%	(25.4-36.0)	65	20.1%	(15.1-25.0)	57	17.7%	(12.6-22.8)
	<b>Hispanic/Latino</b>	74	20.2%	(15.6-24.9)	53	14.4%	(10.6-18.2)	83	22.3%	(17.5-27.1)	55	15.7%	(12.1-19.2)	102	27.5%	(22.1-32.9)
	<b>Other/Multiple<sup>d</sup></b>	10	18.2%	(6.9-29.5)	10	19.4%	(9.0-29.8)	9	18.1%	(8.6-27.6)	14	27.5%	(15.0-40.0)	9	16.8%	(3.8-29.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 45: Percentage of high school students who used smokeless tobacco during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	30	3.1%	(1.7-4.6)	858	96.9%	(95.4-98.3)
<b>Sex</b>	<b>Female</b>	8	1.9%	(0.2-3.6)	432	98.1%	(96.4-99.8)
	<b>Male</b>	16	3.8%	(1.7-5.8)	420	96.2%	(94.2-98.3)
<b>Age</b>	<b>14 years old or younger</b>	3	1.2%	(0.0-3.7)	86	98.8%	(96.3-100.0)
	<b>15 years old</b>	7	3.3%	(0.7-6.0)	245	96.7%	(94.0-99.3)
	<b>16 years old</b>	8	3.3%	(1.1-5.4)	239	96.7%	(94.6-98.9)
	<b>17 years old</b>	6	2.5%	(0.3-4.7)	190	97.5%	(95.3-99.7)
	<b>18 years old or older</b>	6	5.3%	(0.0-11.4)	97	94.7%	(88.6-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	5	2.7%	(0.3-5.1)	201	97.3%	(94.9-99.7)
	<b>10<sup>th</sup> grade</b>	7	2.4%	(0.7-4.2)	298	97.6%	(95.8-99.3)
	<b>11<sup>th</sup> grade</b>	6	2.9%	(0.6-5.3)	184	97.1%	(94.7-99.4)
	<b>12<sup>th</sup> grade</b>	7	3.6%	(0.0-7.2)	172	96.4%	(92.8-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.8%	(0.0-44.3)	8	80.2%	(55.7-100.0)
	<b>Asian<sup>d</sup></b>	1	1.9%	(0.0-5.4)	55	98.1%	(94.6-100.0)
	<b>Black<sup>d</sup></b>	1	3.1%	(0.0-8.9)	32	96.9%	(91.1-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	9	2.8%	(1.1-4.5)	319	97.2%	(95.5-98.9)
	<b>Hispanic/Latino</b>	13	3.7%	(1.5-5.8)	343	96.3%	(94.2-98.5)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	52	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as: 'Copenhagen', 'Grizzly', 'Skool', 'Camel Snus', or 'Velo Nicotine Lozenges'

<sup>f</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Alcohol Use

**Table 46: Percentage of high school students who ever drank alcohol<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	458	51.5%	(46.2-56.7)	413	48.5%	(43.3-53.8)
<b>Sex</b>	<b>Female</b>	216	46.7%	(40.6-52.9)	219	53.3%	(47.1-59.4)
	<b>Male</b>	238	56.4%	(50.5-62.2)	186	43.6%	(37.8-49.5)
<b>Age</b>	<b>14 years old or younger</b>	45	54.3%	(43.6-64.9)	41	45.7%	(35.1-56.4)
	<b>15 years old</b>	155	60.8%	(52.8-68.7)	94	39.2%	(31.3-47.2)
	<b>16 years old</b>	114	45.5%	(35.4-55.5)	126	54.5%	(44.5-64.6)
	<b>17 years old</b>	98	50.3%	(41.5-59.2)	96	49.7%	(40.8-58.5)
	<b>18 years old or older</b>	45	44.9%	(30.7-59.0)	56	55.1%	(41.0-69.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	118	56.2%	(49.0-63.4)	85	43.8%	(36.6-51.0)
	<b>10<sup>th</sup> grade</b>	165	54.5%	(45.7-63.3)	132	45.5%	(36.7-54.3)
	<b>11<sup>th</sup> grade</b>	89	47.1%	(35.7-58.4)	98	52.9%	(41.6-64.3)
	<b>12<sup>th</sup> grade</b>	84	48.6%	(39.5-57.8)	91	51.4%	(42.2-60.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	58.6%	(25.9-91.3)	4	41.4%	(8.7-74.1)
	<b>Asian<sup>d</sup></b>	35	62.7%	(49.9-75.4)	20	37.3%	(24.6-50.1)
	<b>Black<sup>d</sup></b>	21	63.1%	(45.6-80.6)	12	36.9%	(19.4-54.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	77.4%	(53.6-100.0)	3	22.6%	(0.0-46.4)
	<b>White<sup>d</sup></b>	158	48.4%	(42.8-54.1)	163	51.6%	(45.9-57.2)
	<b>Hispanic/Latino</b>	183	52.0%	(44.4-59.6)	167	48.0%	(40.4-55.6)
	<b>Other/Multiple<sup>d</sup></b>	25	48.6%	(36.6-60.7)	27	51.4%	(39.3-63.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Other than a few sips

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 47: Percentage of high school students who drank alcohol for the first time before age 13 years<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	142	15.8%	(13.0-18.5)	729	84.2%	(81.5-87.0)
<b>Sex</b>	<b>Female</b>	69	15.7%	(11.8-19.7)	366	84.3%	(80.3-88.2)
	<b>Male</b>	68	15.2%	(11.2-19.1)	356	84.8%	(80.9-88.8)
<b>Age</b>	<b>14 years old or younger</b>	23	25.2%	(17.9-32.4)	63	74.8%	(67.6-82.1)
	<b>15 years old</b>	40	16.6%	(11.1-22.1)	209	83.4%	(77.9-88.9)
	<b>16 years old</b>	50	20.6%	(14.8-26.4)	190	79.4%	(73.6-85.2)
	<b>17 years old</b>	13	6.4%	(2.3-10.5)	181	93.6%	(89.5-97.7)
	<b>18 years old or older</b>	16	15.4%	(9.2-21.6)	85	84.6%	(78.4-90.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	38	19.9%	(14.8-25.0)	165	80.1%	(75.0-85.2)
	<b>10<sup>th</sup> grade</b>	59	20.6%	(14.8-26.3)	238	79.4%	(73.7-85.2)
	<b>11<sup>th</sup> grade</b>	24	11.6%	(6.5-16.7)	163	88.4%	(83.3-93.5)
	<b>12<sup>th</sup> grade</b>	15	8.4%	(4.9-12.0)	160	91.6%	(88.0-95.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	23.4%	(0.0-49.7)	7	76.6%	(50.3-100.0)
	<b>Asian<sup>d</sup></b>	4	6.7%	(0.8-12.6)	51	93.3%	(87.4-99.2)
	<b>Black<sup>d</sup></b>	4	12.7%	(0.0-26.1)	29	87.3%	(73.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	17.1%	(0.0-39.2)	11	82.9%	(60.8-100.0)
	<b>White<sup>d</sup></b>	53	15.4%	(11.1-19.7)	268	84.6%	(80.3-88.9)
	<b>Hispanic/Latino</b>	59	16.6%	(12.7-20.5)	291	83.4%	(79.5-87.3)
	<b>Other/Multiple<sup>d</sup></b>	10	19.2%	(7.4-31.0)	42	80.8%	(69.0-92.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Other than a few sips

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 48: Percentage of high school students who had at least one drink of alcohol during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	189	22.9%	(19.2-26.5)	673	77.1%	(73.5-80.8)
<b>Sex</b>	<b>Female</b>	104	26.0%	(21.2-30.8)	328	74.0%	(69.2-78.8)
	<b>Male</b>	81	19.8%	(15.2-24.3)	337	80.2%	(75.7-84.8)
<b>Age</b>	<b>14 years old or younger</b>	21	24.0%	(15.8-32.1)	64	76.0%	(67.9-84.2)
	<b>15 years old</b>	45	18.4%	(12.9-23.9)	203	81.6%	(76.1-87.1)
	<b>16 years old</b>	52	23.7%	(17.6-29.7)	186	76.3%	(70.3-82.4)
	<b>17 years old</b>	47	25.3%	(15.6-34.9)	144	74.7%	(65.1-84.4)
	<b>18 years old or older</b>	24	24.5%	(15.2-33.7)	75	75.5%	(66.3-84.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	40	21.1%	(15.9-26.3)	164	78.9%	(73.7-84.1)
	<b>10<sup>th</sup> grade</b>	58	20.7%	(15.6-25.7)	234	79.3%	(74.3-84.4)
	<b>11<sup>th</sup> grade</b>	46	25.4%	(16.6-34.3)	140	74.6%	(65.7-83.4)
	<b>12<sup>th</sup> grade</b>	41	23.9%	(16.6-31.3)	132	76.1%	(68.7-83.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	20.3%	(0.0-56.7)	6	79.7%	(43.3-100.0)
	<b>Asian<sup>d</sup></b>	8	14.5%	(6.0-23.0)	47	85.5%	(77.0-94.0)
	<b>Black<sup>d</sup></b>	3	9.2%	(0.0-20.1)	29	90.8%	(79.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	84	26.3%	(21.0-31.6)	237	73.7%	(68.4-79.0)
	<b>Hispanic/Latino</b>	72	21.2%	(15.7-26.7)	274	78.8%	(73.3-84.3)
	<b>Other/Multiple<sup>d</sup></b>	13	27.3%	(13.4-41.1)	37	72.7%	(58.9-86.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 49: Percentage of high school students who had at least one drink of alcohol on 20 or more days during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	5	2.3%	(0.0-4.6)	184	97.7%	(95.4-100.0)
<b>Sex</b>	<b>Female</b>	0	.	(.-)	104	100.0%	(100.0-100.0)
	<b>Male</b>	3	4.0%	(0.0-8.7)	78	96.0%	(91.3-100.0)
<b>Age</b>	<b>14 years old or younger</b>	2	4.9%	(0.0-14.7)	19	95.1%	(85.3-100.0)
	<b>15 years old</b>	1	2.9%	(0.0-8.7)	44	97.1%	(91.3-100.0)
	<b>16 years old</b>	1	2.2%	(0.0-6.7)	51	97.8%	(93.3-100.0)
	<b>17 years old</b>	1	2.1%	(0.0-6.4)	46	97.9%	(93.6-100.0)
	<b>18 years old or older</b>	0	.	(.-)	24	100.0%	(100.0-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	1	2.6%	(0.0-7.9)	39	97.4%	(92.1-100.0)
	<b>10<sup>th</sup> grade</b>	0	.	(.-)	58	100.0%	(100.0-100.0)
	<b>11<sup>th</sup> grade</b>	2	4.3%	(0.0-10.7)	44	95.7%	(89.3-100.0)
	<b>12<sup>th</sup> grade</b>	0	.	(.-)	41	100.0%	(100.0-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	2	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	8	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	1	1.2%	(0.0-3.8)	83	98.8%	(96.2-100.0)
	<b>Hispanic/Latino</b>	3	4.2%	(0.0-9.1)	69	95.8%	(90.9-100.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among those who drank alcohol during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 50: Percentage of high school students who participated in binge drinking during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	103	12.5%	(9.2-15.9)	765	87.5%	(84.1-90.8)
<b>Sex</b>	<b>Female</b>	51	13.1%	(9.1-17.2)	382	86.9%	(82.8-90.9)
	<b>Male</b>	47	11.7%	(8.0-15.5)	376	88.3%	(84.5-92.0)
<b>Age</b>	<b>14 years old or younger</b>	13	14.0%	(4.7-23.3)	73	86.0%	(76.7-95.3)
	<b>15 years old</b>	21	8.7%	(5.2-12.1)	228	91.3%	(87.9-94.8)
	<b>16 years old</b>	27	12.6%	(7.4-17.7)	214	87.4%	(82.3-92.6)
	<b>17 years old</b>	28	15.0%	(7.2-22.9)	163	85.0%	(77.1-92.8)
	<b>18 years old or older</b>	14	14.1%	(6.0-22.1)	86	85.9%	(77.9-94.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	21	11.3%	(7.2-15.5)	182	88.7%	(84.5-92.8)
	<b>10<sup>th</sup> grade</b>	28	9.8%	(5.3-14.3)	267	90.2%	(85.7-94.7)
	<b>11<sup>th</sup> grade</b>	23	13.5%	(5.3-21.6)	163	86.5%	(78.4-94.7)
	<b>12<sup>th</sup> grade</b>	26	15.1%	(8.6-21.5)	150	84.9%	(78.5-91.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	20.3%	(0.0-56.7)	6	79.7%	(43.3-100.0)
	<b>Asian<sup>d</sup></b>	3	5.2%	(0.0-12.4)	53	94.8%	(87.6-100.0)
	<b>Black<sup>d</sup></b>	3	8.3%	(0.0-21.1)	30	91.7%	(78.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	49	15.8%	(10.6-21.0)	274	84.2%	(79.0-89.4)
	<b>Hispanic/Latino</b>	38	11.2%	(7.4-15.0)	310	88.8%	(85.0-92.6)
	<b>Other/Multiple<sup>d</sup></b>	4	8.4%	(1.6-15.2)	46	91.6%	(84.8-98.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Had five or more drinks of alcohol in a row for males, four or more for females within a couple of hours

<sup>f</sup> One or more days during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 51: Percentage of high school students who usually got the alcohol they drank by various means during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		In a store			I bought it somewhere else			Got from someone			Other		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	20	16.0%	(8.4-23.6)	8	6.3%	(1.3-11.3)	49	43.5%	(34.0-53.0)	40	34.2%	(25.5-42.9)
<b>Sex</b>	<b>Female</b>	14	21.1%	(10.8-31.5)	2	2.8%	(0.0-6.8)	25	41.3%	(28.1-54.5)	22	34.7%	(23.1-46.4)
	<b>Male</b>	5	10.0%	(0.2-19.7)	6	10.7%	(1.9-19.5)	24	47.1%	(33.9-60.2)	17	32.3%	(15.5-49.0)
<b>Age</b>	<b>14 years old or younger</b>	0	.	(.-)	0	.	(.-)	6	57.4%	(22.5-92.2)	5	42.6%	(7.8-77.5)
	<b>15 years old</b>	5	16.0%	(0.0-32.2)	2	8.8%	(0.0-20.1)	9	30.1%	(8.9-51.3)	13	45.2%	(29.9-60.4)
	<b>16 years old</b>	5	15.8%	(2.8-28.8)	2	5.7%	(0.0-14.0)	14	45.8%	(26.5-65.1)	9	32.6%	(17.1-48.1)
	<b>17 years old</b>	8	24.3%	(8.6-40.1)	0	.	(.-)	14	49.3%	(34.7-63.9)	8	26.4%	(12.8-39.9)
	<b>18 years old or older</b>	2	11.7%	(0.0-24.3)	4	19.7%	(3.1-36.3)	6	38.0%	(13.4-62.5)	5	30.6%	(9.2-52.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	1	4.6%	(0.0-14.0)	2	8.8%	(0.0-18.8)	11	47.0%	(25.3-68.8)	9	39.6%	(20.0-59.3)
	<b>10<sup>th</sup> grade</b>	7	19.9%	(0.9-39.0)	1	2.9%	(0.0-8.5)	13	41.3%	(22.7-59.9)	12	35.9%	(16.6-55.2)
	<b>11<sup>th</sup> grade</b>	8	26.4%	(10.8-42.0)	0	.	(.-)	12	41.1%	(27.1-55.1)	10	32.5%	(18.8-46.2)
	<b>12<sup>th</sup> grade</b>	4	10.9%	(1.9-19.8)	3	11.6%	(0.0-23.1)	13	48.2%	(27.9-68.5)	8	29.4%	(12.8-46.0)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	1	26.6%	(0.0-72.9)	3	73.4%	(27.1-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)	0	.	(.-)	0	.	(.-)
	<b>White<sup>d</sup></b>	6	10.7%	(0.0-21.4)	3	5.3%	(0.0-10.9)	28	52.6%	(38.0-67.3)	18	31.4%	(18.8-44.0)
	<b>Hispanic/Latino</b>	10	20.3%	(8.7-31.8)	4	8.9%	(0.0-17.8)	15	33.1%	(19.7-46.6)	17	37.8%	(25.8-49.7)
	<b>Other/Multiple<sup>d</sup></b>	2	33.1%	(2.2-64.0)	0	.	(.-)	4	52.1%	(20.5-83.8)	1	14.8%	(0.0-43.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who drank alcohol during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 52: Percentage of high school students who thought it would be difficult or easy to get alcohol if they wanted some — Nevada YRBS 2023\***

		Very difficult			Fairly difficult			Fairly easy			Very easy			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	159	17.7%	(14.7-20.7)	117	13.1%	(10.4-15.8)	213	24.3%	(21.0-27.5)	246	29.1%	(25.3-32.8)	142	15.9%	(12.4-19.4)
<b>Sex</b>	<b>Female</b>	69	14.8%	(12.1-17.6)	61	13.4%	(9.2-17.6)	117	26.7%	(22.4-30.9)	130	31.9%	(27.1-36.7)	57	13.2%	(9.3-17.1)
	<b>Male</b>	88	20.1%	(14.7-25.6)	55	13.0%	(9.1-16.9)	93	21.8%	(17.2-26.4)	112	26.3%	(21.3-31.3)	85	18.8%	(14.2-23.3)
<b>Age</b>	<b>14 years old or younger</b>	4	4.0%	(0.0-8.7)	22	26.3%	(14.5-38.1)	21	25.3%	(14.4-36.1)	24	28.6%	(17.7-39.5)	13	15.9%	(8.2-23.5)
	<b>15 years old</b>	59	22.7%	(18.5-26.8)	30	11.2%	(6.3-16.0)	54	21.8%	(16.3-27.3)	61	26.4%	(21.9-31.0)	46	17.9%	(11.8-24.0)
	<b>16 years old</b>	38	15.9%	(11.8-20.1)	30	12.1%	(7.3-17.0)	66	26.7%	(20.5-32.9)	80	33.6%	(26.8-40.3)	31	11.7%	(7.4-16.0)
	<b>17 years old</b>	30	14.7%	(9.2-20.3)	19	8.8%	(4.2-13.3)	47	24.4%	(16.7-32.2)	54	29.9%	(22.4-37.3)	43	22.2%	(15.4-29.0)
	<b>18 years old or older</b>	28	27.3%	(17.1-37.5)	16	16.4%	(7.2-25.5)	25	23.4%	(15.7-31.0)	26	24.3%	(11.1-37.6)	9	8.6%	(2.6-14.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	31	13.6%	(9.7-17.6)	37	18.3%	(12.0-24.5)	47	23.4%	(16.7-30.1)	55	29.2%	(23.8-34.5)	33	15.5%	(9.7-21.3)
	<b>10<sup>th</sup> grade</b>	63	20.8%	(16.5-25.0)	33	9.8%	(5.2-14.4)	75	24.5%	(18.2-30.8)	78	26.5%	(19.5-33.6)	52	18.4%	(12.3-24.5)
	<b>11<sup>th</sup> grade</b>	26	14.3%	(9.2-19.5)	21	10.7%	(5.9-15.4)	43	23.6%	(17.7-29.5)	59	32.1%	(25.1-39.0)	37	19.3%	(12.3-26.4)
	<b>12<sup>th</sup> grade</b>	39	21.9%	(13.7-30.1)	25	14.1%	(8.1-20.1)	46	25.1%	(18.0-32.2)	50	28.4%	(19.2-37.6)	20	10.6%	(6.3-14.9)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	31.2%	(3.4-59.1)	4	39.2%	(13.4-64.9)	1	10.2%	(0.0-30.2)	1	9.5%	(0.0-27.0)	1	9.9%	(0.0-29.2)
	<b>Asian<sup>d</sup></b>	12	22.1%	(8.7-35.5)	11	19.8%	(8.0-31.5)	11	19.0%	(8.7-29.2)	11	18.3%	(9.2-27.4)	11	20.9%	(12.6-29.2)
	<b>Black<sup>d</sup></b>	7	23.2%	(9.4-36.9)	5	14.0%	(2.7-25.3)	12	40.5%	(25.3-55.8)	4	12.2%	(0.0-24.7)	3	10.0%	(0.0-20.1)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	9.6%	(0.0-27.9)	3	24.1%	(0.0-49.0)	2	14.0%	(0.0-33.2)	2	14.1%	(0.0-33.5)	5	38.2%	(10.4-66.0)
	<b>White<sup>d</sup></b>	47	13.9%	(10.4-17.4)	42	13.4%	(9.7-17.1)	83	25.7%	(20.1-31.3)	117	35.9%	(31.5-40.2)	37	11.1%	(7.2-15.0)
	<b>Hispanic/Latino</b>	76	21.3%	(16.8-25.8)	40	11.1%	(7.4-14.7)	83	23.2%	(18.3-28.1)	85	24.7%	(19.3-30.2)	71	19.7%	(14.8-24.5)
	<b>Other/Multiple<sup>d</sup></b>	5	10.4%	(2.0-18.9)	6	12.6%	(3.9-21.2)	13	24.2%	(13.5-34.8)	17	35.1%	(20.3-49.9)	9	17.8%	(4.7-30.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 53: Percentage of students who rode with a driver who had been drinking alcohol during the 30 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	124	13.8%	(11.4-16.2)	793	86.2%	(83.8-88.6)
<b>Sex</b>	<b>Female</b>	65	15.3%	(11.5-19.2)	385	84.7%	(80.8-88.5)
	<b>Male</b>	55	12.3%	(9.5-15.1)	400	87.7%	(84.9-90.5)
<b>Age</b>	<b>14 years old or younger</b>	18	18.1%	(11.2-25.1)	77	81.9%	(74.9-88.8)
	<b>15 years old</b>	37	14.4%	(8.8-19.9)	224	85.6%	(80.1-91.2)
	<b>16 years old</b>	29	12.4%	(7.4-17.4)	223	87.6%	(82.6-92.6)
	<b>17 years old</b>	21	10.3%	(6.4-14.2)	180	89.7%	(85.8-93.6)
	<b>18 years old or older</b>	19	18.4%	(10.9-26.0)	88	81.6%	(74.0-89.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	37	17.2%	(12.1-22.3)	182	82.8%	(77.7-87.9)
	<b>10<sup>th</sup> grade</b>	34	10.9%	(7.0-14.7)	278	89.1%	(85.3-93.0)
	<b>11<sup>th</sup> grade</b>	24	12.7%	(7.4-18.0)	170	87.3%	(82.0-92.6)
	<b>12<sup>th</sup> grade</b>	25	13.5%	(8.8-18.3)	159	86.5%	(81.7-91.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	23.4%	(0.0-49.7)	7	76.6%	(50.3-100.0)
	<b>Asian<sup>d</sup></b>	6	10.8%	(3.3-18.4)	50	89.2%	(81.6-96.7)
	<b>Black<sup>d</sup></b>	3	8.8%	(0.2-17.4)	31	91.2%	(82.6-99.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	25.3%	(0.0-50.6)	10	74.7%	(49.4-100.0)
	<b>White<sup>d</sup></b>	43	12.7%	(9.1-16.2)	292	87.3%	(83.8-90.9)
	<b>Hispanic/Latino</b>	56	15.4%	(11.8-18.9)	321	84.6%	(81.1-88.2)
	<b>Other/Multiple<sup>d</sup></b>	6	11.4%	(3.5-19.4)	48	88.6%	(80.6-96.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 54: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	26	6.5%	(2.8-10.2)	362	93.5%	(89.8-97.2)
<b>Sex</b>	<b>Female</b>	10	5.6%	(1.4-9.7)	175	94.4%	(90.3-98.6)
	<b>Male</b>	12	6.8%	(2.3-11.4)	182	93.2%	(88.6-97.7)
<b>Age</b>	<b>14 years old or younger</b>	6	20.5%	(0.0-46.4)	10	79.5%	(53.6-100.0)
	<b>15 years old</b>	3	3.9%	(0.0-8.4)	71	96.1%	(91.6-100.0)
	<b>16 years old</b>	5	3.8%	(0.0-7.8)	141	96.2%	(92.2-100.0)
	<b>17 years old</b>	7	7.6%	(1.0-14.2)	94	92.4%	(85.8-99.0)
	<b>18 years old or older</b>	5	10.5%	(2.5-18.6)	46	89.5%	(81.4-97.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	2	8.4%	(0.0-18.6)	25	91.6%	(81.4-100.0)
	<b>10<sup>th</sup> grade</b>	6	3.3%	(0.4-6.3)	145	96.7%	(93.7-99.6)
	<b>11<sup>th</sup> grade</b>	7	7.0%	(0.0-16.4)	101	93.0%	(83.6-100.0)
	<b>12<sup>th</sup> grade</b>	7	8.0%	(3.1-12.8)	87	92.0%	(87.2-96.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	23	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	1	5.7%	(0.0-16.5)	15	94.3%	(83.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	9	6.3%	(1.9-10.8)	153	93.7%	(89.2-98.1)
	<b>Hispanic/Latino</b>	12	8.4%	(1.5-15.3)	132	91.6%	(84.7-98.5)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	22	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 30 days before the survey

<sup>f</sup> Among students who drove a car or other vehicle during the 30 days before the survey

**\*Note: The wording of this question changed in 2023. Comparisons should not be made with previous years. We caution against group comparisons when a cell size is less than 5.**

## Marijuana Use

**Table 55: Percentage of high school students who ever used marijuana<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	265	33.2%	(28.3-38.1)	587	66.8%	(61.9-71.7)
<b>Sex</b>	<b>Female</b>	146	38.7%	(31.7-45.8)	276	61.3%	(54.2-68.3)
	<b>Male</b>	114	27.8%	(22.2-33.5)	306	72.2%	(66.5-77.8)
<b>Age</b>	<b>14 years old or younger</b>	24	30.0%	(20.9-39.1)	57	70.0%	(60.9-79.1)
	<b>15 years old</b>	50	22.7%	(14.5-31.0)	195	77.3%	(69.0-85.5)
	<b>16 years old</b>	75	34.2%	(25.0-43.4)	159	65.8%	(56.6-75.0)
	<b>17 years old</b>	77	41.1%	(33.2-49.0)	113	58.9%	(51.0-66.8)
	<b>18 years old or older</b>	39	39.2%	(28.7-49.7)	62	60.8%	(50.3-71.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	53	29.9%	(23.1-36.6)	143	70.1%	(63.4-76.9)
	<b>10<sup>th</sup> grade</b>	70	25.3%	(16.3-34.4)	221	74.7%	(65.6-83.7)
	<b>11<sup>th</sup> grade</b>	66	37.3%	(25.4-49.2)	116	62.7%	(50.8-74.6)
	<b>12<sup>th</sup> grade</b>	71	40.1%	(34.2-46.1)	105	59.9%	(53.9-65.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.0%	(0.0-50.0)	6	79.0%	(50.0-100.0)
	<b>Asian<sup>d</sup></b>	8	15.6%	(2.1-29.2)	45	84.4%	(70.8-97.9)
	<b>Black<sup>d</sup></b>	6	20.8%	(4.2-37.3)	25	79.2%	(62.7-95.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	107	34.8%	(28.7-40.9)	209	65.2%	(59.1-71.3)
	<b>Hispanic/Latino</b>	119	35.4%	(28.8-41.9)	225	64.6%	(58.1-71.2)
	<b>Other/Multiple<sup>d</sup></b>	16	33.6%	(18.4-48.7)	36	66.4%	(51.3-81.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 56: Percentage of high school students who tried marijuana for the first time before age 13 years<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	63	7.5%	(5.0-9.9)	790	92.5%	(90.1-95.0)
<b>Sex</b>	<b>Female</b>	31	7.7%	(4.3-11.0)	393	92.3%	(89.0-95.7)
	<b>Male</b>	29	6.9%	(4.1-9.8)	390	93.1%	(90.2-95.9)
<b>Age</b>	<b>14 years old or younger</b>	6	5.4%	(0.3-10.4)	72	94.6%	(89.6-99.7)
	<b>15 years old</b>	20	9.0%	(4.8-13.1)	225	91.0%	(86.9-95.2)
	<b>16 years old</b>	21	9.5%	(4.8-14.2)	214	90.5%	(85.8-95.2)
	<b>17 years old</b>	7	3.9%	(1.1-6.7)	185	96.1%	(93.3-98.9)
	<b>18 years old or older</b>	9	9.2%	(0.1-18.2)	93	90.8%	(81.8-99.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	14	7.9%	(3.7-12.0)	178	92.1%	(88.0-96.3)
	<b>10<sup>th</sup> grade</b>	25	9.3%	(3.7-15.0)	267	90.7%	(85.0-96.3)
	<b>11<sup>th</sup> grade</b>	11	5.8%	(2.4-9.1)	174	94.2%	(90.9-97.6)
	<b>12<sup>th</sup> grade</b>	9	5.3%	(0.9-9.8)	168	94.7%	(90.2-99.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	10.2%	(0.0-30.2)	9	89.8%	(69.8-100.0)
	<b>Asian<sup>d</sup></b>	1	2.2%	(0.0-6.4)	53	97.8%	(93.6-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	31	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	22	6.7%	(3.4-10.1)	294	93.3%	(89.9-96.6)
	<b>Hispanic/Latino</b>	33	9.3%	(5.2-13.4)	312	90.7%	(86.6-94.8)
	<b>Other/Multiple<sup>d</sup></b>	4	8.1%	(0.0-17.5)	46	91.9%	(82.5-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 57: Percentage of high school students who used marijuana during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	138	17.4%	(14.1-20.7)	706	82.6%	(79.3-85.9)
<b>Sex</b>	<b>Female</b>	80	20.9%	(15.6-26.3)	342	79.1%	(73.7-84.4)
	<b>Male</b>	53	13.5%	(10.1-17.0)	359	86.5%	(83.0-89.9)
<b>Age</b>	<b>14 years old or younger</b>	12	16.7%	(9.4-23.9)	62	83.3%	(76.1-90.6)
	<b>15 years old</b>	33	14.6%	(8.7-20.5)	210	85.4%	(79.5-91.3)
	<b>16 years old</b>	40	18.2%	(11.4-25.1)	198	81.8%	(74.9-88.6)
	<b>17 years old</b>	38	20.1%	(15.7-24.5)	152	79.9%	(75.5-84.3)
	<b>18 years old or older</b>	15	16.4%	(8.9-24.0)	83	83.6%	(76.0-91.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	29	17.4%	(11.7-23.1)	159	82.6%	(76.9-88.3)
	<b>10<sup>th</sup> grade</b>	42	14.7%	(8.8-20.6)	251	85.3%	(79.4-91.2)
	<b>11<sup>th</sup> grade</b>	30	17.4%	(10.0-24.7)	153	82.6%	(75.3-90.0)
	<b>12<sup>th</sup> grade</b>	34	19.8%	(14.3-25.2)	139	80.2%	(74.8-85.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	18.0%	(0.0-50.6)	7	82.0%	(49.4-100.0)
	<b>Asian<sup>d</sup></b>	4	7.4%	(0.6-14.1)	50	92.6%	(85.9-99.4)
	<b>Black<sup>d</sup></b>	2	7.2%	(0.0-17.3)	29	92.8%	(82.7-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	62	20.3%	(15.6-25.0)	251	79.7%	(75.0-84.4)
	<b>Hispanic/Latino</b>	55	16.4%	(11.5-21.2)	285	83.6%	(78.8-88.5)
	<b>Other/Multiple<sup>d</sup></b>	9	19.3%	(8.3-30.2)	41	80.7%	(69.8-91.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> One or more times during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 58: Percentage of high school students who used marijuana 20 or more times during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	42	30.5%	(22.0-39.0)	96	69.5%	(61.0-78.0)
<b>Sex</b>	<b>Female</b>	14	17.6%	(8.5-26.6)	66	82.4%	(73.4-91.5)
	<b>Male</b>	25	47.9%	(34.1-61.7)	28	52.1%	(38.3-65.9)
<b>Age</b>	<b>14 years old or younger</b>	2	17.3%	(0.0-41.0)	10	82.7%	(59.0-100.0)
	<b>15 years old</b>	7	22.4%	(10.1-34.7)	26	77.6%	(65.3-89.9)
	<b>16 years old</b>	18	45.4%	(30.6-60.3)	22	54.6%	(39.7-69.4)
	<b>17 years old</b>	9	22.1%	(7.8-36.3)	29	77.9%	(63.7-92.2)
	<b>18 years old or older</b>	6	41.5%	(15.5-67.5)	9	58.5%	(32.5-84.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	6	20.2%	(3.2-37.1)	23	79.8%	(62.9-96.8)
	<b>10<sup>th</sup> grade</b>	13	33.6%	(18.6-48.6)	29	66.4%	(51.4-81.4)
	<b>11<sup>th</sup> grade</b>	11	35.1%	(20.3-49.9)	19	64.9%	(50.1-79.7)
	<b>12<sup>th</sup> grade</b>	11	31.7%	(12.5-50.9)	23	68.3%	(49.1-87.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	58.9%	(58.9-58.9)	1	41.1%	(41.1-41.1)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	4	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	19	31.1%	(18.5-43.8)	43	68.9%	(56.2-81.5)
	<b>Hispanic/Latino</b>	18	31.9%	(20.3-43.5)	37	68.1%	(56.5-79.7)
	<b>Other/Multiple<sup>d</sup></b>	1	12.5%	(0.0-34.0)	8	87.5%	(66.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> Among those who used marijuana during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 59: Percentage of high school students who usually used marijuana by different methods during the past 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Smoked it in a joint, bong, pipe, or blunt			Consumed it using food or drink			Vaporized it			Dabbed it using waxes or concentrates			Used it in some other way		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	47	35.8%	(27.6-44.0)	17	12.1%	(5.9-18.4)	50	38.6%	(27.8-49.4)	12	9.5%	(4.2-14.8)	7	3.9%	(1.0-6.8)
<b>Sex</b>	<b>Female</b>	23	30.0%	(19.3-40.8)	8	11.9%	(3.1-20.7)	32	42.6%	(27.7-57.6)	8	10.6%	(3.2-18.0)	5	4.8%	(0.8-8.8)
	<b>Male</b>	23	43.4%	(31.3-55.4)	8	12.8%	(2.9-22.7)	17	34.3%	(18.0-50.5)	4	8.3%	(0.1-16.4)	1	1.3%	(0.0-3.9)
<b>Age</b>	<b>14 years old or younger</b>	3	30.0%	(1.7-58.2)	2	10.7%	(0.0-31.0)	6	59.4%	(28.2-90.6)	0	.	(-.)	0	.	(-.)
	<b>15 years old</b>	10	30.8%	(17.4-44.2)	4	11.3%	(0.0-25.4)	15	49.1%	(32.4-65.9)	2	5.4%	(0.0-13.5)	2	3.4%	(0.0-8.3)
	<b>16 years old</b>	17	47.2%	(27.9-66.5)	3	8.3%	(0.0-17.7)	11	29.3%	(14.0-44.7)	4	11.0%	(0.0-22.0)	2	4.1%	(0.0-9.2)
	<b>17 years old</b>	14	38.7%	(19.7-57.7)	4	10.3%	(0.0-21.0)	10	25.7%	(8.0-43.3)	6	18.3%	(4.3-32.3)	3	7.0%	(0.0-14.6)
	<b>18 years old or older</b>	3	19.8%	(3.5-36.1)	4	26.4%	(1.8-51.0)	8	53.8%	(27.1-80.6)	0	.	(-.)	0	.	(-.)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	28.5%	(15.0-42.0)	4	14.3%	(0.0-29.1)	16	57.2%	(41.0-73.4)	0	.	(-.)	0	.	(-.)
	<b>10<sup>th</sup> grade</b>	18	46.7%	(27.5-65.9)	2	3.1%	(0.0-8.6)	14	35.2%	(16.6-53.7)	4	9.6%	(1.8-17.4)	3	5.4%	(0.3-10.5)
	<b>11<sup>th</sup> grade</b>	13	46.0%	(28.5-63.5)	2	5.2%	(0.0-13.0)	5	18.8%	(2.3-35.4)	5	19.0%	(4.6-33.4)	4	11.0%	(1.5-20.4)
	<b>12<sup>th</sup> grade</b>	8	25.0%	(7.1-43.0)	7	21.5%	(5.1-38.0)	15	43.7%	(18.4-69.0)	3	9.7%	(0.0-21.1)	0	.	(-.)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	1	25.2%	(0.0-53.4)	1	38.7%	(0.0-100.0)	0	.	(-.)	0	.	(-.)	1	36.1%	(0.0-76.6)
	<b>Asian<sup>d</sup></b>	0	.	(-.)	1	26.4%	(0.0-72.6)	1	26.7%	(0.0-73.2)	0	.	(-.)	2	46.9%	(0.0-98.9)
	<b>Black<sup>d</sup></b>	1	50.0%	(0.0-100.0)	0	.	(-.)	0	.	(-.)	0	.	(-.)	1	50.0%	(0.0-100.0)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(-.)	0	.	(-.)	0	.	(-.)	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	21	34.8%	(22.0-47.6)	7	12.2%	(2.6-21.8)	28	46.0%	(31.8-60.3)	4	7.0%	(0.1-13.8)	0	.	(-.)
	<b>Hispanic/Latino</b>	20	38.2%	(26.8-49.6)	6	12.5%	(3.9-21.1)	16	32.4%	(20.8-44.0)	8	15.6%	(4.5-26.7)	1	1.3%	(0.0-3.9)
	<b>Other/Multiple<sup>d</sup></b>	4	44.7%	(11.4-78.0)	0	.	(-.)	4	42.8%	(0.6-84.9)	0	.	(-.)	1	12.6%	(0.0-33.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> Among those who used marijuana during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 60: Percentage of high school students who thought it would be difficult or easy to get marijuana if they wanted some<sup>e</sup> — Nevada YRBS 2023\***

		Very difficult			Fairly difficult			Fairly easy			Very easy			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	203	23.3%	(20.2-26.5)	133	14.1%	(11.2-16.9)	170	19.5%	(16.1-22.9)	204	24.8%	(20.9-28.7)	158	18.3%	(15.2-21.3)
<b>Sex</b>	<b>Female</b>	102	23.1%	(18.8-27.4)	67	13.7%	(10.2-17.2)	89	20.8%	(16.3-25.4)	99	25.2%	(20.1-30.4)	74	17.1%	(12.6-21.6)
	<b>Male</b>	99	23.4%	(18.3-28.5)	66	14.6%	(11.0-18.2)	79	18.4%	(13.8-23.1)	101	24.2%	(19.4-29.0)	83	19.4%	(15.2-23.6)
<b>Age</b>	<b>14 years old or younger</b>	12	14.4%	(3.5-25.3)	9	11.1%	(4.8-17.4)	23	30.2%	(18.9-41.5)	27	32.2%	(20.8-43.7)	10	12.1%	(7.0-17.1)
	<b>15 years old</b>	72	27.9%	(22.1-33.6)	47	17.9%	(12.2-23.6)	40	16.1%	(10.8-21.3)	43	18.4%	(12.7-24.0)	49	19.8%	(13.9-25.8)
	<b>16 years old</b>	50	22.1%	(16.8-27.3)	48	18.2%	(12.8-23.5)	53	21.7%	(16.3-27.2)	57	25.0%	(18.8-31.2)	33	13.0%	(8.0-18.0)
	<b>17 years old</b>	43	22.2%	(16.9-27.5)	20	9.7%	(5.8-13.5)	33	17.3%	(10.9-23.6)	49	26.5%	(18.6-34.4)	47	24.3%	(18.1-30.5)
	<b>18 years old or older</b>	26	25.7%	(13.6-37.9)	9	9.4%	(3.0-15.8)	21	18.2%	(12.1-24.2)	27	28.1%	(16.5-39.6)	19	18.6%	(10.4-26.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	42	20.2%	(14.6-25.8)	26	13.5%	(8.5-18.4)	44	23.6%	(16.0-31.2)	49	25.3%	(17.5-33.1)	37	17.5%	(11.7-23.2)
	<b>10<sup>th</sup> grade</b>	71	23.7%	(19.6-27.8)	68	22.2%	(15.6-28.8)	58	19.3%	(14.4-24.3)	55	18.9%	(14.7-23.2)	46	15.8%	(11.4-20.2)
	<b>11<sup>th</sup> grade</b>	44	23.8%	(18.3-29.3)	21	9.9%	(5.4-14.4)	29	15.5%	(11.0-20.0)	51	28.6%	(21.0-36.2)	42	22.2%	(15.4-28.9)
	<b>12<sup>th</sup> grade</b>	45	25.5%	(16.9-34.1)	17	9.9%	(5.2-14.5)	37	19.6%	(12.8-26.4)	46	26.7%	(16.1-37.2)	33	18.4%	(12.6-24.3)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	4	46.8%	(8.5-85.1)	4	42.3%	(6.0-78.6)	0	.	(.-)	0	.	(.-)	1	10.9%	(0.0-32.1)
	<b>Asian<sup>d</sup></b>	17	30.5%	(15.8-45.2)	8	13.5%	(4.1-22.9)	11	18.4%	(6.0-30.8)	7	12.7%	(1.8-23.6)	13	24.9%	(14.4-35.4)
	<b>Black<sup>d</sup></b>	11	34.0%	(18.2-49.8)	4	9.6%	(0.0-20.4)	8	25.8%	(12.3-39.3)	6	20.7%	(4.7-36.7)	3	9.9%	(0.0-19.9)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	4	33.6%	(5.9-61.4)	0	.	(.-)	1	8.6%	(0.0-25.2)	3	19.5%	(0.0-41.0)	5	38.2%	(10.4-66.0)
	<b>White<sup>d</sup></b>	63	19.5%	(14.9-24.0)	57	16.7%	(12.0-21.4)	69	22.0%	(15.6-28.3)	86	27.6%	(21.2-34.0)	45	14.3%	(9.8-18.7)
	<b>Hispanic/Latino</b>	88	25.2%	(20.9-29.5)	45	12.0%	(9.3-14.8)	64	17.7%	(14.2-21.3)	81	23.5%	(18.7-28.3)	75	21.5%	(17.1-25.9)
	<b>Other/Multiple<sup>d</sup></b>	10	20.6%	(9.6-31.5)	6	10.2%	(2.0-18.4)	10	19.0%	(7.9-30.0)	15	32.4%	(16.8-48.0)	9	17.9%	(5.1-30.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 61: Percentage of students who rode with a driver who had been using marijuana during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	150	16.6%	(13.5-19.7)	762	83.4%	(80.3-86.5)
<b>Sex</b>	<b>Female</b>	82	19.2%	(14.7-23.6)	365	80.8%	(76.4-85.3)
	<b>Male</b>	63	14.0%	(10.3-17.7)	390	86.0%	(82.3-89.7)
<b>Age</b>	<b>14 years old or younger</b>	18	15.6%	(8.8-22.5)	79	84.4%	(77.5-91.2)
	<b>15 years old</b>	38	14.8%	(9.5-20.1)	219	85.2%	(79.9-90.5)
	<b>16 years old</b>	37	15.3%	(8.7-21.8)	215	84.7%	(78.2-91.3)
	<b>17 years old</b>	35	17.8%	(13.4-22.1)	165	82.2%	(77.9-86.6)
	<b>18 years old or older</b>	22	21.3%	(13.2-29.5)	83	78.7%	(70.5-86.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	32	15.2%	(9.7-20.7)	184	84.8%	(79.3-90.3)
	<b>10<sup>th</sup> grade</b>	44	13.6%	(8.2-19.0)	267	86.4%	(81.0-91.8)
	<b>11<sup>th</sup> grade</b>	33	17.6%	(11.1-24.0)	162	82.4%	(76.0-88.9)
	<b>12<sup>th</sup> grade</b>	35	19.0%	(12.6-25.3)	146	81.0%	(74.7-87.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	30.5%	(6.2-54.9)	7	69.5%	(45.1-93.8)
	<b>Asian<sup>d</sup></b>	6	10.2%	(1.5-18.9)	50	89.8%	(81.1-98.5)
	<b>Black<sup>d</sup></b>	4	12.1%	(0.0-25.0)	30	87.9%	(75.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	11.1%	(0.0-26.4)	11	88.9%	(73.6-100.0)
	<b>White<sup>d</sup></b>	58	17.5%	(12.5-22.6)	277	82.5%	(77.4-87.5)
	<b>Hispanic/Latino</b>	60	16.3%	(11.9-20.7)	310	83.7%	(79.3-88.1)
	<b>Other/Multiple<sup>d</sup></b>	9	18.5%	(7.2-29.8)	45	81.5%	(70.2-92.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> One or more times during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 62: Percentage of high school students who drove a car or other vehicle when they had been using marijuana during the 30 days before the survey<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	37	9.7%	(6.3-13.2)	345	90.3%	(86.8-93.7)
<b>Sex</b>	<b>Female</b>	14	7.8%	(3.4-12.3)	169	92.2%	(87.7-96.6)
	<b>Male</b>	19	10.5%	(6.3-14.8)	173	89.5%	(85.2-93.7)
<b>Age</b>	<b>14 years old or younger</b>	3	9.4%	(0.0-27.3)	10	90.6%	(72.7-100.0)
	<b>15 years old</b>	6	8.0%	(1.6-14.5)	68	92.0%	(85.5-98.4)
	<b>16 years old</b>	10	7.2%	(2.3-12.0)	134	92.8%	(88.0-97.7)
	<b>17 years old</b>	10	10.0%	(4.6-15.4)	90	90.0%	(84.6-95.4)
	<b>18 years old or older</b>	8	17.0%	(7.8-26.2)	43	83.0%	(73.8-92.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	11.7%	(0.3-23.2)	23	88.3%	(76.8-99.7)
	<b>10<sup>th</sup> grade</b>	11	7.3%	(2.5-12.1)	137	92.7%	(87.9-97.5)
	<b>11<sup>th</sup> grade</b>	8	7.4%	(3.5-11.3)	100	92.6%	(88.7-96.5)
	<b>12<sup>th</sup> grade</b>	12	13.5%	(6.7-20.4)	81	86.5%	(79.6-93.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	58.4%	(0.0-100.0)	1	41.6%	(0.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	23	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	2	13.6%	(0.0-38.8)	13	86.4%	(61.2-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	13	8.4%	(2.4-14.3)	148	91.6%	(85.7-97.6)
	<b>Hispanic/Latino</b>	17	12.0%	(6.4-17.6)	126	88.0%	(82.4-93.6)
	<b>Other/Multiple<sup>d</sup></b>	1	5.6%	(0.0-15.0)	21	94.4%	(85.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used marijuana (also called “pot” or “weed”), not including CBD-only or hemp products

<sup>f</sup> One or more times during the 30 days before the survey

<sup>g</sup> Among students who drove a car or other vehicle during the 30 days before the survey

**\*Note: The wording of this question changed in 2023. Comparisons should not be made with previous years. We caution against group comparisons when a cell size is less than 5.**

## Non-Medical Prescription Pain Medicine Use

**Table 63: Percentage of high school students who ever took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	96	10.9%	(7.9-13.9)	764	89.1%	(86.1-92.1)
<b>Sex</b>	<b>Female</b>	54	12.9%	(8.3-17.6)	371	87.1%	(82.4-91.7)
	<b>Male</b>	38	8.8%	(6.2-11.3)	386	91.2%	(88.7-93.8)
<b>Age</b>	<b>14 years old or younger</b>	11	10.3%	(3.3-17.4)	71	89.7%	(82.6-96.7)
	<b>15 years old</b>	24	10.5%	(6.0-15.0)	223	89.5%	(85.0-94.0)
	<b>16 years old</b>	31	12.8%	(7.6-17.9)	205	87.2%	(82.1-92.4)
	<b>17 years old</b>	14	7.6%	(3.5-11.7)	180	92.4%	(88.3-96.5)
	<b>18 years old or older</b>	16	15.2%	(7.2-23.1)	84	84.8%	(76.9-92.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	19	10.4%	(4.7-16.0)	180	89.6%	(84.0-95.3)
	<b>10<sup>th</sup> grade</b>	36	12.5%	(8.0-17.0)	254	87.5%	(83.0-92.0)
	<b>11<sup>th</sup> grade</b>	15	7.9%	(1.4-14.3)	171	92.1%	(85.7-98.6)
	<b>12<sup>th</sup> grade</b>	20	11.4%	(6.0-16.8)	156	88.6%	(83.2-94.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	8	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	9	16.5%	(3.8-29.2)	47	83.5%	(70.8-96.2)
	<b>Black<sup>d</sup></b>	1	2.5%	(0.0-7.6)	28	97.5%	(92.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	16.7%	(0.0-38.4)	11	83.3%	(61.6-100.0)
	<b>White<sup>d</sup></b>	25	7.8%	(4.5-11.1)	294	92.2%	(88.9-95.5)
	<b>Hispanic/Latino</b>	51	14.5%	(9.9-19.1)	295	85.5%	(80.9-90.1)
	<b>Other/Multiple<sup>d</sup></b>	4	5.8%	(0.0-12.9)	47	94.2%	(87.1-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription pain medicine (e.g., codeine, ‘Vicodin’, ‘OxyContin’, ‘Hydrocodone’, and ‘Percocet’)

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 64: Percentage of high school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	48	5.4%	(3.4-7.4)	807	94.6%	(92.6-96.6)
<b>Sex</b>	<b>Female</b>	31	7.0%	(4.1-9.9)	394	93.0%	(90.1-95.9)
	<b>Male</b>	16	3.7%	(1.6-5.8)	405	96.3%	(94.2-98.4)
<b>Age</b>	<b>14 years old or younger</b>	6	5.2%	(0.0-10.5)	75	94.8%	(89.5-100.0)
	<b>15 years old</b>	15	6.5%	(3.6-9.4)	231	93.5%	(90.6-96.4)
	<b>16 years old</b>	15	5.9%	(2.8-8.9)	220	94.1%	(91.1-97.2)
	<b>17 years old</b>	6	3.4%	(0.0-6.9)	188	96.6%	(93.1-100.0)
	<b>18 years old or older</b>	6	6.4%	(1.3-11.5)	92	93.6%	(88.5-98.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	11	6.0%	(2.4-9.7)	187	94.0%	(90.3-97.6)
	<b>10<sup>th</sup> grade</b>	21	6.7%	(3.2-10.2)	269	93.3%	(89.8-96.8)
	<b>11<sup>th</sup> grade</b>	6	3.1%	(0.0-7.3)	180	96.9%	(92.7-100.0)
	<b>12<sup>th</sup> grade</b>	7	4.2%	(1.3-7.0)	167	95.8%	(93.0-98.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	8	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	3	4.7%	(0.0-11.9)	53	95.3%	(88.1-100.0)
	<b>Black<sup>d</sup></b>	1	2.5%	(0.0-7.6)	28	97.5%	(92.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	11	3.4%	(1.0-5.8)	306	96.6%	(94.2-99.0)
	<b>Hispanic/Latino</b>	29	8.1%	(5.1-11.1)	317	91.9%	(88.9-94.9)
	<b>Other/Multiple<sup>d</sup></b>	2	3.7%	(0.0-9.1)	48	96.3%	(90.9-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription pain medicine (e.g., codeine, ‘Vicodin’, ‘OxyContin’, ‘Hydrocodone’, and ‘Percocet’)

<sup>f</sup> One or more times during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 65: Percentage of high school students who took prescription pain medicine without a doctor’s prescription or differently than how a doctor told them to use it 20 or more times during the 30 days before the survey<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	6	11.8%	(0.2-23.4)	42	88.2%	(76.6-99.8)
<b>Sex</b>	<b>Female</b>	3	6.8%	(0.0-16.6)	28	93.2%	(83.4-100.0)
	<b>Male</b>	2	14.9%	(0.0-36.0)	14	85.1%	(64.0-100.0)
<b>Age</b>	<b>14 years old or younger</b>	2	23.8%	(0.0-66.3)	4	76.2%	(33.7-100.0)
	<b>15 years old</b>	2	16.5%	(0.0-39.4)	13	83.5%	(60.6-100.0)
	<b>16 years old</b>	1	5.8%	(0.0-17.4)	14	94.2%	(82.6-100.0)
	<b>17 years old</b>	0	.	(-.)	6	100.0%	(100.0-100.0)
	<b>18 years old or older</b>	1	17.6%	(0.0-51.8)	5	82.4%	(48.2-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	2	18.6%	(0.0-42.7)	9	81.4%	(57.3-100.0)
	<b>10<sup>th</sup> grade</b>	2	5.1%	(0.0-14.2)	19	94.9%	(85.8-100.0)
	<b>11<sup>th</sup> grade</b>	0	.	(-.)	6	100.0%	(100.0-100.0)
	<b>12<sup>th</sup> grade</b>	1	14.8%	(0.0-43.5)	6	85.2%	(56.5-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(-.)	0	.	(-.)
	<b>Asian<sup>d</sup></b>	0	.	(-.)	3	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(-.)	0	.	(-.)
	<b>White<sup>d</sup></b>	1	9.7%	(0.0-29.8)	10	90.3%	(70.2-100.0)
	<b>Hispanic/Latino</b>	4	14.3%	(0.0-30.4)	25	85.7%	(69.6-100.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(-.)	2	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription pain medicine (e.g., codeine, ‘Vicodin’, ‘OxyContin’, ‘Hydrocodone’, and ‘Percocet’)

<sup>f</sup> Among those who took prescription pain medicine without a doctor’s prescription or differently than prescribed during the 30 days before the survey

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 66: Percentage of high school students who thought it would be difficult or easy to get prescription pain medicine if they wanted some<sup>e</sup> — Nevada YRBS 2023\***

		Very difficult			Fairly difficult			Fairly easy			Very easy			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	280	32.8%	(29.1-36.4)	177	20.2%	(16.8-23.6)	134	15.9%	(13.3-18.4)	69	7.7%	(5.4-10.1)	205	23.4%	(19.7-27.2)
<b>Sex</b>	<b>Female</b>	129	30.1%	(25.0-35.1)	89	20.5%	(15.7-25.3)	76	18.6%	(14.5-22.7)	37	8.3%	(5.6-11.0)	97	22.5%	(17.4-27.5)
	<b>Male</b>	150	35.5%	(30.2-40.9)	87	20.0%	(15.8-24.3)	57	13.5%	(10.0-17.0)	29	6.9%	(3.5-10.3)	104	24.0%	(19.4-28.7)
<b>Age</b>	<b>14 years old or younger</b>	24	27.7%	(17.7-37.8)	18	21.6%	(12.8-30.4)	16	21.4%	(10.4-32.5)	4	5.6%	(0.2-11.1)	20	23.6%	(15.4-31.8)
	<b>15 years old</b>	83	34.5%	(28.6-40.3)	45	17.2%	(10.7-23.6)	41	17.3%	(12.8-21.8)	22	7.8%	(4.4-11.3)	58	23.3%	(16.3-30.2)
	<b>16 years old</b>	76	32.6%	(25.7-39.4)	58	23.5%	(17.1-29.8)	36	15.1%	(9.9-20.2)	21	8.8%	(5.4-12.2)	51	20.1%	(14.9-25.4)
	<b>17 years old</b>	64	33.6%	(25.2-42.0)	38	20.9%	(15.0-26.8)	23	11.8%	(6.7-16.9)	15	8.1%	(3.3-12.9)	50	25.6%	(18.2-33.1)
	<b>18 years old or older</b>	33	32.1%	(20.7-43.6)	18	17.6%	(12.2-22.9)	18	18.1%	(10.4-25.7)	6	6.5%	(0.1-12.9)	26	25.8%	(13.9-37.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	64	32.1%	(28.7-35.5)	32	16.2%	(10.3-22.2)	38	21.6%	(16.1-27.2)	13	6.5%	(2.9-10.2)	48	23.5%	(17.2-29.8)
	<b>10<sup>th</sup> grade</b>	99	34.6%	(27.9-41.4)	69	23.0%	(15.9-30.1)	41	12.3%	(8.2-16.5)	25	7.6%	(4.2-11.1)	67	22.4%	(16.6-28.1)
	<b>11<sup>th</sup> grade</b>	52	28.6%	(20.2-37.0)	41	21.7%	(14.5-28.9)	24	13.0%	(8.0-18.0)	18	10.0%	(4.5-15.5)	50	26.7%	(18.0-35.3)
	<b>12<sup>th</sup> grade</b>	61	35.0%	(26.4-43.6)	35	19.9%	(14.7-25.1)	31	17.3%	(12.0-22.5)	10	6.0%	(2.8-9.2)	39	21.8%	(13.8-29.9)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	53.2%	(23.2-83.2)	2	24.6%	(0.0-51.5)	0	.	(.-)	0	.	(.-)	2	22.2%	(0.0-51.3)
	<b>Asian<sup>d</sup></b>	13	24.6%	(10.1-39.0)	9	15.9%	(7.3-24.5)	9	15.6%	(6.9-24.2)	8	12.5%	(1.8-23.2)	17	31.4%	(16.3-46.6)
	<b>Black<sup>d</sup></b>	7	24.2%	(8.9-39.4)	9	29.4%	(13.2-45.6)	5	13.8%	(2.5-25.0)	2	6.1%	(0.0-15.0)	8	26.5%	(10.0-43.0)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	6	45.8%	(17.2-74.4)	2	17.1%	(0.0-39.4)	1	5.5%	(0.0-16.6)	1	8.5%	(0.0-24.9)	3	23.1%	(0.0-47.2)
	<b>White<sup>d</sup></b>	117	35.7%	(30.2-41.2)	78	23.8%	(18.3-29.3)	48	15.7%	(11.8-19.6)	19	6.0%	(3.1-8.9)	59	18.7%	(13.4-24.1)
	<b>Hispanic/Latino</b>	111	31.7%	(26.0-37.5)	55	15.4%	(11.5-19.4)	57	16.5%	(12.5-20.4)	32	9.1%	(5.2-12.9)	96	27.3%	(22.7-31.9)
	<b>Other/Multiple<sup>d</sup></b>	10	22.9%	(10.9-34.9)	15	30.3%	(14.6-46.0)	9	18.4%	(8.3-28.6)	4	8.1%	(0.0-16.4)	10	20.4%	(7.9-32.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Prescription pain medicine (e.g., codeine, 'Vicodin', 'OxyContin', 'Hydrocodone', and 'Percocet')

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Other Drug Use

**Table 67: Percentage of high school students who ever used cocaine<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	37	3.8%	(2.1-5.5)	831	96.2%	(94.5-97.9)
<b>Sex</b>	<b>Female</b>	16	3.7%	(1.4-6.0)	411	96.3%	(94.0-98.6)
	<b>Male</b>	17	3.5%	(1.4-5.6)	413	96.5%	(94.4-98.6)
<b>Age</b>	<b>14 years old or younger</b>	7	4.0%	(0.0-8.3)	77	96.0%	(91.7-100.0)
	<b>15 years old</b>	8	3.5%	(1.0-6.0)	241	96.5%	(94.0-99.0)
	<b>16 years old</b>	14	6.0%	(2.0-9.9)	228	94.0%	(90.1-98.0)
	<b>17 years old</b>	3	1.2%	(0.0-2.7)	189	98.8%	(97.3-100.0)
	<b>18 years old or older</b>	5	4.9%	(0.0-10.7)	95	95.1%	(89.3-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	3.7%	(1.3-6.1)	189	96.3%	(93.9-98.7)
	<b>10<sup>th</sup> grade</b>	15	5.2%	(1.4-8.9)	286	94.8%	(91.1-98.6)
	<b>11<sup>th</sup> grade</b>	5	2.3%	(0.3-4.3)	182	97.7%	(95.7-99.7)
	<b>12<sup>th</sup> grade</b>	5	2.2%	(0.0-4.8)	170	97.8%	(95.2-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	2	3.7%	(0.0-8.9)	54	96.3%	(91.1-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	31	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	8	2.3%	(0.4-4.2)	311	97.7%	(95.8-99.6)
	<b>Hispanic/Latino</b>	21	5.7%	(2.7-8.8)	333	94.3%	(91.2-97.3)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	49	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used any form of cocaine including powder, crack, or freebase

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 68: Percentage of high school students who ever used heroin<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	19	2.0%	(0.9-3.0)	853	98.0%	(97.0-99.1)
<b>Sex</b>	<b>Female</b>	6	1.4%	(0.3-2.5)	425	98.6%	(97.5-99.7)
	<b>Male</b>	12	2.3%	(0.8-3.8)	418	97.7%	(96.2-99.2)
<b>Age</b>	<b>14 years old or younger</b>	2	1.2%	(0.0-3.7)	82	98.8%	(96.3-100.0)
	<b>15 years old</b>	7	3.0%	(0.8-5.2)	244	97.0%	(94.8-99.2)
	<b>16 years old</b>	6	2.5%	(0.5-4.5)	237	97.5%	(95.5-99.5)
	<b>17 years old</b>	1	0.6%	(0.0-1.7)	192	99.4%	(98.3-100.0)
	<b>18 years old or older</b>	3	2.1%	(0.0-4.8)	97	97.9%	(95.2-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	4	2.1%	(0.1-4.0)	196	97.9%	(96.0-99.9)
	<b>10<sup>th</sup> grade</b>	7	2.5%	(0.4-4.6)	293	97.5%	(95.4-99.6)
	<b>11<sup>th</sup> grade</b>	3	1.1%	(0.0-2.4)	186	98.9%	(97.6-100.0)
	<b>12<sup>th</sup> grade</b>	2	1.2%	(0.0-2.7)	173	98.8%	(97.3-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	1	2.0%	(0.0-5.9)	55	98.0%	(94.1-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-.)	31	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	7.0%	(0.0-20.7)	12	93.0%	(79.3-100.0)
	<b>White<sup>d</sup></b>	4	1.2%	(0.0-2.3)	317	98.8%	(97.7-100.0)
	<b>Hispanic/Latino</b>	10	2.7%	(0.8-4.7)	346	97.3%	(95.3-99.2)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-.)	48	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used heroin (also called “smack”, “junk”, or “China White”)

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 69: Percentage of high school students who ever used methamphetamines<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	30	3.0%	(1.4-4.6)	841	97.0%	(95.4-98.6)
<b>Sex</b>	<b>Female</b>	13	2.8%	(0.7-4.9)	418	97.2%	(95.1-99.3)
	<b>Male</b>	14	2.7%	(0.8-4.7)	417	97.3%	(95.3-99.2)
<b>Age</b>	<b>14 years old or younger</b>	5	2.7%	(0.0-6.2)	78	97.3%	(93.8-100.0)
	<b>15 years old</b>	5	2.0%	(0.4-3.7)	245	98.0%	(96.3-99.6)
	<b>16 years old</b>	11	4.3%	(1.4-7.2)	232	95.7%	(92.8-98.6)
	<b>17 years old</b>	2	1.2%	(0.0-2.9)	191	98.8%	(97.1-100.0)
	<b>18 years old or older</b>	7	6.2%	(0.0-13.0)	94	93.8%	(87.0-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	5	2.1%	(0.4-3.7)	194	97.9%	(96.3-99.6)
	<b>10<sup>th</sup> grade</b>	12	3.8%	(1.0-6.6)	289	96.2%	(93.4-99.0)
	<b>11<sup>th</sup> grade</b>	4	1.7%	(0.0-3.7)	184	98.3%	(96.3-100.0)
	<b>12<sup>th</sup> grade</b>	5	3.0%	(0.0-6.4)	171	97.0%	(93.6-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	2	3.8%	(0.0-9.1)	53	96.2%	(90.9-100.0)
	<b>Black<sup>d</sup></b>	1	3.4%	(0.0-9.5)	30	96.6%	(90.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	6	1.9%	(0.0-3.9)	316	98.1%	(96.1-100.0)
	<b>Hispanic/Latino</b>	16	4.3%	(1.4-7.2)	341	95.7%	(92.8-98.6)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	48	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used methamphetamines (also called “speed”, “crystal meth”, “crank”, “ice”, or “meth”)

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 70: Percentage of high school students who ever used ecstasy<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	34	3.7%	(2.2-5.3)	837	96.3%	(94.7-97.8)
<b>Sex</b>	<b>Female</b>	16	3.4%	(1.4-5.3)	416	96.6%	(94.7-98.6)
	<b>Male</b>	17	3.9%	(1.6-6.2)	412	96.1%	(93.8-98.4)
<b>Age</b>	<b>14 years old or younger</b>	6	5.1%	(0.3-9.8)	79	94.9%	(90.2-99.7)
	<b>15 years old</b>	8	3.3%	(1.1-5.5)	240	96.7%	(94.5-98.9)
	<b>16 years old</b>	13	5.5%	(1.3-9.6)	231	94.5%	(90.4-98.7)
	<b>17 years old</b>	2	1.1%	(0.0-2.7)	191	98.9%	(97.3-100.0)
	<b>18 years old or older</b>	5	5.1%	(0.3-9.9)	95	94.9%	(90.1-99.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	6	3.3%	(0.3-6.3)	193	96.7%	(93.7-99.7)
	<b>10<sup>th</sup> grade</b>	16	5.4%	(1.4-9.4)	284	94.6%	(90.6-98.6)
	<b>11<sup>th</sup> grade</b>	5	2.2%	(0.7-3.8)	184	97.8%	(96.2-99.3)
	<b>12<sup>th</sup> grade</b>	4	2.3%	(0.0-4.6)	171	97.7%	(95.4-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	56	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	31	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	11	3.2%	(0.7-5.6)	309	96.8%	(94.4-99.3)
	<b>Hispanic/Latino</b>	19	5.0%	(2.5-7.5)	337	95.0%	(92.5-97.5)
	<b>Other/Multiple<sup>d</sup></b>	1	2.3%	(0.0-7.0)	48	97.7%	(93.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used ecstasy (also called “MDMA” or “Molly”)

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 71: Percentage of high school students who ever used synthetic marijuana<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	70	7.9%	(5.7-10.1)	796	92.1%	(89.9-94.3)
<b>Sex</b>	<b>Female</b>	37	9.2%	(6.1-12.3)	389	90.8%	(87.7-93.9)
	<b>Male</b>	31	6.6%	(4.1-9.1)	400	93.4%	(90.9-95.9)
<b>Age</b>	<b>14 years old or younger</b>	8	6.5%	(0.4-12.7)	75	93.5%	(87.3-99.6)
	<b>15 years old</b>	19	8.2%	(4.7-11.6)	230	91.8%	(88.4-95.3)
	<b>16 years old</b>	21	9.2%	(4.6-13.7)	218	90.8%	(86.3-95.4)
	<b>17 years old</b>	11	5.7%	(2.0-9.4)	183	94.3%	(90.6-98.0)
	<b>18 years old or older</b>	11	10.5%	(2.5-18.5)	89	89.5%	(81.5-97.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	14	7.2%	(4.1-10.4)	184	92.8%	(89.6-95.9)
	<b>10<sup>th</sup> grade</b>	25	8.9%	(4.5-13.4)	272	91.1%	(86.6-95.5)
	<b>11<sup>th</sup> grade</b>	13	6.4%	(2.4-10.3)	174	93.6%	(89.7-97.6)
	<b>12<sup>th</sup> grade</b>	13	7.6%	(3.4-11.9)	163	92.4%	(88.1-96.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	9	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	2.2%	(0.0-6.5)	53	97.8%	(93.5-100.0)
	<b>Black<sup>d</sup></b>	1	4.0%	(0.0-12.1)	30	96.0%	(87.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	26	8.2%	(4.9-11.5)	293	91.8%	(88.5-95.1)
	<b>Hispanic/Latino</b>	34	9.2%	(5.6-12.8)	318	90.8%	(87.2-94.4)
	<b>Other/Multiple<sup>d</sup></b>	3	5.2%	(0.0-10.6)	48	94.8%	(89.4-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used synthetic marijuana (also called “Spice”, “fake weed”, “K2”, or “Black Mamba”)

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 72: Percentage of high school students who ever injected any illegal drugs<sup>e,f</sup> — Nevada YRBS 2021\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	20	2.1%	(0.8-3.5)	838	97.9%	(96.5-99.2)
<b>Sex</b>	<b>Female</b>	9	2.0%	(0.3-3.7)	414	98.0%	(96.3-99.7)
	<b>Male</b>	10	2.0%	(0.3-3.7)	415	98.0%	(96.3-99.7)
<b>Age</b>	<b>14 years old or younger</b>	4	2.4%	(0.0-5.5)	79	97.6%	(94.5-100.0)
	<b>15 years old</b>	3	1.4%	(0.0-3.0)	241	98.6%	(97.0-100.0)
	<b>16 years old</b>	5	2.2%	(0.2-4.1)	234	97.8%	(95.9-99.8)
	<b>17 years old</b>	3	1.4%	(0.0-3.7)	190	98.6%	(96.3-100.0)
	<b>18 years old or older</b>	5	4.4%	(0.0-9.6)	93	95.6%	(90.4-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	4	1.7%	(0.0-3.8)	192	98.3%	(96.2-100.0)
	<b>10<sup>th</sup> grade</b>	7	2.3%	(0.1-4.5)	287	97.7%	(95.5-99.9)
	<b>11<sup>th</sup> grade</b>	0	.	(.-)	188	100.0%	(100.0-100.0)
	<b>12<sup>th</sup> grade</b>	5	3.0%	(0.0-6.7)	168	97.0%	(93.3-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.9%	(0.0-31.8)	8	88.1%	(68.2-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	56	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	30	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	3	0.9%	(0.0-2.6)	314	99.1%	(97.4-100.0)
	<b>Hispanic/Latino</b>	12	3.5%	(1.0-6.0)	337	96.5%	(94.0-99.0)
	<b>Other/Multiple<sup>d</sup></b>	1	1.9%	(0.0-5.7)	46	98.1%	(94.3-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used a needle to inject any illegal drug into their body

<sup>f</sup> One or more times during their life

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 73: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property during the 12 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	211	24.4%	(20.9-27.9)	651	75.6%	(72.1-79.1)
<b>Sex</b>	<b>Female</b>	95	22.4%	(17.2-27.5)	331	77.6%	(72.5-82.8)
	<b>Male</b>	112	26.2%	(22.3-30.1)	314	73.8%	(69.9-77.7)
<b>Age</b>	<b>14 years old or younger</b>	32	36.9%	(28.9-44.9)	52	63.1%	(55.1-71.1)
	<b>15 years old</b>	58	23.3%	(17.2-29.4)	190	76.7%	(70.6-82.8)
	<b>16 years old</b>	61	26.1%	(19.0-33.3)	178	73.9%	(66.7-81.0)
	<b>17 years old</b>	37	18.6%	(13.2-23.9)	155	81.4%	(76.1-86.8)
	<b>18 years old or older</b>	23	24.4%	(15.1-33.8)	75	75.6%	(66.2-84.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	52	26.8%	(19.1-34.6)	147	73.2%	(65.4-80.9)
	<b>10<sup>th</sup> grade</b>	70	22.7%	(16.9-28.6)	223	77.3%	(71.4-83.1)
	<b>11<sup>th</sup> grade</b>	45	24.5%	(17.5-31.6)	144	75.5%	(68.4-82.5)
	<b>12<sup>th</sup> grade</b>	40	22.6%	(15.7-29.5)	134	77.4%	(70.5-84.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	31.4%	(0.0-64.4)	6	68.6%	(35.6-100.0)
	<b>Asian<sup>d</sup></b>	13	22.3%	(11.2-33.3)	43	77.7%	(66.7-88.8)
	<b>Black<sup>d</sup></b>	5	16.4%	(3.1-29.7)	25	83.6%	(70.3-96.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	18.0%	(0.0-37.9)	10	82.0%	(62.1-100.0)
	<b>White<sup>d</sup></b>	75	23.8%	(18.9-28.8)	240	76.2%	(71.2-81.1)
	<b>Hispanic/Latino</b>	90	25.6%	(19.5-31.6)	265	74.4%	(68.4-80.5)
	<b>Other/Multiple<sup>d</sup></b>	11	24.4%	(8.2-40.5)	36	75.6%	(59.5-91.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\* Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Risk

**Table 74: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week — Nevada YRBS 2023\***

		No risk			Slight risk			Moderate risk			Great risk		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	106	13.0%	(9.3-16.7)	174	21.3%	(17.8-24.9)	292	36.1%	(31.4-40.7)	244	29.6%	(25.7-33.5)
<b>Sex</b>	<b>Female</b>	30	7.1%	(4.1-10.0)	91	22.7%	(17.2-28.2)	133	34.3%	(29.3-39.2)	142	35.9%	(29.7-42.2)
	<b>Male</b>	74	18.1%	(12.6-23.6)	82	20.4%	(16.1-24.7)	156	38.0%	(31.2-44.7)	99	23.5%	(19.6-27.4)
<b>Age</b>	<b>14 years old or younger</b>	8	9.6%	(1.2-18.0)	14	17.8%	(9.2-26.5)	35	40.4%	(30.4-50.5)	25	32.1%	(19.1-45.2)
	<b>15 years old</b>	25	11.0%	(6.7-15.2)	46	20.5%	(13.6-27.4)	87	39.9%	(31.5-48.3)	70	28.7%	(21.2-36.1)
	<b>16 years old</b>	28	11.9%	(7.0-16.8)	57	25.3%	(17.7-33.0)	79	33.6%	(26.3-40.9)	67	29.2%	(22.3-36.1)
	<b>17 years old</b>	26	14.0%	(7.1-20.8)	39	22.0%	(15.2-28.8)	62	35.6%	(23.0-48.2)	52	28.4%	(21.0-35.8)
	<b>18 years old or older</b>	19	19.9%	(9.2-30.6)	17	16.8%	(8.9-24.8)	29	31.0%	(22.5-39.6)	30	32.2%	(20.9-43.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	17	8.5%	(3.0-14.0)	39	20.7%	(12.2-29.3)	83	43.9%	(34.7-53.2)	51	26.8%	(17.5-36.1)
	<b>10<sup>th</sup> grade</b>	41	15.9%	(9.7-22.1)	59	21.8%	(15.6-28.0)	87	31.0%	(23.6-38.4)	89	31.3%	(25.3-37.4)
	<b>11<sup>th</sup> grade</b>	21	11.7%	(6.0-17.5)	43	24.3%	(16.3-32.4)	61	34.4%	(27.3-41.5)	51	29.5%	(21.0-38.1)
	<b>12<sup>th</sup> grade</b>	25	14.9%	(7.2-22.6)	30	18.4%	(13.0-23.8)	59	35.5%	(28.2-42.7)	52	31.2%	(23.9-38.4)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	39.2%	(8.5-69.9)	2	21.6%	(0.0-46.0)	1	12.2%	(0.0-35.9)	2	27.0%	(0.0-61.2)
	<b>Asian<sup>d</sup></b>	4	7.8%	(0.3-15.2)	14	26.0%	(14.3-37.8)	20	37.2%	(24.6-49.8)	16	29.0%	(14.9-43.1)
	<b>Black<sup>d</sup></b>	6	22.0%	(2.3-41.7)	1	3.7%	(0.0-11.2)	13	42.2%	(23.3-61.1)	10	32.1%	(16.0-48.1)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	7.0%	(0.0-20.7)	5	38.2%	(10.3-66.1)	4	31.2%	(4.6-57.9)	3	23.6%	(0.0-48.2)
	<b>White<sup>d</sup></b>	40	13.2%	(8.0-18.4)	67	21.5%	(16.2-26.8)	119	40.2%	(32.6-47.8)	76	25.1%	(19.5-30.7)
	<b>Hispanic/Latino</b>	45	13.4%	(8.6-18.1)	70	21.5%	(16.8-26.2)	107	32.4%	(26.9-37.8)	108	32.7%	(26.9-38.6)
	<b>Other/Multiple<sup>d</sup></b>	3	6.2%	(0.0-13.4)	8	18.7%	(7.2-30.3)	15	34.5%	(18.8-50.3)	19	40.6%	(25.9-55.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 75: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day — Nevada YRBS 2023\***

		No risk			Slight risk			Moderate risk			Great risk		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	122	14.9%	(11.1-18.6)	149	18.5%	(15.5-21.6)	185	22.9%	(19.4-26.3)	356	43.7%	(39.4-48.1)
<b>Sex</b>	<b>Female</b>	32	7.5%	(5.2-9.9)	73	18.4%	(14.7-22.2)	97	25.8%	(21.0-30.6)	193	48.2%	(42.1-54.4)
	<b>Male</b>	88	21.4%	(15.3-27.5)	73	18.5%	(14.3-22.7)	86	20.4%	(15.9-24.8)	160	39.8%	(33.8-45.8)
<b>Age</b>	<b>14 years old or younger</b>	9	8.3%	(0.1-16.6)	13	17.2%	(8.5-25.8)	21	24.2%	(15.2-33.2)	38	50.3%	(37.1-63.6)
	<b>15 years old</b>	36	16.5%	(11.7-21.4)	40	18.5%	(13.8-23.2)	55	24.4%	(17.5-31.3)	95	40.6%	(33.6-47.7)
	<b>16 years old</b>	32	14.5%	(9.3-19.8)	44	18.5%	(13.2-23.7)	54	23.8%	(18.9-28.8)	100	43.2%	(35.5-50.9)
	<b>17 years old</b>	30	16.2%	(9.0-23.4)	37	21.2%	(13.1-29.4)	33	19.8%	(12.8-26.7)	78	42.8%	(34.8-50.8)
	<b>18 years old or older</b>	15	15.3%	(4.7-25.9)	13	14.3%	(9.1-19.5)	22	23.0%	(16.2-29.9)	45	47.3%	(37.7-57.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	25	12.0%	(7.7-16.3)	32	18.3%	(12.3-24.4)	49	26.2%	(17.9-34.4)	80	43.4%	(33.0-53.9)
	<b>10<sup>th</sup> grade</b>	43	16.8%	(11.3-22.2)	50	18.1%	(13.0-23.3)	60	21.1%	(16.3-25.8)	122	44.1%	(37.5-50.6)
	<b>11<sup>th</sup> grade</b>	30	17.0%	(11.3-22.6)	36	20.1%	(13.2-27.0)	34	20.2%	(15.0-25.4)	76	42.8%	(33.7-51.9)
	<b>12<sup>th</sup> grade</b>	22	13.4%	(4.6-22.2)	28	17.2%	(10.4-24.0)	40	24.2%	(17.5-30.9)	76	45.2%	(38.2-52.2)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	39.2%	(8.5-69.9)	1	8.3%	(0.0-25.0)	1	13.3%	(0.0-35.2)	3	39.2%	(0.9-77.6)
	<b>Asian<sup>d</sup></b>	6	12.4%	(3.8-21.1)	13	23.6%	(14.8-32.4)	10	17.0%	(5.2-28.8)	25	46.9%	(37.3-56.6)
	<b>Black<sup>d</sup></b>	4	14.8%	(0.2-29.5)	3	9.1%	(0.0-18.8)	12	39.8%	(18.6-61.1)	11	36.2%	(20.5-51.9)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	6.5%	(0.0-18.3)	6	42.1%	(16.7-67.5)	4	29.6%	(3.5-55.6)	3	21.9%	(0.0-45.3)
	<b>White<sup>d</sup></b>	48	15.6%	(10.0-21.1)	55	17.6%	(13.2-21.9)	65	21.9%	(17.0-26.9)	136	44.9%	(38.3-51.6)
	<b>Hispanic/Latino</b>	50	15.4%	(10.9-19.9)	62	19.7%	(14.0-25.4)	76	23.6%	(17.9-29.3)	137	41.2%	(36.1-46.4)
	<b>Other/Multiple<sup>d</sup></b>	2	4.7%	(0.0-11.6)	6	12.7%	(3.4-22.1)	10	21.7%	(10.0-33.4)	26	60.8%	(48.2-73.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 76: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week — Nevada YRBS 2023\***

		No risk			Slight risk			Moderate risk			Great risk		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	177	22.0%	(18.0-26.0)	298	36.8%	(33.3-40.4)	195	23.4%	(20.5-26.3)	149	17.7%	(13.9-21.6)
<b>Sex</b>	<b>Female</b>	56	13.4%	(9.6-17.3)	156	40.7%	(35.6-45.8)	106	26.4%	(22.1-30.6)	80	19.5%	(13.8-25.2)
	<b>Male</b>	118	29.5%	(23.6-35.5)	140	33.8%	(28.8-38.9)	86	20.5%	(16.1-24.8)	68	16.2%	(12.2-20.1)
<b>Age</b>	<b>14 years old or younger</b>	10	12.4%	(4.7-20.1)	26	31.8%	(20.6-42.9)	26	31.9%	(19.8-43.9)	20	23.9%	(10.5-37.4)
	<b>15 years old</b>	48	21.1%	(15.2-27.1)	81	37.1%	(30.3-43.8)	55	23.2%	(18.0-28.4)	43	18.6%	(12.2-25.0)
	<b>16 years old</b>	52	23.2%	(17.2-29.1)	85	36.5%	(29.5-43.6)	50	20.8%	(14.4-27.1)	46	19.5%	(13.4-25.6)
	<b>17 years old</b>	46	25.5%	(18.2-32.8)	72	39.9%	(31.5-48.3)	41	23.5%	(18.0-28.9)	21	11.1%	(5.0-17.3)
	<b>18 years old or older</b>	21	22.7%	(12.1-33.3)	33	35.3%	(25.1-45.5)	23	22.0%	(14.5-29.5)	19	20.0%	(10.5-29.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	31	16.0%	(10.7-21.4)	68	36.8%	(29.5-44.0)	48	25.7%	(19.1-32.2)	42	21.5%	(12.6-30.5)
	<b>10<sup>th</sup> grade</b>	65	24.5%	(17.7-31.4)	92	33.0%	(27.3-38.7)	67	23.2%	(17.8-28.6)	52	19.2%	(13.7-24.8)
	<b>11<sup>th</sup> grade</b>	39	22.2%	(16.6-27.7)	76	42.6%	(34.7-50.4)	31	17.9%	(12.6-23.2)	33	17.4%	(8.6-26.2)
	<b>12<sup>th</sup> grade</b>	41	25.2%	(14.8-35.5)	58	34.6%	(27.9-41.2)	46	27.3%	(19.8-34.7)	22	13.0%	(7.3-18.7)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	34.8%	(5.5-64.1)	1	12.7%	(0.0-37.2)	1	13.3%	(0.0-35.2)	3	39.2%	(0.9-77.6)
	<b>Asian<sup>d</sup></b>	6	12.2%	(3.8-20.6)	23	42.7%	(26.0-59.4)	15	26.6%	(12.9-40.3)	10	18.5%	(5.9-31.1)
	<b>Black<sup>d</sup></b>	11	41.1%	(25.8-56.5)	7	21.6%	(8.2-35.0)	9	28.6%	(13.2-44.0)	3	8.7%	(0.0-17.8)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	2	12.5%	(0.0-29.7)	5	37.5%	(9.8-65.2)	4	33.3%	(5.7-60.9)	2	16.7%	(0.0-38.4)
	<b>White<sup>d</sup></b>	80	26.6%	(20.7-32.4)	108	35.7%	(30.6-40.9)	70	22.5%	(18.0-27.0)	48	15.2%	(10.6-19.8)
	<b>Hispanic/Latino</b>	63	18.5%	(12.4-24.5)	124	38.3%	(32.9-43.6)	77	23.4%	(19.7-27.2)	65	19.8%	(14.8-24.9)
	<b>Other/Multiple<sup>d</sup></b>	6	15.3%	(4.2-26.4)	18	39.8%	(26.8-52.9)	11	23.9%	(10.8-37.0)	10	20.9%	(9.2-32.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 77: Percentage of high school students who reported that they think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them — Nevada YRBS 2023\***

		No risk			Slight risk			Moderate risk			Great risk		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	85	10.2%	(6.7-13.8)	91	10.4%	(8.0-12.7)	206	25.8%	(22.6-29.0)	437	53.6%	(49.1-58.1)
<b>Sex</b>	<b>Female</b>	21	4.5%	(2.5-6.6)	48	11.6%	(8.5-14.6)	101	26.5%	(21.9-31.1)	229	57.4%	(51.9-63.0)
	<b>Male</b>	62	15.2%	(9.4-20.9)	42	9.4%	(6.2-12.7)	103	25.4%	(21.4-29.5)	203	49.9%	(44.2-55.7)
<b>Age</b>	<b>14 years old or younger</b>	6	5.2%	(0.2-10.2)	8	8.9%	(1.9-15.9)	17	19.4%	(8.6-30.1)	53	66.5%	(55.5-77.6)
	<b>15 years old</b>	24	11.1%	(5.9-16.3)	26	11.2%	(7.6-14.7)	54	24.2%	(18.2-30.2)	123	53.6%	(46.5-60.7)
	<b>16 years old</b>	24	10.8%	(6.2-15.5)	29	10.8%	(7.0-14.5)	63	27.9%	(21.6-34.3)	117	50.5%	(43.9-57.0)
	<b>17 years old</b>	20	10.1%	(4.6-15.7)	17	9.7%	(5.5-14.0)	48	27.9%	(21.8-34.1)	95	52.2%	(42.7-61.6)
	<b>18 years old or older</b>	11	11.8%	(1.7-21.8)	10	10.5%	(4.0-17.0)	24	25.7%	(14.4-37.0)	49	52.0%	(38.4-65.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	15	6.8%	(3.4-10.3)	21	11.5%	(7.9-15.1)	41	22.3%	(15.4-29.3)	113	59.3%	(51.5-67.1)
	<b>10<sup>th</sup> grade</b>	35	14.0%	(8.5-19.6)	34	11.2%	(7.8-14.6)	68	24.3%	(18.9-29.7)	139	50.5%	(44.3-56.7)
	<b>11<sup>th</sup> grade</b>	19	10.5%	(5.4-15.7)	19	9.3%	(5.5-13.1)	55	32.1%	(25.4-38.8)	87	48.1%	(40.9-55.2)
	<b>12<sup>th</sup> grade</b>	15	8.8%	(0.7-17.0)	16	9.6%	(4.0-15.1)	40	24.9%	(18.4-31.5)	94	56.7%	(45.9-67.4)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	2	26.5%	(0.0-54.6)	0	.	(.-)	3	34.3%	(5.3-63.3)	3	39.2%	(0.9-77.6)
	<b>Asian<sup>d</sup></b>	4	8.7%	(0.9-16.5)	10	17.7%	(7.4-28.0)	14	26.3%	(14.3-38.3)	25	47.3%	(38.2-56.4)
	<b>Black<sup>d</sup></b>	4	15.0%	(0.0-30.2)	1	3.0%	(0.0-8.5)	9	28.8%	(14.2-43.5)	16	53.2%	(30.1-76.3)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	7.0%	(0.0-20.7)	4	28.6%	(3.1-54.0)	4	32.2%	(5.1-59.3)	4	32.2%	(5.1-59.4)
	<b>White<sup>d</sup></b>	31	9.7%	(5.3-14.1)	25	7.7%	(4.2-11.2)	72	24.4%	(19.3-29.4)	177	58.3%	(52.2-64.4)
	<b>Hispanic/Latino</b>	36	10.9%	(6.6-15.2)	40	12.4%	(9.1-15.7)	92	28.0%	(22.4-33.5)	160	48.8%	(43.3-54.3)
	<b>Other/Multiple<sup>d</sup></b>	3	6.9%	(0.0-14.9)	4	9.8%	(0.0-19.6)	7	15.4%	(2.8-27.9)	32	67.9%	(53.3-82.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Parent Disapproval

Table 78: Percentage of high school students who reported that their parents feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day — Nevada YRBS 2023\*

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	50	5.9%	(3.4-8.5)	51	6.6%	(4.3-9.0)	181	22.1%	(18.4-25.9)	533	65.3%	(61.0-69.5)
<b>Sex</b>	<b>Female</b>	16	3.3%	(1.5-5.1)	22	5.9%	(3.0-8.8)	87	22.9%	(17.8-27.9)	272	68.0%	(63.0-72.9)
	<b>Male</b>	33	8.2%	(4.0-12.4)	29	7.4%	(4.3-10.6)	91	21.5%	(17.1-25.9)	255	62.8%	(57.8-67.9)
<b>Age</b>	<b>14 years old or younger</b>	4	2.6%	(0.0-6.3)	3	3.9%	(0.0-8.2)	20	23.2%	(12.5-34.0)	57	70.3%	(60.1-80.5)
	<b>15 years old</b>	12	5.0%	(2.2-7.8)	16	7.9%	(3.9-11.9)	52	22.7%	(15.7-29.8)	147	64.4%	(57.1-71.7)
	<b>16 years old</b>	15	6.9%	(3.5-10.3)	13	5.6%	(2.3-8.9)	52	23.2%	(18.3-28.1)	151	64.3%	(58.4-70.2)
	<b>17 years old</b>	11	5.7%	(0.8-10.5)	10	6.1%	(0.8-11.4)	42	23.3%	(14.2-32.4)	115	64.9%	(56.5-73.3)
	<b>18 years old or older</b>	8	9.1%	(0.6-17.6)	9	9.6%	(4.2-15.1)	15	15.8%	(7.6-23.9)	62	65.5%	(53.7-77.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	2.7%	(0.8-4.6)	11	6.4%	(2.8-10.0)	45	24.0%	(18.6-29.4)	125	66.9%	(60.4-73.4)
	<b>10<sup>th</sup> grade</b>	20	7.6%	(4.2-11.0)	20	7.8%	(3.1-12.6)	58	20.9%	(15.4-26.4)	178	63.6%	(56.9-70.3)
	<b>11<sup>th</sup> grade</b>	7	4.1%	(1.3-6.8)	8	5.0%	(0.9-9.1)	43	24.1%	(18.3-29.8)	120	66.9%	(59.9-73.9)
	<b>12<sup>th</sup> grade</b>	14	8.9%	(1.3-16.5)	11	6.8%	(2.1-11.6)	33	19.5%	(9.3-29.8)	106	64.7%	(53.8-75.6)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	39.2%	(8.5-69.9)	0	.	(.-)	2	21.6%	(0.0-46.0)	3	39.2%	(0.9-77.6)
	<b>Asian<sup>d</sup></b>	1	2.1%	(0.0-6.3)	1	2.0%	(0.0-5.9)	13	25.1%	(12.0-38.1)	38	70.9%	(57.0-84.7)
	<b>Black<sup>d</sup></b>	0	.	(.-)	1	3.1%	(0.0-9.0)	4	14.2%	(1.4-27.0)	24	82.7%	(70.0-95.4)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	7.7%	(0.0-22.8)	0	.	(.-)	2	15.6%	(0.0-36.8)	9	76.7%	(52.1-100.0)
	<b>White<sup>d</sup></b>	14	4.3%	(1.5-7.1)	19	5.9%	(2.9-9.0)	76	25.1%	(19.6-30.6)	196	64.6%	(58.6-70.7)
	<b>Hispanic/Latino</b>	26	8.1%	(4.4-11.8)	26	8.2%	(4.5-12.0)	62	18.7%	(13.4-23.9)	213	65.0%	(58.1-71.9)
	<b>Other/Multiple<sup>d</sup></b>	1	1.9%	(0.0-5.9)	4	8.1%	(0.0-16.2)	12	28.2%	(14.5-41.8)	28	61.8%	(48.2-75.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

2023 Nevada High School YRBS Washoe County Special Report

**Table 79: Percentage of high school students who reported that their parents feel it would be wrong for them to smoke tobacco — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	47	5.4%	(2.8-8.0)	32	3.8%	(2.3-5.4)	120	14.9%	(12.3-17.4)	616	76.0%	(71.9-80.0)
<b>Sex</b>	<b>Female</b>	11	1.9%	(0.6-3.2)	10	2.9%	(0.8-5.1)	62	15.7%	(12.1-19.3)	315	79.5%	(74.9-84.0)
	<b>Male</b>	34	8.2%	(3.7-12.6)	21	4.7%	(2.3-7.0)	56	14.1%	(10.0-18.2)	296	73.0%	(67.7-78.4)
<b>Age</b>	<b>14 years old or younger</b>	4	2.6%	(0.0-6.3)	1	0.1%	(0.0-0.2)	10	11.6%	(4.4-18.7)	69	85.8%	(77.0-94.5)
	<b>15 years old</b>	11	5.0%	(1.6-8.4)	9	4.5%	(1.6-7.5)	30	13.4%	(9.1-17.8)	176	77.0%	(71.2-82.8)
	<b>16 years old</b>	17	6.9%	(2.6-11.1)	10	4.5%	(1.1-7.9)	36	15.4%	(10.8-19.9)	170	73.3%	(65.7-80.8)
	<b>17 years old</b>	9	4.4%	(0.0-8.9)	5	2.6%	(0.0-5.7)	30	17.1%	(11.6-22.7)	133	75.9%	(68.6-83.1)
	<b>18 years old or older</b>	6	7.0%	(0.0-14.8)	7	6.5%	(2.2-10.9)	14	15.2%	(8.3-22.2)	67	71.2%	(60.3-82.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	8	3.4%	(0.9-5.8)	7	3.3%	(0.8-5.8)	24	13.1%	(8.6-17.5)	151	80.3%	(75.4-85.1)
	<b>10<sup>th</sup> grade</b>	22	8.6%	(4.2-12.9)	9	3.8%	(1.4-6.1)	40	13.8%	(9.8-17.7)	206	73.9%	(66.2-81.6)
	<b>11<sup>th</sup> grade</b>	7	2.9%	(0.3-5.4)	6	3.2%	(0.0-6.8)	26	15.4%	(9.4-21.4)	138	78.5%	(71.2-85.7)
	<b>12<sup>th</sup> grade</b>	9	5.8%	(0.0-12.8)	8	4.6%	(1.2-8.0)	28	17.3%	(11.7-22.8)	118	72.3%	(63.4-81.2)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	39.2%	(8.5-69.9)	0	.	(.-)	1	8.3%	(0.0-25.0)	4	52.6%	(21.4-83.7)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	1	2.1%	(0.0-6.3)	7	13.9%	(3.8-24.1)	45	84.0%	(73.4-94.6)
	<b>Black<sup>d</sup></b>	1	3.4%	(0.0-9.7)	0	.	(.-)	4	13.7%	(1.1-26.3)	25	82.9%	(70.7-95.1)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	12	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	14	4.3%	(1.5-7.1)	8	2.7%	(1.0-4.5)	50	16.1%	(11.7-20.4)	235	76.9%	(70.9-82.9)
	<b>Hispanic/Latino</b>	23	6.9%	(3.2-10.7)	18	5.7%	(3.1-8.4)	47	14.5%	(10.9-18.1)	237	72.8%	(66.3-79.3)
	<b>Other/Multiple<sup>d</sup></b>	1	1.9%	(0.0-5.9)	1	1.9%	(0.0-5.7)	6	13.8%	(4.7-22.9)	37	82.3%	(72.8-91.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 80: Percentage of high school students who reported that their parents feel it would be wrong for them to smoke marijuana — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	73	8.7%	(6.2-11.2)	73	9.4%	(7.1-11.8)	140	17.2%	(14.2-20.2)	533	64.6%	(60.8-68.5)
<b>Sex</b>	<b>Female</b>	26	6.2%	(3.8-8.5)	29	8.1%	(4.8-11.3)	70	17.8%	(13.8-21.8)	272	68.0%	(62.4-73.5)
	<b>Male</b>	45	11.0%	(6.8-15.1)	43	10.6%	(7.9-13.3)	67	16.5%	(12.5-20.6)	256	61.9%	(57.1-66.7)
<b>Age</b>	<b>14 years old or younger</b>	4	2.6%	(0.0-6.3)	9	10.1%	(3.1-17.1)	13	15.7%	(7.4-23.9)	58	71.6%	(61.0-82.3)
	<b>15 years old</b>	14	6.2%	(2.5-9.8)	14	6.0%	(3.1-9.0)	37	16.5%	(10.4-22.5)	163	71.3%	(64.8-77.9)
	<b>16 years old</b>	25	11.7%	(7.9-15.5)	19	8.7%	(4.0-13.5)	38	15.8%	(11.2-20.4)	151	63.7%	(57.5-70.0)
	<b>17 years old</b>	17	8.3%	(4.3-12.3)	19	11.1%	(6.9-15.3)	40	22.7%	(16.9-28.5)	103	57.9%	(51.1-64.6)
	<b>18 years old or older</b>	13	13.7%	(5.5-21.8)	12	13.7%	(7.1-20.3)	12	12.1%	(4.2-20.0)	57	60.5%	(48.4-72.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	10	3.8%	(1.5-6.2)	17	8.9%	(4.5-13.4)	27	15.2%	(7.0-23.3)	136	72.1%	(63.9-80.2)
	<b>10<sup>th</sup> grade</b>	23	9.1%	(4.4-13.7)	20	7.3%	(2.8-11.9)	48	16.6%	(12.3-20.9)	187	67.0%	(60.4-73.5)
	<b>11<sup>th</sup> grade</b>	18	10.0%	(5.8-14.1)	16	9.2%	(4.5-13.9)	36	20.2%	(15.1-25.4)	110	60.6%	(53.4-67.9)
	<b>12<sup>th</sup> grade</b>	20	11.3%	(4.0-18.5)	20	12.8%	(8.4-17.2)	27	17.1%	(10.9-23.3)	97	58.9%	(51.3-66.4)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	35.0%	(4.8-65.3)	1	7.4%	(0.0-20.7)	1	10.6%	(0.0-29.7)	4	47.0%	(14.7-79.2)
	<b>Asian<sup>d</sup></b>	4	8.5%	(0.0-18.1)	3	5.9%	(0.0-12.3)	7	14.0%	(2.0-26.1)	39	71.6%	(56.2-87.0)
	<b>Black<sup>d</sup></b>	3	12.0%	(0.0-25.6)	1	4.0%	(0.0-11.4)	6	18.2%	(4.0-32.5)	19	65.8%	(48.5-83.1)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	2	15.1%	(0.0-35.6)	10	84.9%	(64.4-100.0)
	<b>White<sup>d</sup></b>	20	6.4%	(3.3-9.6)	37	12.7%	(7.9-17.6)	62	20.4%	(15.4-25.5)	188	60.4%	(54.2-66.6)
	<b>Hispanic/Latino</b>	34	10.4%	(6.4-14.3)	23	7.2%	(4.8-9.6)	49	14.9%	(10.6-19.2)	222	67.5%	(62.0-73.1)
	<b>Other/Multiple<sup>d</sup></b>	4	9.6%	(0.0-20.4)	4	9.7%	(0.8-18.7)	7	13.8%	(3.7-24.0)	30	66.8%	(54.4-79.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 81: Percentage of high school students who reported that their parents feel it would be wrong for them to use prescription drugs not prescribed to them — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	41	4.9%	(2.5-7.4)	43	5.2%	(3.3-7.1)	90	10.6%	(8.4-12.9)	643	79.2%	(75.3-83.1)
<b>Sex</b>	<b>Female</b>	11	2.0%	(0.5-3.5)	20	5.4%	(3.2-7.5)	45	11.5%	(8.5-14.6)	319	81.1%	(76.6-85.6)
	<b>Male</b>	29	7.4%	(3.3-11.5)	22	5.0%	(2.5-7.6)	43	10.0%	(6.4-13.5)	316	77.6%	(71.7-83.5)
<b>Age</b>	<b>14 years old or younger</b>	3	2.6%	(0.0-6.2)	5	5.3%	(0.8-9.9)	11	10.6%	(4.0-17.2)	66	81.5%	(72.9-90.1)
	<b>15 years old</b>	11	4.8%	(2.0-7.6)	13	6.9%	(2.4-11.5)	30	13.6%	(8.7-18.4)	173	74.7%	(68.6-80.8)
	<b>16 years old</b>	11	4.8%	(1.8-7.8)	11	4.4%	(1.5-7.4)	25	10.7%	(6.5-14.9)	184	80.1%	(74.4-85.8)
	<b>17 years old</b>	10	5.2%	(1.7-8.6)	7	3.7%	(1.3-6.2)	19	10.5%	(5.3-15.8)	143	80.6%	(73.3-87.9)
	<b>18 years old or older</b>	6	6.9%	(0.0-16.6)	7	6.3%	(2.0-10.7)	5	5.2%	(0.0-10.9)	76	81.5%	(70.5-92.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	7	2.8%	(0.9-4.7)	14	8.1%	(3.1-13.1)	25	13.3%	(7.4-19.2)	143	75.8%	(69.0-82.6)
	<b>10<sup>th</sup> grade</b>	18	6.8%	(3.5-10.2)	14	5.5%	(2.4-8.7)	29	10.1%	(7.2-12.9)	216	77.6%	(71.5-83.7)
	<b>11<sup>th</sup> grade</b>	5	3.0%	(1.0-5.0)	5	1.9%	(0.1-3.7)	22	12.0%	(6.8-17.2)	147	83.1%	(77.8-88.4)
	<b>12<sup>th</sup> grade</b>	10	6.4%	(0.0-14.8)	8	5.0%	(2.0-7.9)	11	6.7%	(2.8-10.7)	134	81.9%	(73.1-90.6)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	2	23.7%	(0.0-50.5)	1	10.6%	(0.0-29.7)	2	18.7%	(0.0-42.7)	4	47.0%	(14.7-79.2)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	4	7.7%	(0.2-15.2)	7	13.8%	(6.6-20.9)	41	78.5%	(68.0-89.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	5	16.8%	(4.2-29.5)	24	83.2%	(70.5-95.8)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(.-)	0	.	(.-)	2	18.4%	(0.0-42.0)	10	81.6%	(58.0-100.0)
	<b>White<sup>d</sup></b>	10	3.0%	(1.0-5.1)	17	5.1%	(2.4-7.8)	28	9.1%	(5.9-12.2)	252	82.8%	(78.1-87.4)
	<b>Hispanic/Latino</b>	24	7.4%	(3.2-11.7)	18	5.7%	(3.1-8.3)	40	12.1%	(8.5-15.6)	244	74.8%	(68.9-80.7)
	<b>Other/Multiple<sup>d</sup></b>	2	3.9%	(0.0-9.2)	1	2.7%	(0.0-7.9)	1	2.5%	(0.0-7.4)	41	91.0%	(82.6-99.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: We caution against group comparisons when a cell size is less than 5.**

Substance Use – Perception of Peer Disapproval

Table 82: Percentage of high school students who reported that their friends feel it would be wrong for them to have one or two drinks of an alcoholic beverage nearly every day — Nevada YRBS 2023\*

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	94	11.8%	(8.9-14.7)	168	21.0%	(17.5-24.4)	247	30.2%	(26.2-34.2)	297	37.0%	(32.8-41.2)
<b>Sex</b>	<b>Female</b>	36	9.0%	(5.6-12.5)	70	19.0%	(14.2-23.8)	131	32.6%	(26.9-38.2)	154	39.4%	(33.2-45.6)
	<b>Male</b>	57	14.3%	(10.1-18.6)	97	22.9%	(18.0-27.8)	108	27.5%	(22.7-32.4)	141	35.3%	(30.6-40.0)
<b>Age</b>	<b>14 years old or younger</b>	9	10.4%	(4.6-16.3)	21	24.0%	(13.7-34.4)	23	27.5%	(15.1-39.9)	32	38.1%	(26.1-50.0)
	<b>15 years old</b>	27	12.1%	(7.7-16.5)	49	23.3%	(16.5-30.2)	66	29.7%	(23.7-35.6)	80	34.9%	(26.4-43.4)
	<b>16 years old</b>	23	10.5%	(4.9-16.1)	48	20.5%	(14.6-26.4)	79	33.6%	(25.3-41.9)	79	35.4%	(27.9-42.9)
	<b>17 years old</b>	19	10.6%	(5.1-16.1)	33	19.5%	(11.3-27.6)	52	28.7%	(21.5-35.8)	74	41.3%	(31.7-50.8)
	<b>18 years old or older</b>	16	17.5%	(10.6-24.5)	17	17.6%	(10.4-24.7)	26	29.8%	(18.9-40.7)	32	35.1%	(25.1-45.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	23	11.0%	(6.9-15.2)	48	25.6%	(19.2-32.1)	45	25.9%	(17.6-34.2)	71	37.4%	(27.6-47.3)
	<b>10<sup>th</sup> grade</b>	29	11.6%	(6.2-17.0)	55	21.0%	(15.9-26.0)	101	36.1%	(29.5-42.7)	88	31.4%	(24.4-38.3)
	<b>11<sup>th</sup> grade</b>	16	8.9%	(5.2-12.6)	34	18.5%	(11.0-25.9)	51	29.2%	(22.7-35.7)	76	43.4%	(35.0-51.8)
	<b>12<sup>th</sup> grade</b>	24	15.6%	(7.8-23.4)	29	18.1%	(11.3-24.8)	47	29.2%	(20.5-37.8)	60	37.2%	(29.7-44.6)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	2	23.7%	(0.0-50.5)	1	11.9%	(0.0-32.2)	4	40.6%	(1.9-79.3)	2	23.7%	(0.0-54.9)
	<b>Asian<sup>d</sup></b>	1	2.0%	(0.0-5.8)	11	22.6%	(13.0-32.2)	17	30.9%	(18.1-43.8)	23	44.5%	(31.8-57.2)
	<b>Black<sup>d</sup></b>	3	10.4%	(0.0-21.4)	5	18.3%	(1.8-34.7)	8	25.8%	(9.4-42.3)	13	45.5%	(23.7-67.3)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	1	5.9%	(0.0-17.8)	1	9.2%	(0.0-27.0)	6	45.0%	(15.5-74.5)	4	39.8%	(9.8-69.8)
	<b>White<sup>d</sup></b>	38	12.4%	(7.7-17.1)	63	21.3%	(16.6-26.1)	91	29.7%	(24.4-34.9)	112	36.6%	(30.2-43.0)
	<b>Hispanic/Latino</b>	39	12.6%	(8.7-16.5)	69	21.3%	(16.5-26.0)	99	30.0%	(25.3-34.7)	113	36.2%	(30.5-41.8)
	<b>Other/Multiple<sup>d</sup></b>	4	9.5%	(0.1-18.8)	9	19.6%	(8.9-30.2)	15	33.0%	(18.3-47.7)	16	37.9%	(24.9-51.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 83: Percentage of high school students who reported that their friends feel it would be wrong for them to smoke tobacco — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	94	12.2%	(9.6-14.9)	150	19.2%	(16.3-22.0)	229	27.3%	(24.4-30.3)	334	41.2%	(37.4-45.0)
<b>Sex</b>	<b>Female</b>	40	10.5%	(7.5-13.5)	76	20.6%	(16.2-24.9)	105	25.8%	(21.0-30.7)	169	43.1%	(37.6-48.6)
	<b>Male</b>	52	13.8%	(9.6-17.9)	73	18.0%	(13.8-22.2)	119	28.7%	(24.2-33.2)	162	39.6%	(34.0-45.1)
<b>Age</b>	<b>14 years old or younger</b>	7	8.1%	(2.6-13.6)	17	22.1%	(12.3-31.8)	17	17.6%	(9.6-25.7)	42	52.2%	(43.3-61.0)
	<b>15 years old</b>	28	13.9%	(9.1-18.7)	37	18.7%	(12.2-25.2)	63	26.8%	(21.8-31.7)	92	40.7%	(33.1-48.4)
	<b>16 years old</b>	23	11.2%	(6.5-16.0)	44	18.4%	(12.8-24.1)	71	30.7%	(24.2-37.2)	92	39.6%	(32.7-46.5)
	<b>17 years old</b>	21	11.0%	(5.8-16.2)	32	18.6%	(12.3-24.9)	53	29.5%	(22.9-36.0)	73	41.0%	(32.1-49.9)
	<b>18 years old or older</b>	15	17.1%	(8.5-25.7)	20	20.4%	(11.3-29.5)	24	25.7%	(16.7-34.6)	35	36.8%	(28.6-45.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	21	11.6%	(7.4-15.9)	36	21.6%	(15.6-27.5)	40	20.2%	(16.2-24.2)	86	46.6%	(39.4-53.8)
	<b>10<sup>th</sup> grade</b>	30	11.7%	(6.5-16.9)	49	18.0%	(12.9-23.1)	85	31.1%	(24.7-37.5)	111	39.2%	(32.1-46.4)
	<b>11<sup>th</sup> grade</b>	14	8.4%	(5.0-11.9)	30	16.4%	(10.7-22.2)	56	29.9%	(24.8-35.0)	78	45.2%	(38.3-52.2)
	<b>12<sup>th</sup> grade</b>	28	17.1%	(10.1-24.2)	33	20.3%	(14.8-25.8)	45	28.2%	(20.0-36.4)	57	34.3%	(26.3-42.4)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	2	23.7%	(0.0-50.5)	2	18.7%	(0.0-42.7)	1	11.3%	(0.0-33.5)	4	46.2%	(19.1-73.4)
	<b>Asian<sup>d</sup></b>	3	6.5%	(0.0-14.0)	7	13.2%	(1.6-24.8)	20	37.4%	(21.9-52.9)	22	42.9%	(27.2-58.5)
	<b>Black<sup>d</sup></b>	1	2.6%	(0.0-7.8)	9	35.4%	(14.2-56.7)	7	23.0%	(7.5-38.4)	11	39.0%	(21.5-56.5)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(.-)	2	15.2%	(0.0-35.9)	5	40.6%	(11.3-69.8)	5	44.3%	(14.4-74.1)
	<b>White<sup>d</sup></b>	38	12.2%	(9.1-15.4)	66	22.3%	(17.6-27.0)	78	25.6%	(20.5-30.8)	124	39.8%	(33.8-45.9)
	<b>Hispanic/Latino</b>	42	13.5%	(9.4-17.7)	55	17.0%	(12.8-21.1)	93	28.1%	(23.2-33.0)	131	41.4%	(35.8-46.9)
	<b>Other/Multiple<sup>d</sup></b>	5	12.0%	(3.2-20.8)	5	11.5%	(1.8-21.1)	12	27.3%	(14.6-40.1)	22	49.2%	(36.3-62.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 84: Percentage of high school students who reported that their friends feel it would be wrong for them to smoke marijuana — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	219	28.2%	(23.3-33.1)	180	23.0%	(19.9-26.1)	166	20.2%	(17.8-22.5)	235	28.7%	(24.1-33.2)
<b>Sex</b>	<b>Female</b>	96	25.5%	(20.1-30.8)	90	24.3%	(20.2-28.3)	82	19.9%	(15.6-24.2)	123	30.4%	(24.2-36.6)
	<b>Male</b>	119	30.5%	(24.0-37.0)	89	21.9%	(17.3-26.5)	82	20.4%	(16.8-24.0)	111	27.2%	(21.1-33.4)
<b>Age</b>	<b>14 years old or younger</b>	17	20.6%	(9.7-31.5)	18	21.3%	(11.8-30.8)	15	17.0%	(8.8-25.3)	32	41.0%	(32.2-49.9)
	<b>15 years old</b>	55	26.2%	(18.1-34.3)	46	21.2%	(15.8-26.7)	44	19.4%	(14.3-24.4)	75	33.2%	(26.1-40.3)
	<b>16 years old</b>	60	27.0%	(19.1-34.8)	54	23.3%	(18.8-27.9)	53	23.1%	(17.4-28.8)	62	26.6%	(19.2-33.9)
	<b>17 years old</b>	51	28.7%	(20.9-36.5)	50	30.1%	(22.9-37.2)	36	20.4%	(16.2-24.5)	39	20.9%	(12.1-29.6)
	<b>18 years old or older</b>	36	39.7%	(26.1-53.2)	12	13.5%	(6.5-20.6)	17	17.8%	(11.7-23.9)	27	29.0%	(18.7-39.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	48	26.3%	(17.6-35.0)	38	20.9%	(15.7-26.0)	33	17.3%	(13.4-21.2)	65	35.6%	(29.1-42.0)
	<b>10<sup>th</sup> grade</b>	68	26.4%	(16.8-36.0)	61	22.3%	(17.4-27.1)	61	22.1%	(15.9-28.4)	81	29.2%	(21.4-37.0)
	<b>11<sup>th</sup> grade</b>	40	22.9%	(15.6-30.2)	50	29.2%	(22.7-35.7)	38	21.8%	(17.2-26.4)	49	26.1%	(19.0-33.2)
	<b>12<sup>th</sup> grade</b>	59	37.0%	(25.4-48.5)	30	19.3%	(13.0-25.6)	32	19.5%	(13.6-25.3)	40	24.2%	(15.1-33.3)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	3	34.8%	(5.5-64.1)	1	12.7%	(0.0-37.2)	1	12.7%	(0.0-37.2)	3	39.9%	(9.0-70.8)
	<b>Asian<sup>d</sup></b>	6	11.8%	(1.5-22.1)	9	16.8%	(4.9-28.8)	18	34.8%	(20.0-49.6)	19	36.6%	(22.8-50.4)
	<b>Black<sup>d</sup></b>	7	28.2%	(10.3-46.0)	9	30.9%	(8.6-53.2)	3	10.4%	(0.0-21.9)	9	30.6%	(12.9-48.3)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	2	16.2%	(0.0-38.3)	2	15.2%	(0.0-35.9)	4	30.2%	(3.5-57.0)	4	38.3%	(8.7-68.0)
	<b>White<sup>d</sup></b>	93	31.4%	(24.2-38.6)	72	24.0%	(19.3-28.7)	52	17.0%	(13.4-20.6)	86	27.5%	(21.3-33.7)
	<b>Hispanic/Latino</b>	86	26.9%	(21.3-32.4)	74	23.7%	(18.9-28.4)	71	21.9%	(17.2-26.6)	87	27.6%	(21.8-33.4)
	<b>Other/Multiple<sup>d</sup></b>	12	29.9%	(16.6-43.3)	7	15.0%	(5.2-24.7)	10	21.2%	(8.3-34.1)	15	33.9%	(20.0-47.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 85: Percentage of high school students who reported that their friends feel it would be wrong for them to use prescription drugs not prescribed to them — Nevada YRBS 2023\***

		Not at all wrong			A little bit wrong			Wrong			Very wrong		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	64	8.3%	(5.8-10.9)	93	11.3%	(9.0-13.5)	181	22.9%	(19.6-26.2)	456	57.5%	(53.9-61.1)
<b>Sex</b>	<b>Female</b>	19	4.6%	(2.3-6.9)	47	12.4%	(8.8-16.1)	82	20.8%	(16.8-24.7)	242	62.2%	(57.1-67.3)
	<b>Male</b>	44	11.6%	(7.3-15.9)	46	10.4%	(7.6-13.2)	96	24.5%	(19.8-29.3)	210	53.5%	(48.4-58.6)
<b>Age</b>	<b>14 years old or younger</b>	3	4.1%	(0.0-8.3)	11	11.9%	(4.1-19.8)	22	27.1%	(17.2-36.9)	45	57.0%	(46.2-67.7)
	<b>15 years old</b>	19	8.8%	(5.1-12.5)	25	11.8%	(7.7-15.8)	51	22.8%	(17.3-28.4)	126	56.6%	(49.8-63.4)
	<b>16 years old</b>	20	9.7%	(5.0-14.5)	31	13.5%	(8.5-18.5)	52	23.2%	(16.9-29.4)	122	53.6%	(47.1-60.1)
	<b>17 years old</b>	14	7.6%	(3.8-11.3)	15	8.7%	(3.4-13.9)	38	22.3%	(16.7-27.9)	107	61.5%	(54.0-68.9)
	<b>18 years old or older</b>	8	9.6%	(2.1-17.0)	11	10.3%	(4.6-16.0)	18	20.4%	(12.5-28.3)	55	59.7%	(48.8-70.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	12	5.8%	(1.8-9.8)	25	13.9%	(8.0-19.7)	43	23.6%	(17.1-30.0)	103	56.8%	(48.5-65.1)
	<b>10<sup>th</sup> grade</b>	24	10.1%	(5.5-14.6)	34	12.8%	(7.9-17.7)	67	25.4%	(19.0-31.7)	144	51.7%	(45.3-58.1)
	<b>11<sup>th</sup> grade</b>	12	6.9%	(3.6-10.1)	16	8.0%	(4.8-11.3)	42	24.4%	(18.8-30.0)	106	60.7%	(53.9-67.6)
	<b>12<sup>th</sup> grade</b>	15	10.0%	(3.1-16.9)	16	9.9%	(5.8-13.9)	27	17.4%	(11.8-23.0)	101	62.7%	(55.3-70.1)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	2	26.5%	(0.0-54.6)	0	.	(.-)	2	20.9%	(0.0-49.8)	4	52.6%	(21.4-83.7)
	<b>Asian<sup>d</sup></b>	3	6.1%	(0.2-12.1)	7	14.1%	(4.1-24.1)	14	25.8%	(15.2-36.3)	28	54.0%	(42.6-65.4)
	<b>Black<sup>d</sup></b>	1	2.6%	(0.0-7.8)	5	20.6%	(3.6-37.5)	6	20.4%	(5.1-35.7)	16	56.5%	(35.7-77.4)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	0	.	(.-)	3	21.1%	(0.0-44.2)	4	33.9%	(5.6-62.3)	5	45.0%	(15.0-74.9)
	<b>White<sup>d</sup></b>	21	6.8%	(3.7-9.9)	27	8.9%	(5.3-12.4)	75	24.9%	(20.0-29.8)	176	59.4%	(54.7-64.2)
	<b>Hispanic/Latino</b>	33	10.8%	(7.3-14.2)	42	13.0%	(9.1-16.9)	65	20.3%	(15.9-24.7)	177	56.0%	(50.4-61.5)
	<b>Other/Multiple<sup>d</sup></b>	2	4.4%	(0.0-10.7)	4	9.6%	(1.6-17.7)	11	24.9%	(10.6-39.2)	27	61.1%	(46.3-75.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Sexual Behaviors

**Table 86: Percentage of high school students who ever had sexual intercourse — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	218	32.1%	(26.9-37.4)	497	67.9%	(62.6-73.1)
<b>Sex</b>	<b>Female</b>	118	33.9%	(27.2-40.5)	249	66.1%	(59.5-72.8)
	<b>Male</b>	97	30.2%	(23.3-37.0)	244	69.8%	(63.0-76.7)
<b>Age</b>	<b>14 years old or younger</b>	16	24.1%	(16.8-31.3)	53	75.9%	(68.7-83.2)
	<b>15 years old</b>	34	17.6%	(11.8-23.3)	166	82.4%	(76.7-88.2)
	<b>16 years old</b>	57	28.5%	(21.2-35.8)	145	71.5%	(64.2-78.8)
	<b>17 years old</b>	70	43.2%	(34.5-51.9)	92	56.8%	(48.1-65.5)
	<b>18 years old or older</b>	41	51.3%	(39.5-63.0)	40	48.7%	(37.0-60.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	32	20.5%	(15.6-25.3)	134	79.5%	(74.7-84.4)
	<b>10<sup>th</sup> grade</b>	58	23.9%	(15.9-31.9)	183	76.1%	(68.1-84.1)
	<b>11<sup>th</sup> grade</b>	58	38.4%	(26.9-50.0)	99	61.6%	(50.0-73.1)
	<b>12<sup>th</sup> grade</b>	68	45.9%	(36.3-55.4)	80	54.1%	(44.6-63.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.4%	(0.0-34.5)	5	88.6%	(65.5-100.0)
	<b>Asian<sup>d</sup></b>	12	23.7%	(5.6-41.8)	39	76.3%	(58.2-94.4)
	<b>Black<sup>d</sup></b>	6	22.9%	(5.5-40.4)	21	77.1%	(59.6-94.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	11.5%	(0.0-33.4)	9	88.5%	(66.6-100.0)
	<b>White<sup>d</sup></b>	90	32.7%	(26.6-38.8)	190	67.3%	(61.2-73.4)
	<b>Hispanic/Latino</b>	89	33.3%	(26.6-39.9)	187	66.7%	(60.1-73.4)
	<b>Other/Multiple<sup>d</sup></b>	14	38.7%	(22.8-54.6)	25	61.3%	(45.4-77.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 87: Percentage of high school students who had sexual intercourse for the first time before age 13 years — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	29	4.1%	(2.2-5.9)	685	95.9%	(94.1-97.8)
<b>Sex</b>	<b>Female</b>	16	4.4%	(1.9-6.8)	352	95.6%	(93.2-98.1)
	<b>Male</b>	12	3.6%	(1.4-5.8)	326	96.4%	(94.2-98.6)
<b>Age</b>	<b>14 years old or younger</b>	2	3.1%	(0.0-9.4)	65	96.9%	(90.6-100.0)
	<b>15 years old</b>	4	2.2%	(0.1-4.4)	197	97.8%	(95.6-99.9)
	<b>16 years old</b>	14	6.5%	(2.7-10.4)	188	93.5%	(89.6-97.3)
	<b>17 years old</b>	6	3.8%	(0.9-6.7)	156	96.2%	(93.3-99.1)
	<b>18 years old or older</b>	3	3.9%	(0.0-9.8)	78	96.1%	(90.2-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	4	2.7%	(0.0-5.9)	161	97.3%	(94.1-100.0)
	<b>10<sup>th</sup> grade</b>	14	6.1%	(3.3-9.0)	226	93.9%	(91.0-96.7)
	<b>11<sup>th</sup> grade</b>	6	3.9%	(0.9-6.9)	152	96.1%	(93.1-99.1)
	<b>12<sup>th</sup> grade</b>	5	3.4%	(0.0-7.3)	143	96.6%	(92.7-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	7	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	1.9%	(0.0-5.8)	50	98.1%	(94.2-100.0)
	<b>Black<sup>d</sup></b>	1	4.0%	(0.0-12.0)	27	96.0%	(88.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	10	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	14	4.8%	(2.4-7.2)	266	95.2%	(92.8-97.6)
	<b>Hispanic/Latino</b>	8	2.5%	(0.7-4.4)	266	97.5%	(95.6-99.3)
	<b>Other/Multiple<sup>d</sup></b>	5	13.9%	(0.0-28.5)	34	86.1%	(71.5-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 88: Percentage of high school students who had sexual intercourse with four or more persons during their life — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	33	4.8%	(3.0-6.6)	677	95.2%	(93.4-97.0)
<b>Sex</b>	<b>Female</b>	15	4.5%	(2.0-6.9)	349	95.5%	(93.1-98.0)
	<b>Male</b>	17	5.1%	(2.8-7.5)	322	94.9%	(92.5-97.2)
<b>Age</b>	<b>14 years old or younger</b>	0	.	(.-.)	68	100.0%	(100.0-100.0)
	<b>15 years old</b>	6	3.4%	(0.4-6.5)	191	96.6%	(93.5-99.6)
	<b>16 years old</b>	9	4.5%	(1.5-7.4)	191	95.5%	(92.6-98.5)
	<b>17 years old</b>	12	7.0%	(3.0-11.0)	151	93.0%	(89.0-97.0)
	<b>18 years old or older</b>	6	7.3%	(0.3-14.4)	75	92.7%	(85.6-99.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	2.0%	(0.1-4.0)	160	98.0%	(96.0-99.9)
	<b>10<sup>th</sup> grade</b>	9	4.0%	(0.8-7.1)	228	96.0%	(92.9-99.2)
	<b>11<sup>th</sup> grade</b>	12	7.7%	(3.8-11.5)	147	92.3%	(88.5-96.2)
	<b>12<sup>th</sup> grade</b>	9	5.4%	(1.6-9.2)	139	94.6%	(90.8-98.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	6	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	2	4.1%	(0.0-9.6)	49	95.9%	(90.4-100.0)
	<b>Black<sup>d</sup></b>	1	4.1%	(0.0-12.3)	26	95.9%	(87.7-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	11.5%	(0.0-33.4)	9	88.5%	(66.6-100.0)
	<b>White<sup>d</sup></b>	9	3.3%	(1.2-5.5)	272	96.7%	(94.5-98.8)
	<b>Hispanic/Latino</b>	17	6.2%	(3.4-9.0)	258	93.8%	(91.0-96.6)
	<b>Other/Multiple<sup>d</sup></b>	2	6.8%	(0.0-16.1)	34	93.2%	(83.9-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 89: Percentage of high school students who had sexual intercourse with at least one person during the 3 months before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	146	21.2%	(16.7-25.8)	568	78.8%	(74.2-83.3)
<b>Sex</b>	<b>Female</b>	83	24.3%	(18.0-30.6)	282	75.7%	(69.4-82.0)
	<b>Male</b>	60	18.2%	(13.4-23.1)	280	81.8%	(76.9-86.6)
<b>Age</b>	<b>14 years old or younger</b>	10	13.9%	(6.8-20.9)	58	86.1%	(79.1-93.2)
	<b>15 years old</b>	22	11.1%	(7.2-15.1)	178	88.9%	(84.9-92.8)
	<b>16 years old</b>	33	16.4%	(9.7-23.1)	168	83.6%	(76.9-90.3)
	<b>17 years old</b>	51	30.6%	(23.0-38.1)	112	69.4%	(61.9-77.0)
	<b>18 years old or older</b>	30	37.3%	(26.7-47.9)	51	62.7%	(52.1-73.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	20	12.4%	(7.7-17.2)	145	87.6%	(82.8-92.3)
	<b>10<sup>th</sup> grade</b>	35	14.6%	(8.1-21.1)	203	85.4%	(78.9-91.9)
	<b>11<sup>th</sup> grade</b>	40	25.8%	(16.2-35.5)	119	74.2%	(64.5-83.8)
	<b>12<sup>th</sup> grade</b>	48	32.0%	(24.3-39.6)	100	68.0%	(60.4-75.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	23.8%	(0.0-65.4)	5	76.2%	(34.6-100.0)
	<b>Asian<sup>d</sup></b>	7	13.3%	(2.0-24.5)	44	86.7%	(75.5-98.0)
	<b>Black<sup>d</sup></b>	5	17.5%	(2.6-32.5)	23	82.5%	(67.5-97.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	11.5%	(0.0-33.4)	9	88.5%	(66.6-100.0)
	<b>White<sup>d</sup></b>	57	20.9%	(15.8-26.1)	222	79.1%	(73.9-84.2)
	<b>Hispanic/Latino</b>	59	22.0%	(16.0-28.1)	217	78.0%	(71.9-84.0)
	<b>Other/Multiple<sup>d</sup></b>	10	29.9%	(13.1-46.6)	27	70.1%	(53.4-86.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 90: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	27	18.5%	(11.6-25.5)	115	81.5%	(74.5-88.4)
<b>Sex</b>	<b>Female</b>	16	19.7%	(9.8-29.6)	65	80.3%	(70.4-90.2)
	<b>Male</b>	10	17.0%	(6.6-27.4)	50	83.0%	(72.6-93.4)
<b>Age</b>	<b>14 years old or younger</b>	3	35.0%	(0.0-70.0)	6	65.0%	(30.0-100.0)
	<b>15 years old</b>	3	17.5%	(0.6-34.5)	19	82.5%	(65.5-99.4)
	<b>16 years old</b>	10	28.0%	(10.9-45.1)	23	72.0%	(54.9-89.1)
	<b>17 years old</b>	6	11.7%	(0.0-24.0)	42	88.3%	(76.0-100.0)
	<b>18 years old or older</b>	5	16.3%	(5.6-27.0)	25	83.7%	(73.0-94.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	6	32.7%	(3.4-62.0)	14	67.3%	(38.0-96.6)
	<b>10<sup>th</sup> grade</b>	8	23.3%	(6.6-39.9)	27	76.7%	(60.1-93.4)
	<b>11<sup>th</sup> grade</b>	5	13.1%	(2.4-23.8)	32	86.9%	(76.2-97.6)
	<b>12<sup>th</sup> grade</b>	8	15.2%	(7.3-23.1)	40	84.8%	(76.9-92.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	7	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	3	63.2%	(19.0-100.0)	2	36.8%	(0.0-81.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	10	19.0%	(8.1-30.0)	45	81.0%	(70.0-91.9)
	<b>Hispanic/Latino</b>	12	19.0%	(8.5-29.6)	47	81.0%	(70.4-91.5)
	<b>Other/Multiple<sup>d</sup></b>	1	9.9%	(0.0-27.7)	9	90.1%	(72.3-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who had sexual intercourse during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 91: Percentage of high school students who used a condom during last sexual intercourse<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	85	60.3%	(53.6-66.9)	57	39.7%	(33.1-46.4)
<b>Sex</b>	<b>Female</b>	39	48.5%	(39.7-57.2)	42	51.5%	(42.8-60.3)
	<b>Male</b>	45	75.7%	(66.3-85.2)	14	24.3%	(14.8-33.7)
<b>Age</b>	<b>14 years old or younger</b>	5	53.4%	(24.1-82.7)	5	46.6%	(17.3-75.9)
	<b>15 years old</b>	15	72.2%	(53.5-90.9)	7	27.8%	(9.1-46.5)
	<b>16 years old</b>	16	46.5%	(24.2-68.7)	17	53.5%	(31.3-75.8)
	<b>17 years old</b>	30	62.7%	(49.2-76.3)	17	37.3%	(23.7-50.8)
	<b>18 years old or older</b>	19	63.9%	(44.8-83.0)	11	36.1%	(17.0-55.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	15	72.4%	(52.7-92.0)	5	27.6%	(8.0-47.3)
	<b>10<sup>th</sup> grade</b>	18	51.6%	(30.4-72.7)	17	48.4%	(27.3-69.6)
	<b>11<sup>th</sup> grade</b>	22	59.9%	(43.7-76.2)	14	40.1%	(23.8-56.3)
	<b>12<sup>th</sup> grade</b>	29	59.5%	(50.2-68.7)	19	40.5%	(31.3-49.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Asian<sup>d</sup></b>	6	89.8%	(68.5-100.0)	1	10.2%	(0.0-31.5)
	<b>Black<sup>d</sup></b>	2	36.8%	(0.0-81.0)	3	63.2%	(19.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>White<sup>d</sup></b>	27	51.0%	(40.1-62.0)	27	49.0%	(38.0-59.9)
	<b>Hispanic/Latino</b>	37	64.2%	(52.5-75.9)	22	35.8%	(24.1-47.5)
	<b>Other/Multiple<sup>d</sup></b>	8	77.9%	(51.6-100.0)	2	22.1%	(0.0-48.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who had sexual intercourse during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 92: Percentage of high school students who used birth control pills before last sexual intercourse<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	37	28.9%	(21.3-36.4)	92	71.1%	(63.6-78.7)
<b>Sex</b>	<b>Female</b>	23	31.4%	(20.1-42.6)	48	68.6%	(57.4-79.9)
	<b>Male</b>	13	26.1%	(14.5-37.7)	42	73.9%	(62.3-85.5)
<b>Age</b>	<b>14 years old or younger</b>	2	27.9%	(0.0-59.1)	6	72.1%	(40.9-100.0)
	<b>15 years old</b>	5	24.2%	(6.2-42.2)	14	75.8%	(57.8-93.8)
	<b>16 years old</b>	5	18.8%	(1.7-36.0)	23	81.2%	(64.0-98.3)
	<b>17 years old</b>	18	38.5%	(24.6-52.4)	28	61.5%	(47.6-75.4)
	<b>18 years old or older</b>	7	24.7%	(4.2-45.2)	21	75.3%	(54.8-95.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	18.5%	(0.0-41.1)	14	81.5%	(58.9-100.0)
	<b>10<sup>th</sup> grade</b>	7	23.4%	(9.5-37.3)	22	76.6%	(62.7-90.5)
	<b>11<sup>th</sup> grade</b>	10	31.2%	(15.9-46.6)	24	68.8%	(53.4-84.1)
	<b>12<sup>th</sup> grade</b>	16	33.6%	(19.8-47.4)	30	66.4%	(52.6-80.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	2	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	19.7%	(0.0-49.7)	5	80.3%	(50.3-100.0)
	<b>Black<sup>d</sup></b>	0	.	(.-)	3	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	20	39.9%	(27.4-52.5)	29	60.1%	(47.5-72.6)
	<b>Hispanic/Latino</b>	12	21.9%	(8.4-35.5)	42	78.1%	(64.5-91.6)
	<b>Other/Multiple<sup>d</sup></b>	2	23.6%	(0.7-46.5)	7	76.4%	(53.5-99.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> To prevent pregnancy; not counting emergency contraception such as 'Plan B' or the "morning after" pill

<sup>f</sup> The last time they had sexual intercourse with an opposite-sex partner

<sup>g</sup> Among students who had sexual intercourse with an opposite-sex partner during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 93: Percentage of high school students who used an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	11	8.7%	(4.2-13.2)	118	91.3%	(86.8-95.8)
<b>Sex</b>	<b>Female</b>	8	11.5%	(3.8-19.2)	63	88.5%	(80.8-96.2)
	<b>Male</b>	2	4.0%	(0.0-9.6)	53	96.0%	(90.4-100.0)
<b>Age</b>	<b>14 years old or younger</b>	0	.	(.-)	8	100.0%	(100.0-100.0)
	<b>15 years old</b>	0	.	(.-)	19	100.0%	(100.0-100.0)
	<b>16 years old</b>	5	18.9%	(2.6-35.2)	23	81.1%	(64.8-97.4)
	<b>17 years old</b>	4	9.2%	(0.3-18.2)	42	90.8%	(81.8-99.7)
	<b>18 years old or older</b>	2	6.9%	(0.0-15.8)	26	93.1%	(84.2-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	0	.	(.-)	17	100.0%	(100.0-100.0)
	<b>10<sup>th</sup> grade</b>	3	9.6%	(0.0-21.7)	26	90.4%	(78.3-100.0)
	<b>11<sup>th</sup> grade</b>	4	12.2%	(2.1-22.4)	30	87.8%	(77.6-97.9)
	<b>12<sup>th</sup> grade</b>	4	9.1%	(2.3-15.8)	42	90.9%	(84.2-97.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	58.9%	(58.9-58.9)	1	41.1%	(41.1-41.1)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	6	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	1	23.4%	(0.0-68.4)	2	76.6%	(31.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	4	8.7%	(1.4-16.1)	45	91.3%	(83.9-98.6)
	<b>Hispanic/Latino</b>	4	7.2%	(0.5-13.9)	50	92.8%	(86.1-99.5)
	<b>Other/Multiple<sup>d</sup></b>	1	12.4%	(0.0-33.7)	8	87.6%	(66.3-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> To prevent pregnancy; such as IUD: 'Mirena' or 'ParaGard', implant: 'Implanon' or 'Nexplanon', shot: 'Depo-Provera', patch: 'OrthoEvra', or ring: 'NuvaRing'

<sup>f</sup> The last time they had sexual intercourse with an opposite-sex partner

<sup>g</sup> Among students who had sexual intercourse with an opposite-sex partner during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 94: Percentage of high school students who used birth control pills, an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	48	37.6%	(29.4-45.8)	81	62.4%	(54.2-70.6)
<b>Sex</b>	<b>Female</b>	31	42.9%	(32.8-53.0)	40	57.1%	(47.0-67.2)
	<b>Male</b>	15	30.1%	(17.6-42.5)	40	69.9%	(57.5-82.4)
<b>Age</b>	<b>14 years old or younger</b>	2	27.9%	(0.0-59.1)	6	72.1%	(40.9-100.0)
	<b>15 years old</b>	5	24.2%	(6.2-42.2)	14	75.8%	(57.8-93.8)
	<b>16 years old</b>	10	37.7%	(14.7-60.8)	18	62.3%	(39.2-85.3)
	<b>17 years old</b>	22	47.7%	(34.8-60.6)	24	52.3%	(39.4-65.2)
	<b>18 years old or older</b>	9	31.6%	(13.0-50.3)	19	68.4%	(49.7-87.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	18.5%	(0.0-41.1)	14	81.5%	(58.9-100.0)
	<b>10<sup>th</sup> grade</b>	10	33.0%	(14.2-51.8)	19	67.0%	(48.2-85.8)
	<b>11<sup>th</sup> grade</b>	14	43.5%	(24.4-62.5)	20	56.5%	(37.5-75.6)
	<b>12<sup>th</sup> grade</b>	20	42.7%	(30.6-54.8)	26	57.3%	(45.2-69.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	58.9%	(58.9-58.9)	1	41.1%	(41.1-41.1)
	<b>Asian<sup>d</sup></b>	1	19.7%	(0.0-49.7)	5	80.3%	(50.3-100.0)
	<b>Black<sup>d</sup></b>	1	23.4%	(0.0-68.4)	2	76.6%	(31.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	24	48.7%	(35.6-61.8)	25	51.3%	(38.2-64.4)
	<b>Hispanic/Latino</b>	16	29.1%	(16.1-42.1)	38	70.9%	(57.9-83.9)
	<b>Other/Multiple<sup>d</sup></b>	3	36.0%	(0.0-75.6)	6	64.0%	(24.4-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> To prevent pregnancy; such as birth control pills not counting emergency contraception such as 'Plan B' or the "morning after" pill, IUD: 'Mirena' or 'ParaGard', implant: 'Implanon' or 'Nexplanon', shot: 'Depo-Provera', patch: 'OrthoEvra', or ring: 'NuvaRing'

<sup>f</sup> The last time they had sexual intercourse with an opposite-sex partner

<sup>g</sup> Among students who had sexual intercourse with an opposite-sex partner during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 95: Percentage of high school students who used both a condom and birth control pills, an IUD, implant, a shot, patch, or birth control ring before last sexual intercourse<sup>e,f,g</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	22	16.7%	(9.8-23.6)	115	83.3%	(76.4-90.2)
<b>Sex</b>	<b>Female</b>	10	12.9%	(6.6-19.3)	69	87.1%	(80.7-93.4)
	<b>Male</b>	11	21.7%	(10.2-33.2)	45	78.3%	(66.8-89.8)
<b>Age</b>	<b>14 years old or younger</b>	2	21.6%	(0.0-44.4)	8	78.4%	(55.6-100.0)
	<b>15 years old</b>	2	10.4%	(0.0-23.6)	19	89.6%	(76.4-100.0)
	<b>16 years old</b>	2	5.8%	(0.0-14.9)	30	94.2%	(85.1-100.0)
	<b>17 years old</b>	11	23.7%	(13.6-33.7)	35	76.3%	(66.3-86.4)
	<b>18 years old or older</b>	5	17.8%	(2.4-33.2)	23	82.2%	(66.8-97.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	3	16.4%	(0.0-35.3)	16	83.6%	(64.7-100.0)
	<b>10<sup>th</sup> grade</b>	2	4.8%	(0.0-11.0)	32	95.2%	(89.0-100.0)
	<b>11<sup>th</sup> grade</b>	7	20.4%	(9.5-31.3)	28	79.6%	(68.7-90.5)
	<b>12<sup>th</sup> grade</b>	10	20.3%	(5.9-34.7)	36	79.7%	(65.3-94.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	1	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	17.7%	(0.0-45.2)	6	82.3%	(54.8-100.0)
	<b>Black<sup>d</sup></b>	1	19.0%	(0.0-55.5)	3	81.0%	(44.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-.)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	9	17.7%	(7.7-27.7)	44	82.3%	(72.3-92.3)
	<b>Hispanic/Latino</b>	8	15.2%	(4.1-26.3)	48	84.8%	(73.7-95.9)
	<b>Other/Multiple<sup>d</sup></b>	2	21.0%	(0.0-42.4)	8	79.0%	(57.6-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> To prevent pregnancy; such as birth control pills not counting emergency contraception such as ‘Plan B’ or the “morning after” pill, IUD: ‘Mirena’ or ‘ParaGard’, implant: ‘Implanon’ or ‘Nexplanon’, shot: ‘Depo-Provera’, patch: ‘OrthoEvra’, or ring: ‘NuvaRing’

<sup>f</sup> The last time they had sexual intercourse with an opposite-sex partner

<sup>g</sup> Among students who had sexual intercourse with an opposite-sex partner during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 96: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse<sup>e,f</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	11	7.7%	(3.4-12.0)	118	92.3%	(88.0-96.6)
<b>Sex</b>	<b>Female</b>	6	8.5%	(1.9-15.0)	65	91.5%	(85.0-98.1)
	<b>Male</b>	5	6.9%	(0.7-13.1)	50	93.1%	(86.9-99.3)
<b>Age</b>	<b>14 years old or younger</b>	1	15.8%	(0.0-45.7)	7	84.2%	(54.3-100.0)
	<b>15 years old</b>	3	9.5%	(0.0-20.9)	16	90.5%	(79.1-100.0)
	<b>16 years old</b>	2	8.0%	(0.0-18.3)	26	92.0%	(81.7-100.0)
	<b>17 years old</b>	2	3.9%	(0.0-9.1)	44	96.1%	(90.9-100.0)
	<b>18 years old or older</b>	3	10.4%	(0.3-20.5)	25	89.6%	(79.5-99.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	2	7.1%	(0.0-20.0)	15	92.9%	(80.0-100.0)
	<b>10<sup>th</sup> grade</b>	3	11.1%	(0.0-22.3)	26	88.9%	(77.7-100.0)
	<b>11<sup>th</sup> grade</b>	3	8.1%	(1.4-14.7)	31	91.9%	(85.3-98.6)
	<b>12<sup>th</sup> grade</b>	3	6.3%	(0.0-13.2)	43	93.7%	(86.8-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	2	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-)	6	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	1	40.6%	(0.0-100.0)	2	59.4%	(0.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	1	2.3%	(0.0-6.9)	48	97.7%	(93.1-100.0)
	<b>Hispanic/Latino</b>	8	13.8%	(6.7-21.0)	46	86.2%	(79.0-93.3)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	9	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> The last time they had sexual intercourse with an opposite-sex partner

<sup>f</sup> Among students who had sexual intercourse with an opposite-sex partner during the 3 months before the survey

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 97: Percentage of high school students who have ever been pregnant or gotten someone pregnant<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	9	1.1%	(0.3-1.8)	825	98.9%	(98.2-99.7)
<b>Sex</b>	<b>Female</b>	7	1.7%	(0.3-3.1)	410	98.3%	(96.9-99.7)
	<b>Male</b>	2	0.5%	(0.0-1.2)	407	99.5%	(98.8-100.0)
<b>Age</b>	<b>14 years old or younger</b>	0	.	(.-)	80	100.0%	(100.0-100.0)
	<b>15 years old</b>	2	1.1%	(0.0-2.6)	237	98.9%	(97.4-100.0)
	<b>16 years old</b>	3	1.2%	(0.0-2.5)	229	98.8%	(97.5-100.0)
	<b>17 years old</b>	3	1.4%	(0.0-3.6)	180	98.6%	(96.4-100.0)
	<b>18 years old or older</b>	1	1.0%	(0.0-3.0)	98	99.0%	(97.0-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	2	1.2%	(0.0-2.6)	191	98.8%	(97.4-100.0)
	<b>10<sup>th</sup> grade</b>	3	1.1%	(0.0-2.3)	282	98.9%	(97.7-100.0)
	<b>11<sup>th</sup> grade</b>	2	1.1%	(0.0-3.0)	177	98.9%	(97.0-100.0)
	<b>12<sup>th</sup> grade</b>	2	1.0%	(0.0-2.3)	170	99.0%	(97.7-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-)	9	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	1	1.9%	(0.0-5.7)	54	98.1%	(94.3-100.0)
	<b>Black<sup>d</sup></b>	1	4.2%	(0.0-12.6)	29	95.8%	(87.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	4	1.1%	(0.0-2.1)	312	98.9%	(97.9-100.0)
	<b>Hispanic/Latino</b>	3	1.0%	(0.0-2.2)	333	99.0%	(97.8-100.0)
	<b>Other/Multiple<sup>d</sup></b>	0	.	(.-)	45	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during their life

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 98: Percentage of high school students who did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes — Nevada YRBS 2023\***

		Never Had Sexual Contact			Sexual Contact with Opposite Sex Only			Sexual Contact with Same Sex Only			Sexual Contact with Both Sexes		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	414	52.7%	(47.2-58.3)	272	36.8%	(31.8-41.8)	34	4.6%	(3.0-6.1)	45	5.9%	(3.8-8.0)
<b>Sex</b>	<b>Female</b>	210	53.2%	(46.4-59.9)	111	30.4%	(24.5-36.3)	25	6.6%	(4.0-9.1)	35	9.9%	(6.1-13.6)
	<b>Male</b>	201	52.2%	(45.1-59.2)	161	43.1%	(36.2-50.0)	9	2.7%	(1.1-4.3)	8	2.0%	(0.6-3.5)
<b>Age</b>	<b>14 years old or younger</b>	46	67.1%	(59.0-75.2)	20	26.7%	(17.5-35.9)	3	4.7%	(0.0-9.8)	2	1.5%	(0.0-4.3)
	<b>15 years old</b>	148	65.9%	(57.9-73.9)	56	27.5%	(20.4-34.7)	5	2.1%	(0.2-3.9)	9	4.5%	(0.8-8.1)
	<b>16 years old</b>	110	51.1%	(42.2-60.1)	76	36.3%	(28.7-43.9)	12	5.4%	(2.6-8.3)	14	7.1%	(3.4-10.9)
	<b>17 years old</b>	75	42.8%	(34.4-51.1)	79	45.6%	(37.6-53.6)	5	2.9%	(0.7-5.1)	16	8.7%	(4.5-12.9)
	<b>18 years old or older</b>	35	39.4%	(26.4-52.5)	41	45.8%	(34.6-57.1)	9	10.5%	(4.1-16.8)	4	4.2%	(0.0-8.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	120	65.7%	(59.2-72.3)	49	27.9%	(21.4-34.5)	5	3.1%	(0.0-6.3)	5	3.2%	(0.0-7.1)
	<b>10<sup>th</sup> grade</b>	150	58.8%	(50.0-67.6)	77	31.1%	(23.8-38.5)	12	4.3%	(1.5-7.0)	15	5.8%	(2.6-9.0)
	<b>11<sup>th</sup> grade</b>	77	43.7%	(31.3-56.1)	74	44.0%	(33.5-54.5)	6	3.9%	(1.0-6.7)	14	8.4%	(4.4-12.4)
	<b>12<sup>th</sup> grade</b>	67	42.8%	(33.0-52.5)	70	44.0%	(34.0-54.1)	11	7.0%	(2.7-11.3)	11	6.2%	(1.9-10.5)
<b>Race/ Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	75.5%	(41.8-100.0)	1	14.9%	(0.0-43.4)	0	.	(-.)	1	9.7%	(0.0-29.3)
	<b>Asian<sup>d</sup></b>	34	65.4%	(49.1-81.7)	14	26.8%	(11.0-42.5)	1	1.3%	(0.0-3.9)	3	6.5%	(0.5-12.5)
	<b>Black<sup>d</sup></b>	17	60.8%	(40.5-81.2)	9	34.0%	(13.9-54.1)	2	5.2%	(0.0-12.4)	0	.	(-.)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	9	88.5%	(66.6-100.0)	0	.	(-.)	0	.	(-.)	1	11.5%	(0.0-33.4)
	<b>White<sup>d</sup></b>	161	53.9%	(47.5-60.3)	103	35.5%	(29.5-41.4)	13	4.1%	(2.0-6.3)	19	6.5%	(3.3-9.8)
	<b>Hispanic/Latino</b>	152	49.7%	(43.0-56.4)	120	40.4%	(34.7-46.2)	15	5.2%	(2.8-7.6)	15	4.7%	(2.3-7.1)
	<b>Other/Multiple<sup>d</sup></b>	19	41.1%	(26.6-55.6)	16	40.4%	(25.8-54.9)	3	7.4%	(0.0-15.4)	4	11.1%	(0.0-24.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: We caution against group comparisons when a cell size is less than 5.**

Diet

Table 99: Percentage of high school students who did not eat fruit during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\*

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	83	9.7%	(7.2-12.1)	768	90.3%	(87.9-92.8)
<b>Sex</b>	<b>Female</b>	35	8.3%	(5.6-11.1)	386	91.7%	(88.9-94.4)
	<b>Male</b>	45	10.5%	(6.7-14.4)	374	89.5%	(85.6-93.3)
<b>Age</b>	<b>14 years old or younger</b>	9	9.3%	(3.2-15.3)	76	90.7%	(84.7-96.8)
	<b>15 years old</b>	30	11.9%	(8.3-15.4)	211	88.1%	(84.6-91.7)
	<b>16 years old</b>	14	6.2%	(2.2-10.1)	225	93.8%	(89.9-97.8)
	<b>17 years old</b>	17	9.2%	(5.7-12.7)	170	90.8%	(87.3-94.3)
	<b>18 years old or older</b>	13	13.4%	(5.1-21.7)	85	86.6%	(78.3-94.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	19	9.0%	(4.7-13.2)	177	91.0%	(86.8-95.3)
	<b>10<sup>th</sup> grade</b>	26	9.1%	(4.7-13.6)	264	90.9%	(86.4-95.3)
	<b>11<sup>th</sup> grade</b>	18	9.6%	(5.4-13.7)	168	90.4%	(86.3-94.6)
	<b>12<sup>th</sup> grade</b>	18	10.3%	(5.1-15.4)	153	89.7%	(84.6-94.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.7%	(0.0-50.3)	8	78.3%	(49.7-100.0)
	<b>Asian<sup>d</sup></b>	5	9.2%	(1.2-17.3)	51	90.8%	(82.7-98.8)
	<b>Black<sup>d</sup></b>	1	4.2%	(0.0-12.1)	29	95.8%	(87.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	27	8.4%	(5.0-11.8)	288	91.6%	(88.2-95.0)
	<b>Hispanic/Latino</b>	38	11.1%	(7.7-14.5)	308	88.9%	(85.5-92.3)
	<b>Other/Multiple<sup>d</sup></b>	5	9.9%	(1.4-18.3)	42	90.1%	(81.7-98.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including fruit juice

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 100: Percentage of high school students who ate fruit one or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	280	33.4%	(29.7-37.1)	571	66.6%	(62.9-70.3)
<b>Sex</b>	<b>Female</b>	131	32.0%	(26.7-37.3)	290	68.0%	(62.7-73.3)
	<b>Male</b>	146	34.9%	(30.0-39.9)	273	65.1%	(60.1-70.0)
<b>Age</b>	<b>14 years old or younger</b>	27	32.8%	(25.3-40.3)	58	67.2%	(59.7-74.7)
	<b>15 years old</b>	75	31.5%	(25.1-38.0)	166	68.5%	(62.0-74.9)
	<b>16 years old</b>	89	37.9%	(32.0-43.8)	150	62.1%	(56.2-68.0)
	<b>17 years old</b>	59	32.2%	(24.3-40.1)	128	67.8%	(59.9-75.7)
	<b>18 years old or older</b>	30	31.2%	(20.7-41.7)	68	68.8%	(58.3-79.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	63	33.0%	(25.9-40.0)	133	67.0%	(60.0-74.1)
	<b>10<sup>th</sup> grade</b>	96	33.7%	(28.2-39.2)	194	66.3%	(60.8-71.8)
	<b>11<sup>th</sup> grade</b>	63	33.8%	(25.5-42.1)	123	66.2%	(57.9-74.5)
	<b>12<sup>th</sup> grade</b>	56	33.9%	(25.8-41.9)	115	66.1%	(58.1-74.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	40.8%	(14.8-66.8)	6	59.2%	(33.2-85.2)
	<b>Asian<sup>d</sup></b>	15	26.3%	(12.3-40.3)	41	73.7%	(59.7-87.7)
	<b>Black<sup>d</sup></b>	6	20.9%	(4.8-37.0)	24	79.1%	(63.0-95.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	48.1%	(19.3-76.9)	7	51.9%	(23.1-80.7)
	<b>White<sup>d</sup></b>	118	38.1%	(32.8-43.4)	197	61.9%	(56.6-67.2)
	<b>Hispanic/Latino</b>	104	29.5%	(25.0-34.0)	242	70.5%	(66.0-75.0)
	<b>Other/Multiple<sup>d</sup></b>	17	36.5%	(21.8-51.2)	30	63.5%	(48.8-78.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including fruit juice

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 101: Percentage of high school students who ate fruit two or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	202	24.0%	(21.4-26.5)	649	76.0%	(73.5-78.6)
<b>Sex</b>	<b>Female</b>	89	21.6%	(17.0-26.1)	332	78.4%	(73.9-83.0)
	<b>Male</b>	110	26.2%	(21.4-31.0)	309	73.8%	(69.0-78.6)
<b>Age</b>	<b>14 years old or younger</b>	18	22.0%	(12.0-32.0)	67	78.0%	(68.0-88.0)
	<b>15 years old</b>	58	24.6%	(18.2-30.9)	183	75.4%	(69.1-81.8)
	<b>16 years old</b>	63	26.6%	(21.9-31.3)	176	73.4%	(68.7-78.1)
	<b>17 years old</b>	42	22.3%	(15.8-28.8)	145	77.7%	(71.2-84.2)
	<b>18 years old or older</b>	21	22.3%	(13.0-31.6)	77	77.7%	(68.4-87.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	47	24.8%	(19.2-30.4)	149	75.2%	(69.6-80.8)
	<b>10<sup>th</sup> grade</b>	70	24.3%	(19.7-29.0)	220	75.7%	(71.0-80.3)
	<b>11<sup>th</sup> grade</b>	43	23.0%	(17.5-28.4)	143	77.0%	(71.6-82.5)
	<b>12<sup>th</sup> grade</b>	40	24.2%	(17.2-31.2)	131	75.8%	(68.8-82.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	30.9%	(6.3-55.6)	7	69.1%	(44.4-93.7)
	<b>Asian<sup>d</sup></b>	9	14.7%	(6.6-22.9)	47	85.3%	(77.1-93.4)
	<b>Black<sup>d</sup></b>	5	17.0%	(2.4-31.5)	25	83.0%	(68.5-97.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	24.1%	(0.0-49.0)	10	75.9%	(51.0-100.0)
	<b>White<sup>d</sup></b>	78	24.8%	(21.4-28.2)	237	75.2%	(71.8-78.6)
	<b>Hispanic/Latino</b>	83	23.9%	(19.5-28.2)	263	76.1%	(71.8-80.5)
	<b>Other/Multiple<sup>d</sup></b>	13	28.4%	(13.3-43.6)	34	71.6%	(56.4-86.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including fruit juice

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 102: Percentage of high school students who ate fruit three or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	87	10.4%	(8.0-12.8)	764	89.6%	(87.2-92.0)
<b>Sex</b>	<b>Female</b>	34	8.0%	(5.6-10.3)	387	92.0%	(89.7-94.4)
	<b>Male</b>	52	12.6%	(8.9-16.3)	367	87.4%	(83.7-91.1)
<b>Age</b>	<b>14 years old or younger</b>	8	10.1%	(3.2-16.9)	77	89.9%	(83.1-96.8)
	<b>15 years old</b>	26	10.9%	(5.0-16.9)	215	89.1%	(83.1-95.0)
	<b>16 years old</b>	26	11.1%	(7.0-15.1)	213	88.9%	(84.9-93.0)
	<b>17 years old</b>	18	9.6%	(5.4-13.8)	169	90.4%	(86.2-94.6)
	<b>18 years old or older</b>	9	9.8%	(3.3-16.2)	89	90.2%	(83.8-96.7)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	21	10.7%	(6.0-15.4)	175	89.3%	(84.6-94.0)
	<b>10<sup>th</sup> grade</b>	31	11.1%	(7.3-14.8)	259	88.9%	(85.2-92.7)
	<b>11<sup>th</sup> grade</b>	18	10.1%	(5.3-14.8)	168	89.9%	(85.2-94.7)
	<b>12<sup>th</sup> grade</b>	16	9.8%	(5.1-14.5)	155	90.2%	(85.5-94.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.4%	(0.0-39.7)	8	80.6%	(60.3-100.0)
	<b>Asian<sup>d</sup></b>	1	1.2%	(0.0-3.7)	55	98.8%	(96.3-100.0)
	<b>Black<sup>d</sup></b>	1	3.6%	(0.0-10.5)	29	96.4%	(89.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	24.1%	(0.0-49.0)	10	75.9%	(51.0-100.0)
	<b>White<sup>d</sup></b>	29	9.0%	(6.2-11.7)	286	91.0%	(88.3-93.8)
	<b>Hispanic/Latino</b>	43	12.5%	(8.8-16.2)	303	87.5%	(83.8-91.2)
	<b>Other/Multiple<sup>d</sup></b>	5	11.2%	(2.2-20.3)	42	88.8%	(79.7-97.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including fruit juice

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 103: Percentage of high school students who did not eat vegetables during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	94	11.1%	(8.1-14.1)	756	88.9%	(85.9-91.9)
<b>Sex</b>	<b>Female</b>	40	9.3%	(6.2-12.5)	378	90.7%	(87.5-93.8)
	<b>Male</b>	53	12.6%	(8.1-17.1)	368	87.4%	(82.9-91.9)
<b>Age</b>	<b>14 years old or younger</b>	11	12.8%	(4.5-21.1)	73	87.2%	(78.9-95.5)
	<b>15 years old</b>	29	11.3%	(5.8-16.9)	212	88.7%	(83.1-94.2)
	<b>16 years old</b>	22	9.7%	(5.9-13.6)	217	90.3%	(86.4-94.1)
	<b>17 years old</b>	16	8.7%	(4.2-13.1)	172	91.3%	(86.9-95.8)
	<b>18 years old or older</b>	16	16.6%	(6.7-26.4)	81	83.4%	(73.6-93.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	21	10.5%	(4.8-16.3)	175	89.5%	(83.7-95.2)
	<b>10<sup>th</sup> grade</b>	31	10.6%	(6.8-14.4)	258	89.4%	(85.6-93.2)
	<b>11<sup>th</sup> grade</b>	18	10.2%	(6.8-13.6)	169	89.8%	(86.4-93.2)
	<b>12<sup>th</sup> grade</b>	23	12.8%	(4.4-21.3)	147	87.2%	(78.7-95.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	34.9%	(0.2-69.6)	6	65.1%	(30.4-99.8)
	<b>Asian<sup>d</sup></b>	8	15.2%	(2.2-28.3)	47	84.8%	(71.7-97.8)
	<b>Black<sup>d</sup></b>	5	16.1%	(4.6-27.6)	26	83.9%	(72.4-95.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	15.6%	(0.0-36.2)	11	84.4%	(63.8-100.0)
	<b>White<sup>d</sup></b>	26	8.2%	(4.9-11.6)	289	91.8%	(88.4-95.1)
	<b>Hispanic/Latino</b>	43	12.8%	(8.5-17.0)	301	87.2%	(83.0-91.5)
	<b>Other/Multiple<sup>d</sup></b>	4	8.4%	(0.0-17.0)	43	91.6%	(83.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 104: Percentage of high school students who ate vegetables one or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	276	32.4%	(27.7-37.1)	574	67.6%	(62.9-72.3)
<b>Sex</b>	<b>Female</b>	133	31.7%	(25.9-37.5)	285	68.3%	(62.5-74.1)
	<b>Male</b>	140	33.3%	(27.3-39.4)	281	66.7%	(60.6-72.7)
<b>Age</b>	<b>14 years old or younger</b>	23	27.9%	(17.9-38.0)	61	72.1%	(62.0-82.1)
	<b>15 years old</b>	82	33.8%	(26.1-41.5)	159	66.2%	(58.5-73.9)
	<b>16 years old</b>	87	36.5%	(29.2-43.7)	152	63.5%	(56.3-70.8)
	<b>17 years old</b>	58	31.1%	(22.1-40.1)	130	68.9%	(59.9-77.9)
	<b>18 years old or older</b>	26	27.5%	(17.6-37.3)	71	72.5%	(62.7-82.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	61	31.2%	(22.2-40.3)	135	68.8%	(59.7-77.8)
	<b>10<sup>th</sup> grade</b>	100	35.4%	(27.7-43.0)	189	64.6%	(57.0-72.3)
	<b>11<sup>th</sup> grade</b>	57	29.7%	(21.0-38.3)	130	70.3%	(61.7-79.0)
	<b>12<sup>th</sup> grade</b>	56	33.6%	(25.7-41.4)	114	66.4%	(58.6-74.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	34.9%	(6.1-63.8)	6	65.1%	(36.2-93.9)
	<b>Asian<sup>d</sup></b>	15	26.4%	(15.6-37.2)	40	73.6%	(62.8-84.4)
	<b>Black<sup>d</sup></b>	6	17.5%	(3.3-31.7)	25	82.5%	(68.3-96.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	39.2%	(11.0-67.4)	8	60.8%	(32.6-89.0)
	<b>White<sup>d</sup></b>	127	40.1%	(33.6-46.5)	188	59.9%	(53.5-66.4)
	<b>Hispanic/Latino</b>	88	25.2%	(20.0-30.4)	256	74.8%	(69.6-80.0)
	<b>Other/Multiple<sup>d</sup></b>	19	39.8%	(24.6-55.1)	28	60.2%	(44.9-75.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 105: Percentage of high school students who ate vegetables two or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	172	19.8%	(16.6-22.9)	678	80.2%	(77.1-83.4)
<b>Sex</b>	<b>Female</b>	81	18.6%	(14.5-22.6)	337	81.4%	(77.4-85.5)
	<b>Male</b>	90	21.0%	(15.9-26.2)	331	79.0%	(73.8-84.1)
<b>Age</b>	<b>14 years old or younger</b>	9	10.4%	(4.4-16.5)	75	89.6%	(83.5-95.6)
	<b>15 years old</b>	53	21.6%	(16.8-26.3)	188	78.4%	(73.7-83.2)
	<b>16 years old</b>	52	20.9%	(14.7-27.0)	187	79.1%	(73.0-85.3)
	<b>17 years old</b>	38	20.1%	(14.7-25.6)	150	79.9%	(74.4-85.3)
	<b>18 years old or older</b>	20	20.9%	(12.9-29.0)	77	79.1%	(71.0-87.1)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	31	15.4%	(10.6-20.1)	165	84.6%	(79.9-89.4)
	<b>10<sup>th</sup> grade</b>	69	24.2%	(18.7-29.8)	220	75.8%	(70.2-81.3)
	<b>11<sup>th</sup> grade</b>	31	15.6%	(10.4-20.7)	156	84.4%	(79.3-89.6)
	<b>12<sup>th</sup> grade</b>	40	24.0%	(17.9-30.1)	130	76.0%	(69.9-82.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	10.9%	(0.0-29.2)	8	89.1%	(70.8-100.0)
	<b>Asian<sup>d</sup></b>	10	17.2%	(6.8-27.5)	45	82.8%	(72.5-93.2)
	<b>Black<sup>d</sup></b>	5	15.2%	(1.7-28.6)	26	84.8%	(71.4-98.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	29.6%	(3.5-55.7)	9	70.4%	(44.3-96.5)
	<b>White<sup>d</sup></b>	69	21.5%	(17.1-25.9)	246	78.5%	(74.1-82.9)
	<b>Hispanic/Latino</b>	65	18.5%	(13.4-23.5)	279	81.5%	(76.5-86.6)
	<b>Other/Multiple<sup>d</sup></b>	10	21.0%	(7.3-34.6)	37	79.0%	(65.4-92.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 106: Percentage of high school students who ate vegetables three or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	83	9.4%	(7.5-11.3)	767	90.6%	(88.7-92.5)
<b>Sex</b>	<b>Female</b>	41	9.4%	(6.4-12.4)	377	90.6%	(87.6-93.6)
	<b>Male</b>	42	9.5%	(6.5-12.6)	379	90.5%	(87.4-93.5)
<b>Age</b>	<b>14 years old or younger</b>	5	6.5%	(1.8-11.2)	79	93.5%	(88.8-98.2)
	<b>15 years old</b>	22	8.7%	(3.8-13.6)	219	91.3%	(86.4-96.2)
	<b>16 years old</b>	28	10.9%	(7.3-14.5)	211	89.1%	(85.5-92.7)
	<b>17 years old</b>	18	9.1%	(4.8-13.3)	170	90.9%	(86.7-95.2)
	<b>18 years old or older</b>	10	10.6%	(4.2-16.9)	87	89.4%	(83.1-95.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	18	8.7%	(4.3-13.1)	178	91.3%	(86.9-95.7)
	<b>10<sup>th</sup> grade</b>	30	10.1%	(7.2-13.1)	259	89.9%	(86.9-92.8)
	<b>11<sup>th</sup> grade</b>	16	7.9%	(3.9-11.9)	171	92.1%	(88.1-96.1)
	<b>12<sup>th</sup> grade</b>	18	10.9%	(6.1-15.8)	152	89.1%	(84.2-93.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	10.9%	(0.0-29.2)	8	89.1%	(70.8-100.0)
	<b>Asian<sup>d</sup></b>	3	4.3%	(0.0-9.5)	52	95.7%	(90.5-100.0)
	<b>Black<sup>d</sup></b>	1	3.5%	(0.0-10.2)	30	96.5%	(89.8-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	8.9%	(0.0-26.2)	12	91.1%	(73.8-100.0)
	<b>White<sup>d</sup></b>	24	7.7%	(5.0-10.4)	291	92.3%	(89.6-95.0)
	<b>Hispanic/Latino</b>	43	11.9%	(8.5-15.3)	301	88.1%	(84.7-91.5)
	<b>Other/Multiple<sup>d</sup></b>	4	8.6%	(0.0-17.3)	43	91.4%	(82.7-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 107: Percentage of high school students who did not drink soda or pop during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	229	26.4%	(23.1-29.8)	623	73.6%	(70.2-76.9)
<b>Sex</b>	<b>Female</b>	110	25.9%	(21.4-30.5)	309	74.1%	(69.5-78.6)
	<b>Male</b>	115	26.7%	(22.5-30.9)	307	73.3%	(69.1-77.5)
<b>Age</b>	<b>14 years old or younger</b>	17	20.0%	(12.7-27.3)	66	80.0%	(72.7-87.3)
	<b>15 years old</b>	72	28.4%	(21.6-35.2)	169	71.6%	(64.8-78.4)
	<b>16 years old</b>	60	23.7%	(18.3-29.0)	181	76.3%	(71.0-81.7)
	<b>17 years old</b>	49	27.1%	(18.8-35.4)	138	72.9%	(64.6-81.2)
	<b>18 years old or older</b>	31	32.0%	(23.8-40.2)	68	68.0%	(59.8-76.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	44	21.7%	(17.0-26.5)	153	78.3%	(73.5-83.0)
	<b>10<sup>th</sup> grade</b>	86	29.8%	(22.6-37.0)	203	70.2%	(63.0-77.4)
	<b>11<sup>th</sup> grade</b>	44	23.0%	(16.5-29.5)	142	77.0%	(70.5-83.5)
	<b>12<sup>th</sup> grade</b>	54	31.3%	(24.4-38.1)	119	68.7%	(61.9-75.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	25.5%	(0.0-57.5)	7	74.5%	(42.5-100.0)
	<b>Asian<sup>d</sup></b>	16	28.6%	(15.1-42.1)	39	71.4%	(57.9-84.9)
	<b>Black<sup>d</sup></b>	9	28.0%	(8.3-47.7)	22	72.0%	(52.3-91.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	16.6%	(0.0-38.4)	11	83.4%	(61.6-100.0)
	<b>White<sup>d</sup></b>	89	27.6%	(23.1-32.0)	228	72.4%	(68.0-76.9)
	<b>Hispanic/Latino</b>	87	25.6%	(20.6-30.6)	256	74.4%	(69.4-79.4)
	<b>Other/Multiple<sup>d</sup></b>	12	24.1%	(8.9-39.2)	36	75.9%	(60.8-91.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop such as 'Coke', 'Pepsi', or 'Sprite', not including diet soda or diet pop

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 108: Percentage of high school students who drank soda or pop one or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	81	9.2%	(6.5-11.8)	771	90.8%	(88.2-93.5)
<b>Sex</b>	<b>Female</b>	37	8.6%	(5.4-11.7)	382	91.4%	(88.3-94.6)
	<b>Male</b>	42	9.6%	(6.5-12.7)	380	90.4%	(87.3-93.5)
<b>Age</b>	<b>14 years old or younger</b>	6	5.0%	(0.2-9.9)	77	95.0%	(90.1-99.8)
	<b>15 years old</b>	24	9.9%	(4.7-15.1)	217	90.1%	(84.9-95.3)
	<b>16 years old</b>	21	8.8%	(3.9-13.8)	220	91.2%	(86.2-96.1)
	<b>17 years old</b>	20	10.2%	(6.1-14.3)	167	89.8%	(85.7-93.9)
	<b>18 years old or older</b>	10	9.7%	(3.5-16.0)	89	90.3%	(84.0-96.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	16	7.6%	(2.2-12.9)	181	92.4%	(87.1-97.8)
	<b>10<sup>th</sup> grade</b>	31	10.8%	(4.3-17.3)	258	89.2%	(82.7-95.7)
	<b>11<sup>th</sup> grade</b>	16	8.7%	(4.8-12.5)	170	91.3%	(87.5-95.2)
	<b>12<sup>th</sup> grade</b>	16	9.1%	(5.2-13.0)	157	90.9%	(87.0-94.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.3%	(0.0-33.2)	8	88.7%	(66.8-100.0)
	<b>Asian<sup>d</sup></b>	3	6.4%	(0.0-13.5)	52	93.6%	(86.5-100.0)
	<b>Black<sup>d</sup></b>	3	9.4%	(0.0-20.1)	28	90.6%	(79.9-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	28.9%	(3.3-54.6)	9	71.1%	(45.4-96.7)
	<b>White<sup>d</sup></b>	34	10.5%	(6.7-14.3)	283	89.5%	(85.7-93.3)
	<b>Hispanic/Latino</b>	29	8.2%	(4.8-11.6)	314	91.8%	(88.4-95.2)
	<b>Other/Multiple<sup>d</sup></b>	2	4.3%	(0.0-10.0)	46	95.7%	(90.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop such as 'Coke', 'Pepsi', or 'Sprite', not including diet soda or diet pop

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 109: Percentage of high school students who drank soda or pop two or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	47	5.5%	(3.6-7.4)	805	94.5%	(92.6-96.4)
<b>Sex</b>	<b>Female</b>	23	5.4%	(3.0-7.7)	396	94.6%	(92.3-97.0)
	<b>Male</b>	23	5.4%	(3.2-7.7)	399	94.6%	(92.3-96.8)
<b>Age</b>	<b>14 years old or younger</b>	5	5.0%	(0.1-9.9)	78	95.0%	(90.1-99.9)
	<b>15 years old</b>	13	5.3%	(2.0-8.5)	228	94.7%	(91.5-98.0)
	<b>16 years old</b>	11	4.5%	(1.2-7.7)	230	95.5%	(92.3-98.8)
	<b>17 years old</b>	10	5.3%	(2.6-7.9)	177	94.7%	(92.1-97.4)
	<b>18 years old or older</b>	8	8.7%	(2.6-14.7)	91	91.3%	(85.3-97.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	10	5.0%	(0.5-9.4)	187	95.0%	(90.6-99.5)
	<b>10<sup>th</sup> grade</b>	16	5.3%	(1.6-8.9)	273	94.7%	(91.1-98.4)
	<b>11<sup>th</sup> grade</b>	10	5.3%	(2.7-8.0)	176	94.7%	(92.0-97.3)
	<b>12<sup>th</sup> grade</b>	10	6.0%	(2.6-9.5)	163	94.0%	(90.5-97.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	9	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	2	4.3%	(0.0-10.1)	53	95.7%	(89.9-100.0)
	<b>Black<sup>d</sup></b>	2	5.9%	(0.0-14.6)	29	94.1%	(85.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	23.4%	(0.0-47.8)	10	76.6%	(52.2-100.0)
	<b>White<sup>d</sup></b>	18	5.7%	(3.0-8.3)	299	94.3%	(91.7-97.0)
	<b>Hispanic/Latino</b>	19	5.5%	(2.8-8.2)	324	94.5%	(91.8-97.2)
	<b>Other/Multiple<sup>d</sup></b>	1	1.8%	(0.0-5.5)	47	98.2%	(94.5-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop such as 'Coke', 'Pepsi', or 'Sprite', not including diet soda or diet pop

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 110: Percentage of high school students who drank soda or pop three or more times/day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	22	2.6%	(1.2-3.9)	830	97.4%	(96.1-98.8)
<b>Sex</b>	<b>Female</b>	11	2.5%	(0.7-4.3)	408	97.5%	(95.7-99.3)
	<b>Male</b>	10	2.5%	(1.0-3.9)	412	97.5%	(96.1-99.0)
<b>Age</b>	<b>14 years old or younger</b>	4	4.9%	(0.0-9.8)	79	95.1%	(90.2-100.0)
	<b>15 years old</b>	8	3.4%	(0.6-6.2)	233	96.6%	(93.8-99.4)
	<b>16 years old</b>	4	1.5%	(0.0-3.7)	237	98.5%	(96.3-100.0)
	<b>17 years old</b>	3	1.5%	(0.0-3.1)	184	98.5%	(96.9-100.0)
	<b>18 years old or older</b>	3	3.2%	(0.0-6.5)	96	96.8%	(93.5-100.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	7	3.8%	(0.0-7.9)	190	96.2%	(92.1-100.0)
	<b>10<sup>th</sup> grade</b>	8	2.7%	(0.6-4.9)	281	97.3%	(95.1-99.4)
	<b>11<sup>th</sup> grade</b>	3	1.5%	(0.0-3.2)	183	98.5%	(96.8-100.0)
	<b>12<sup>th</sup> grade</b>	3	1.8%	(0.0-3.7)	170	98.2%	(96.3-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	9	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	0	.	(.-.)	55	100.0%	(100.0-100.0)
	<b>Black<sup>d</sup></b>	2	5.9%	(0.0-14.6)	29	94.1%	(85.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	17.9%	(0.0-40.9)	11	82.1%	(59.1-100.0)
	<b>White<sup>d</sup></b>	7	2.2%	(0.2-4.2)	310	97.8%	(95.8-99.8)
	<b>Hispanic/Latino</b>	10	2.8%	(0.8-4.8)	333	97.2%	(95.2-99.2)
	<b>Other/Multiple<sup>d</sup></b>	1	1.8%	(0.0-5.5)	47	98.2%	(94.5-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop such as 'Coke', 'Pepsi', or 'Sprite', not including diet soda or diet pop

**\*Note: We caution against group comparisons when a cell size is less than 5.**

**Table 111: Percentage of high school students who did not eat breakfast during the 7 days before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	180	21.6%	(17.4-25.7)	670	78.4%	(74.3-82.6)
<b>Sex</b>	<b>Female</b>	86	21.4%	(16.5-26.3)	330	78.6%	(73.7-83.5)
	<b>Male</b>	92	21.9%	(16.5-27.2)	330	78.1%	(72.8-83.5)
<b>Age</b>	<b>14 years old or younger</b>	19	24.3%	(15.3-33.3)	65	75.7%	(66.7-84.7)
	<b>15 years old</b>	53	22.3%	(16.4-28.3)	188	77.7%	(71.7-83.6)
	<b>16 years old</b>	47	19.6%	(13.0-26.2)	191	80.4%	(73.8-87.0)
	<b>17 years old</b>	37	20.5%	(13.0-28.0)	150	79.5%	(72.0-87.0)
	<b>18 years old or older</b>	24	23.7%	(13.4-34.0)	75	76.3%	(66.0-86.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	44	23.5%	(16.9-30.1)	152	76.5%	(69.9-83.1)
	<b>10<sup>th</sup> grade</b>	59	20.2%	(14.3-26.1)	230	79.8%	(73.9-85.7)
	<b>11<sup>th</sup> grade</b>	39	22.1%	(12.5-31.6)	146	77.9%	(68.4-87.5)
	<b>12<sup>th</sup> grade</b>	37	20.6%	(12.5-28.8)	135	79.4%	(71.2-87.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.4%	(0.0-46.1)	8	78.6%	(53.9-100.0)
	<b>Asian<sup>d</sup></b>	12	20.1%	(7.8-32.5)	43	79.9%	(67.5-92.2)
	<b>Black<sup>d</sup></b>	7	21.4%	(9.0-33.8)	24	78.6%	(66.2-91.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	17.5%	(0.0-40.2)	11	82.5%	(59.8-100.0)
	<b>White<sup>d</sup></b>	59	18.4%	(13.2-23.6)	258	81.6%	(76.4-86.8)
	<b>Hispanic/Latino</b>	87	26.4%	(20.5-32.2)	253	73.6%	(67.8-79.5)
	<b>Other/Multiple<sup>d</sup></b>	5	10.9%	(0.0-21.8)	43	89.1%	(78.2-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 112: Percentage of high school students who ate breakfast on all 7 days before the survey — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	199	23.5%	(19.6-27.4)	651	76.5%	(72.6-80.4)
<b>Sex</b>	<b>Female</b>	84	20.1%	(15.7-24.6)	332	79.9%	(75.4-84.3)
	<b>Male</b>	111	26.3%	(20.8-31.8)	311	73.7%	(68.2-79.2)
<b>Age</b>	<b>14 years old or younger</b>	14	16.8%	(5.6-28.0)	70	83.2%	(72.0-94.4)
	<b>15 years old</b>	55	21.4%	(15.9-26.8)	186	78.6%	(73.2-84.1)
	<b>16 years old</b>	51	21.4%	(16.3-26.6)	187	78.6%	(73.4-83.7)
	<b>17 years old</b>	54	29.4%	(22.2-36.6)	133	70.6%	(63.4-77.8)
	<b>18 years old or older</b>	25	25.8%	(19.6-32.0)	74	74.2%	(68.0-80.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	40	19.0%	(10.6-27.3)	156	81.0%	(72.7-89.4)
	<b>10<sup>th</sup> grade</b>	63	22.5%	(17.2-27.9)	226	77.5%	(72.1-82.8)
	<b>11<sup>th</sup> grade</b>	54	28.6%	(19.4-37.7)	131	71.4%	(62.3-80.6)
	<b>12<sup>th</sup> grade</b>	41	24.6%	(18.4-30.9)	131	75.4%	(69.1-81.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	40.8%	(8.7-72.9)	6	59.2%	(27.1-91.3)
	<b>Asian<sup>d</sup></b>	16	28.2%	(16.1-40.2)	39	71.8%	(59.8-83.9)
	<b>Black<sup>d</sup></b>	10	33.6%	(14.9-52.3)	21	66.4%	(47.7-85.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	9.6%	(0.0-27.9)	12	90.4%	(72.1-100.0)
	<b>White<sup>d</sup></b>	76	24.4%	(19.3-29.5)	241	75.6%	(70.5-80.7)
	<b>Hispanic/Latino</b>	71	21.3%	(16.6-26.1)	269	78.7%	(73.9-83.4)
	<b>Other/Multiple<sup>d</sup></b>	12	24.2%	(14.3-34.1)	36	75.8%	(65.9-85.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 113: Percentage of high school students who went hungry because there was not enough food in their home during the 30 days before the survey — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	736	87.6%	(85.0-90.3)	68	8.6%	(6.6-10.7)	33	3.7%	(2.0-5.4)
<b>Sex</b>	<b>Female</b>	362	87.4%	(83.4-91.5)	32	8.2%	(5.4-11.0)	18	4.4%	(1.8-6.9)
	<b>Male</b>	368	88.2%	(85.0-91.5)	36	9.2%	(6.1-12.2)	11	2.6%	(0.9-4.3)
<b>Age</b>	<b>14 years/younger</b>	73	86.8%	(81.4-92.2)	8	10.8%	(5.4-16.3)	3	2.4%	(0.0-5.8)
	<b>15 years old</b>	210	88.3%	(83.5-93.1)	20	9.0%	(4.9-13.1)	7	2.7%	(0.7-4.7)
	<b>16 years old</b>	205	88.2%	(83.2-93.1)	16	7.1%	(3.4-10.9)	11	4.7%	(1.6-7.8)
	<b>17 years old</b>	161	86.8%	(81.0-92.5)	17	9.6%	(5.2-14.0)	7	3.6%	(0.6-6.6)
	<b>18 years/older</b>	86	87.7%	(82.1-93.2)	7	7.4%	(1.6-13.2)	5	4.9%	(0.8-9.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	171	88.4%	(84.1-92.7)	18	10.4%	(6.5-14.3)	3	1.1%	(0.0-2.6)
	<b>10<sup>th</sup> grade</b>	253	88.2%	(84.0-92.3)	22	8.0%	(4.8-11.2)	11	3.8%	(0.8-6.9)
	<b>11<sup>th</sup> grade</b>	158	87.3%	(80.6-94.0)	12	7.2%	(2.7-11.7)	10	5.5%	(1.5-9.6)
	<b>12<sup>th</sup> grade</b>	151	88.4%	(85.3-91.6)	14	8.2%	(5.4-11.1)	6	3.3%	(0.9-5.8)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	7	77.4%	(48.0-100.0)	0	.	(.-)	2	22.6%	(0.0-52.0)
	<b>Asian<sup>d</sup></b>	51	93.0%	(87.5-98.4)	2	2.8%	(0.0-6.7)	2	4.3%	(0.0-9.3)
	<b>Black<sup>d</sup></b>	29	100.0%	(100.0-100.0)	0	.	(.-)	0	.	(.-)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	11	82.8%	(60.5-100.0)	1	8.6%	(0.0-25.2)	1	8.6%	(0.0-25.2)
	<b>White<sup>d</sup></b>	280	89.4%	(85.5-93.3)	26	8.4%	(5.0-11.8)	7	2.2%	(0.6-3.7)
	<b>Hispanic/Latino</b>	287	85.5%	(81.7-89.2)	34	10.0%	(6.8-13.1)	16	4.6%	(2.2-7.0)
	<b>Other/Multiple<sup>d</sup></b>	41	84.2%	(72.8-95.5)	5	11.1%	(1.6-20.7)	2	4.7%	(0.0-11.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**\*Note: We caution against group comparisons when a cell size is less than 5.**

## Physical Activity

**Table 114: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	126	15.0%	(12.0-18.0)	711	85.0%	(82.0-88.0)
<b>Sex</b>	<b>Female</b>	71	16.6%	(12.5-20.7)	337	83.4%	(79.3-87.5)
	<b>Male</b>	54	13.5%	(9.3-17.7)	364	86.5%	(82.3-90.7)
<b>Age</b>	<b>14 years old or younger</b>	5	6.4%	(1.1-11.6)	78	93.6%	(88.4-98.9)
	<b>15 years old</b>	31	11.9%	(6.4-17.4)	205	88.1%	(82.6-93.6)
	<b>16 years old</b>	34	14.2%	(10.3-18.1)	201	85.8%	(81.9-89.7)
	<b>17 years old</b>	30	15.8%	(10.3-21.4)	155	84.2%	(78.6-89.7)
	<b>18 years old or older</b>	26	27.5%	(17.7-37.3)	71	72.5%	(62.7-82.3)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	18	8.3%	(3.5-13.1)	174	91.7%	(86.9-96.5)
	<b>10<sup>th</sup> grade</b>	43	13.8%	(9.7-17.9)	244	86.2%	(82.1-90.3)
	<b>11<sup>th</sup> grade</b>	27	16.1%	(10.2-22.0)	154	83.9%	(78.0-89.8)
	<b>12<sup>th</sup> grade</b>	37	21.7%	(12.8-30.6)	133	78.3%	(69.4-87.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	21.4%	(0.0-46.1)	8	78.6%	(53.9-100.0)
	<b>Asian<sup>d</sup></b>	5	9.6%	(2.2-17.0)	50	90.4%	(83.0-97.8)
	<b>Black<sup>d</sup></b>	4	14.1%	(2.1-26.1)	27	85.9%	(73.9-97.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	18.2%	(0.0-41.5)	11	81.8%	(58.5-100.0)
	<b>White<sup>d</sup></b>	34	11.0%	(7.8-14.1)	278	89.0%	(85.9-92.2)
	<b>Hispanic/Latino</b>	66	19.6%	(15.0-24.2)	269	80.4%	(75.8-85.0)
	<b>Other/Multiple<sup>d</sup></b>	6	13.2%	(3.2-23.2)	40	86.8%	(76.8-96.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Did not do any kind of physical activity that increased their heart rate and made them breathe hard some of the time

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 115: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	372	45.2%	(39.6-50.8)	465	54.8%	(49.2-60.4)
<b>Sex</b>	<b>Female</b>	147	36.9%	(31.3-42.6)	261	63.1%	(57.4-68.7)
	<b>Male</b>	221	52.9%	(45.5-60.3)	197	47.1%	(39.7-54.5)
<b>Age</b>	<b>14 years old or younger</b>	43	54.3%	(40.5-68.2)	40	45.7%	(31.8-59.5)
	<b>15 years old</b>	103	44.6%	(35.0-54.3)	133	55.4%	(45.7-65.0)
	<b>16 years old</b>	101	43.7%	(37.1-50.4)	134	56.3%	(49.6-62.9)
	<b>17 years old</b>	91	49.7%	(41.8-57.6)	94	50.3%	(42.4-58.2)
	<b>18 years old or older</b>	33	33.3%	(22.8-43.8)	64	66.7%	(56.2-77.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	99	51.9%	(41.3-62.6)	93	48.1%	(37.4-58.7)
	<b>10<sup>th</sup> grade</b>	111	39.6%	(30.6-48.7)	176	60.4%	(51.3-69.4)
	<b>11<sup>th</sup> grade</b>	85	46.3%	(39.6-53.1)	96	53.7%	(46.9-60.4)
	<b>12<sup>th</sup> grade</b>	75	43.7%	(31.8-55.6)	95	56.3%	(44.4-68.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	39.8%	(8.1-71.6)	6	60.2%	(28.4-91.9)
	<b>Asian<sup>d</sup></b>	25	45.6%	(29.0-62.2)	30	54.4%	(37.8-71.0)
	<b>Black<sup>d</sup></b>	14	47.3%	(31.0-63.6)	17	52.7%	(36.4-69.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	22.2%	(0.0-45.7)	10	77.8%	(54.3-100.0)
	<b>White<sup>d</sup></b>	164	53.1%	(45.8-60.4)	148	46.9%	(39.6-54.2)
	<b>Hispanic/Latino</b>	121	36.5%	(31.5-41.5)	214	63.5%	(58.5-68.5)
	<b>Other/Multiple<sup>d</sup></b>	26	56.9%	(40.9-72.9)	20	43.1%	(27.1-59.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 116: Percentage of high school students who were physically active at least 60 minutes/day on all 7 days before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	169	20.9%	(17.7-24.1)	668	79.1%	(75.9-82.3)
<b>Sex</b>	<b>Female</b>	65	17.1%	(12.6-21.5)	343	82.9%	(78.5-87.4)
	<b>Male</b>	103	24.4%	(20.1-28.7)	315	75.6%	(71.3-79.9)
<b>Age</b>	<b>14 years old or younger</b>	21	26.3%	(17.4-35.3)	62	73.7%	(64.7-82.6)
	<b>15 years old</b>	45	19.9%	(14.7-25.1)	191	80.1%	(74.9-85.3)
	<b>16 years old</b>	41	17.4%	(11.7-23.2)	194	82.6%	(76.8-88.3)
	<b>17 years old</b>	46	26.1%	(19.4-32.8)	139	73.9%	(67.2-80.6)
	<b>18 years old or older</b>	16	15.3%	(9.5-21.1)	81	84.7%	(78.9-90.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	44	23.8%	(18.7-29.0)	148	76.2%	(71.0-81.3)
	<b>10<sup>th</sup> grade</b>	51	18.1%	(12.5-23.7)	236	81.9%	(76.3-87.5)
	<b>11<sup>th</sup> grade</b>	37	20.7%	(14.7-26.7)	144	79.3%	(73.3-85.3)
	<b>12<sup>th</sup> grade</b>	36	21.1%	(13.1-29.1)	134	78.9%	(70.9-86.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	0	.	(.-.)	10	100.0%	(100.0-100.0)
	<b>Asian<sup>d</sup></b>	10	17.3%	(6.1-28.4)	45	82.7%	(71.6-93.9)
	<b>Black<sup>d</sup></b>	3	9.4%	(0.0-19.5)	28	90.6%	(80.5-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	16.7%	(0.0-38.4)	11	83.3%	(61.6-100.0)
	<b>White<sup>d</sup></b>	73	24.1%	(19.7-28.5)	239	75.9%	(71.5-80.3)
	<b>Hispanic/Latino</b>	59	17.6%	(13.7-21.5)	276	82.4%	(78.5-86.3)
	<b>Other/Multiple<sup>d</sup></b>	16	35.7%	(17.3-54.1)	30	64.3%	(45.9-82.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 117: Percentage of high school students who attended physical education (PE) classes on one or more days in an average school week — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	426	50.8%	(43.9-57.6)	414	49.2%	(42.4-56.1)
<b>Sex</b>	<b>Female</b>	191	46.2%	(36.4-55.9)	223	53.8%	(44.1-63.6)
	<b>Male</b>	231	55.0%	(48.1-61.9)	186	45.0%	(38.1-51.9)
<b>Age</b>	<b>14 years old or younger</b>	63	80.9%	(72.6-89.3)	18	19.1%	(10.7-27.4)
	<b>15 years old</b>	138	60.8%	(49.5-72.1)	98	39.2%	(27.9-50.5)
	<b>16 years old</b>	107	44.3%	(34.8-53.9)	129	55.7%	(46.1-65.2)
	<b>17 years old</b>	85	45.2%	(36.3-54.1)	101	54.8%	(45.9-63.7)
	<b>18 years old or older</b>	32	32.2%	(22.2-42.1)	68	67.8%	(57.9-77.8)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	140	75.9%	(66.5-85.4)	48	24.1%	(14.6-33.5)
	<b>10<sup>th</sup> grade</b>	146	51.2%	(39.8-62.5)	143	48.8%	(37.5-60.2)
	<b>11<sup>th</sup> grade</b>	80	42.8%	(33.4-52.3)	102	57.2%	(47.7-66.6)
	<b>12<sup>th</sup> grade</b>	57	34.1%	(24.1-44.2)	116	65.9%	(55.8-75.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	6	60.4%	(34.5-86.3)	4	39.6%	(13.7-65.5)
	<b>Asian<sup>d</sup></b>	26	47.1%	(24.4-69.8)	29	52.9%	(30.2-75.6)
	<b>Black<sup>d</sup></b>	15	54.2%	(33.6-74.8)	14	45.8%	(25.2-66.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	34.6%	(6.7-62.4)	9	65.4%	(37.6-93.3)
	<b>White<sup>d</sup></b>	160	51.4%	(43.7-59.1)	153	48.6%	(40.9-56.3)
	<b>Hispanic/Latino</b>	171	49.7%	(41.0-58.3)	168	50.3%	(41.7-59.0)
	<b>Other/Multiple<sup>d</sup></b>	27	58.4%	(43.8-72.9)	20	41.6%	(27.1-56.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 118: Percentage of high school students who attended physical education (PE) classes daily<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	164	19.9%	(12.3-27.5)	676	80.1%	(72.5-87.7)
<b>Sex</b>	<b>Female</b>	64	15.4%	(7.9-23.0)	350	84.6%	(77.0-92.1)
	<b>Male</b>	99	24.3%	(15.0-33.5)	318	75.7%	(66.5-85.0)
<b>Age</b>	<b>14 years old or younger</b>	18	22.0%	(6.8-37.1)	63	78.0%	(62.9-93.2)
	<b>15 years old</b>	45	20.0%	(6.1-33.9)	191	80.0%	(66.1-93.9)
	<b>16 years old</b>	38	16.3%	(8.7-23.9)	198	83.7%	(76.1-91.3)
	<b>17 years old</b>	49	26.4%	(15.6-37.2)	137	73.6%	(62.8-84.4)
	<b>18 years old or older</b>	13	12.9%	(5.1-20.7)	87	87.1%	(79.3-94.9)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	44	23.4%	(5.8-40.9)	144	76.6%	(59.1-94.2)
	<b>10<sup>th</sup> grade</b>	48	17.3%	(6.8-27.7)	241	82.7%	(72.3-93.2)
	<b>11<sup>th</sup> grade</b>	43	23.1%	(13.8-32.4)	139	76.9%	(67.6-86.2)
	<b>12<sup>th</sup> grade</b>	28	16.6%	(5.9-27.4)	145	83.4%	(72.6-94.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	10.2%	(0.0-30.2)	9	89.8%	(69.8-100.0)
	<b>Asian<sup>d</sup></b>	15	27.0%	(8.0-46.0)	40	73.0%	(54.0-92.0)
	<b>Black<sup>d</sup></b>	6	23.2%	(6.0-40.5)	23	76.8%	(59.5-94.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	25.6%	(0.0-51.2)	10	74.4%	(48.8-100.0)
	<b>White<sup>d</sup></b>	57	18.7%	(11.1-26.2)	256	81.3%	(73.8-88.9)
	<b>Hispanic/Latino</b>	63	18.7%	(9.8-27.5)	276	81.3%	(72.5-90.2)
	<b>Other/Multiple<sup>d</sup></b>	15	31.7%	(15.0-48.5)	32	68.3%	(51.5-85.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> 5 days in an average week when they were in school

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 119: Percentage of high school students who got 8 or more hours of sleep on an average school night — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	194	23.2%	(20.0-26.3)	641	76.8%	(73.7-80.0)
<b>Sex</b>	<b>Female</b>	78	19.0%	(15.7-22.3)	331	81.0%	(77.7-84.3)
	<b>Male</b>	114	27.1%	(22.7-31.6)	302	72.9%	(68.4-77.3)
<b>Age</b>	<b>14 years old or younger</b>	24	30.2%	(22.4-38.1)	61	69.8%	(61.9-77.6)
	<b>15 years old</b>	64	27.5%	(21.6-33.5)	169	72.5%	(66.5-78.4)
	<b>16 years old</b>	46	19.1%	(14.1-24.2)	188	80.9%	(75.8-85.9)
	<b>17 years old</b>	43	23.9%	(16.6-31.2)	142	76.1%	(68.8-83.4)
	<b>18 years old or older</b>	16	15.6%	(8.6-22.6)	81	84.4%	(77.4-91.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	59	30.6%	(23.9-37.2)	135	69.4%	(62.8-76.1)
	<b>10<sup>th</sup> grade</b>	65	23.2%	(18.5-28.0)	216	76.8%	(72.0-81.5)
	<b>11<sup>th</sup> grade</b>	40	22.0%	(15.7-28.3)	143	78.0%	(71.7-84.3)
	<b>12<sup>th</sup> grade</b>	29	17.0%	(11.3-22.7)	141	83.0%	(77.3-88.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	19.7%	(0.0-46.2)	8	80.3%	(53.8-100.0)
	<b>Asian<sup>d</sup></b>	11	17.7%	(6.9-28.5)	44	82.3%	(71.5-93.1)
	<b>Black<sup>d</sup></b>	9	30.8%	(15.0-46.6)	21	69.2%	(53.4-85.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	5.5%	(0.0-16.6)	12	94.5%	(83.4-100.0)
	<b>White<sup>d</sup></b>	76	24.7%	(19.9-29.5)	234	75.3%	(70.5-80.1)
	<b>Hispanic/Latino</b>	80	23.7%	(19.1-28.4)	257	76.3%	(71.6-80.9)
	<b>Other/Multiple<sup>d</sup></b>	6	12.8%	(3.0-22.7)	40	87.2%	(77.3-97.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

Weight

Table 120: Percentage of high school students who were obese<sup>e</sup> — Nevada YRBS 2023\*

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	97	11.3%	(8.4-14.2)	742	88.7%	(85.8-91.6)
<b>Sex</b>	<b>Female</b>	46	10.5%	(7.0-14.1)	364	89.5%	(85.9-93.0)
	<b>Male</b>	51	12.0%	(8.2-15.9)	378	88.0%	(84.1-91.8)
<b>Age</b>	<b>14 years old or younger</b>	11	9.9%	(4.9-14.8)	78	90.1%	(85.2-95.1)
	<b>15 years old</b>	32	15.0%	(10.3-19.6)	196	85.0%	(80.4-89.7)
	<b>16 years old</b>	24	9.3%	(4.9-13.7)	211	90.7%	(86.3-95.1)
	<b>17 years old</b>	17	9.5%	(3.9-15.1)	169	90.5%	(84.9-96.1)
	<b>18 years old or older</b>	13	13.3%	(5.6-21.0)	88	86.7%	(79.0-94.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	22	11.5%	(6.7-16.3)	177	88.5%	(83.7-93.3)
	<b>10<sup>th</sup> grade</b>	42	14.9%	(10.3-19.5)	244	85.1%	(80.5-89.7)
	<b>11<sup>th</sup> grade</b>	11	5.7%	(1.6-9.8)	166	94.3%	(90.2-98.4)
	<b>12<sup>th</sup> grade</b>	22	12.7%	(5.9-19.5)	152	87.3%	(80.5-94.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	11.9%	(0.0-31.8)	8	88.1%	(68.2-100.0)
	<b>Asian<sup>d</sup></b>	1	1.6%	(0.0-5.0)	52	98.4%	(95.0-100.0)
	<b>Black<sup>d</sup></b>	4	12.6%	(0.5-24.6)	25	87.4%	(75.4-99.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	18.6%	(0.0-42.4)	10	81.4%	(57.6-100.0)
	<b>White<sup>d</sup></b>	25	7.4%	(4.3-10.6)	295	92.6%	(89.4-95.7)
	<b>Hispanic/Latino</b>	60	17.2%	(12.9-21.6)	275	82.8%	(78.4-87.1)
	<b>Other/Multiple<sup>d</sup></b>	1	2.5%	(0.0-7.6)	48	97.5%	(92.4-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Students who were ≥95<sup>th</sup> percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 121: Percentage of high school students who were overweight<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	106	13.2%	(11.0-15.4)	733	86.8%	(84.6-89.0)
<b>Sex</b>	<b>Female</b>	45	12.0%	(8.8-15.2)	365	88.0%	(84.8-91.2)
	<b>Male</b>	61	14.3%	(11.5-17.1)	368	85.7%	(82.9-88.5)
<b>Age</b>	<b>14 years old or younger</b>	12	14.0%	(9.8-18.3)	77	86.0%	(81.7-90.2)
	<b>15 years old</b>	28	12.8%	(8.8-16.8)	200	87.2%	(83.2-91.2)
	<b>16 years old</b>	30	13.7%	(9.3-18.0)	205	86.3%	(82.0-90.7)
	<b>17 years old</b>	26	14.8%	(8.9-20.7)	160	85.2%	(79.3-91.1)
	<b>18 years old or older</b>	10	9.4%	(5.0-13.8)	91	90.6%	(86.2-95.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	25	13.3%	(9.7-16.8)	174	86.7%	(83.2-90.3)
	<b>10<sup>th</sup> grade</b>	31	10.6%	(7.5-13.7)	255	89.4%	(86.3-92.5)
	<b>11<sup>th</sup> grade</b>	29	17.5%	(11.1-23.8)	148	82.5%	(76.2-88.9)
	<b>12<sup>th</sup> grade</b>	21	12.0%	(8.6-15.5)	153	88.0%	(84.5-91.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	10.9%	(0.0-32.1)	8	89.1%	(67.9-100.0)
	<b>Asian<sup>d</sup></b>	5	8.6%	(1.7-15.6)	48	91.4%	(84.4-98.3)
	<b>Black<sup>d</sup></b>	1	3.1%	(0.0-8.8)	28	96.9%	(91.2-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	30.1%	(3.4-56.9)	8	69.9%	(43.1-96.6)
	<b>White<sup>d</sup></b>	40	12.8%	(8.8-16.7)	280	87.2%	(83.3-91.2)
	<b>Hispanic/Latino</b>	47	14.8%	(10.5-19.0)	288	85.2%	(81.0-89.5)
	<b>Other/Multiple<sup>d</sup></b>	5	10.1%	(2.1-18.1)	44	89.9%	(81.9-97.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Students who were ≥85<sup>th</sup> percentile but <95<sup>th</sup> percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart

\* **Note: We caution against group comparisons when a cell size is less than 5.**

## Resiliency Factors

**Table 122: Percentage of high school students who talked to their parents or other adults in their home about their problems — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	409	49.3%	(44.2-54.4)	224	27.1%	(23.4-30.8)	201	23.6%	(20.0-27.2)
<b>Sex</b>	<b>Female</b>	180	44.0%	(38.7-49.4)	122	30.3%	(25.7-34.9)	105	25.7%	(20.9-30.5)
	<b>Male</b>	219	53.7%	(46.1-61.2)	100	24.4%	(19.5-29.4)	95	21.9%	(16.9-27.0)
<b>Age</b>	<b>14 years/younger</b>	44	50.2%	(38.9-61.6)	22	25.3%	(15.2-35.4)	21	24.5%	(17.0-32.0)
	<b>15 years old</b>	120	51.6%	(42.1-61.2)	49	21.4%	(15.5-27.3)	63	27.0%	(19.5-34.5)
	<b>16 years old</b>	108	47.2%	(41.9-52.6)	68	28.7%	(22.4-35.0)	59	24.1%	(17.7-30.4)
	<b>17 years old</b>	90	48.4%	(36.8-60.1)	56	30.5%	(22.8-38.2)	37	21.1%	(11.8-30.4)
	<b>18 years/older</b>	46	49.5%	(35.4-63.5)	29	30.0%	(17.5-42.6)	21	20.5%	(12.8-28.2)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	101	52.6%	(44.0-61.2)	38	20.1%	(14.1-26.1)	54	27.3%	(19.0-35.6)
	<b>10<sup>th</sup> grade</b>	137	48.9%	(42.3-55.4)	78	28.0%	(20.8-35.2)	68	23.1%	(17.7-28.6)
	<b>11<sup>th</sup> grade</b>	86	46.6%	(39.3-54.0)	55	30.3%	(24.0-36.5)	42	23.1%	(18.4-27.9)
	<b>12<sup>th</sup> grade</b>	81	48.6%	(35.2-62.0)	50	30.5%	(23.2-37.9)	36	20.8%	(11.5-30.1)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	6	65.8%	(36.0-95.6)	1	11.9%	(0.0-32.2)	2	22.3%	(0.0-52.0)
	<b>Asian<sup>d</sup></b>	28	51.9%	(36.9-66.8)	13	23.5%	(6.5-40.4)	14	24.7%	(11.5-37.9)
	<b>Black<sup>d</sup></b>	10	31.1%	(15.7-46.5)	10	34.4%	(17.6-51.3)	11	34.5%	(20.0-48.9)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	7	56.3%	(27.9-84.7)	3	23.7%	(0.0-48.4)	3	20.0%	(0.0-41.9)
	<b>White<sup>d</sup></b>	131	42.0%	(34.9-49.2)	107	34.9%	(29.5-40.3)	71	23.1%	(16.3-29.8)
	<b>Hispanic/Latino</b>	189	57.0%	(51.2-62.8)	66	19.7%	(15.7-23.8)	78	23.2%	(18.6-27.9)
	<b>Other/Multiple<sup>d</sup></b>	21	46.0%	(29.5-62.5)	14	28.0%	(14.2-41.9)	12	26.0%	(10.7-41.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 123: Percentage of high school students who talked to their parents about what is right and wrong — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	328	39.5%	(35.8-43.2)	218	26.7%	(23.0-30.3)	286	33.8%	(29.9-37.8)
<b>Sex</b>	<b>Female</b>	145	36.5%	(31.2-41.7)	112	28.0%	(22.3-33.7)	149	35.6%	(30.1-41.0)
	<b>Male</b>	173	41.6%	(36.4-46.7)	104	25.6%	(20.5-30.6)	136	32.9%	(27.3-38.4)
<b>Age</b>	<b>14 years/younger</b>	38	44.7%	(35.4-53.9)	15	17.7%	(10.2-25.2)	32	37.6%	(26.7-48.6)
	<b>15 years old</b>	100	43.6%	(37.2-50.0)	52	22.4%	(16.3-28.5)	80	33.9%	(26.1-41.8)
	<b>16 years old</b>	83	36.3%	(29.6-43.1)	74	32.0%	(25.4-38.5)	79	31.7%	(24.3-39.1)
	<b>17 years old</b>	68	36.4%	(27.1-45.6)	59	32.9%	(26.5-39.3)	56	30.7%	(23.2-38.3)
	<b>18 years/older</b>	38	39.5%	(27.4-51.7)	18	19.9%	(9.6-30.2)	39	40.6%	(30.6-50.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	84	44.0%	(36.9-51.1)	40	20.4%	(14.4-26.4)	67	35.6%	(25.7-45.5)
	<b>10<sup>th</sup> grade</b>	108	39.1%	(33.5-44.7)	77	27.6%	(21.1-34.1)	99	33.3%	(25.8-40.8)
	<b>11<sup>th</sup> grade</b>	70	38.4%	(31.0-45.8)	54	30.6%	(23.4-37.7)	59	31.0%	(26.2-35.9)
	<b>12<sup>th</sup> grade</b>	61	36.0%	(25.6-46.4)	45	28.0%	(18.8-37.1)	60	36.1%	(26.2-45.9)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	53.0%	(20.8-85.3)	1	12.8%	(0.0-37.4)	3	34.2%	(4.4-64.0)
	<b>Asian<sup>d</sup></b>	20	37.8%	(25.5-50.1)	16	29.7%	(17.0-42.5)	19	32.5%	(18.7-46.4)
	<b>Black<sup>d</sup></b>	7	24.7%	(8.4-41.0)	9	27.6%	(13.4-41.7)	15	47.7%	(26.1-69.3)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	6	45.0%	(16.5-73.6)	3	26.4%	(0.3-52.5)	4	28.6%	(3.1-54.0)
	<b>White<sup>d</sup></b>	114	36.6%	(31.0-42.2)	87	28.5%	(22.4-34.5)	108	35.0%	(28.7-41.2)
	<b>Hispanic/Latino</b>	138	41.8%	(37.0-46.6)	89	26.6%	(22.4-30.8)	106	31.5%	(27.2-35.9)
	<b>Other/Multiple<sup>d</sup></b>	21	48.4%	(31.0-65.8)	7	12.8%	(2.6-22.9)	17	38.8%	(21.7-56.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 124: Percentage of high school students who felt comfortable talking to their parents about personal matters — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	373	44.8%	(40.1-49.5)	198	24.0%	(20.9-27.1)	258	31.2%	(27.2-35.2)
<b>Sex</b>	<b>Female</b>	186	46.1%	(40.3-52.0)	97	24.1%	(19.6-28.6)	122	29.8%	(25.0-34.7)
	<b>Male</b>	179	43.1%	(36.9-49.2)	98	23.9%	(20.3-27.5)	136	33.0%	(27.5-38.6)
<b>Age</b>	<b>14 years/younger</b>	40	48.6%	(39.1-58.1)	15	15.8%	(8.4-23.2)	29	35.6%	(27.3-44.0)
	<b>15 years old</b>	102	43.6%	(36.3-51.0)	54	24.5%	(18.3-30.7)	75	31.9%	(24.9-38.9)
	<b>16 years old</b>	106	46.2%	(39.8-52.7)	58	23.7%	(18.6-28.8)	70	30.1%	(24.3-35.9)
	<b>17 years old</b>	79	41.6%	(31.9-51.4)	49	27.8%	(21.4-34.1)	55	30.6%	(22.2-39.0)
	<b>18 years/older</b>	45	47.1%	(34.8-59.4)	22	23.4%	(14.7-32.0)	29	29.5%	(18.3-40.6)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	85	44.7%	(37.5-51.9)	41	21.1%	(16.0-26.2)	66	34.2%	(28.0-40.5)
	<b>10<sup>th</sup> grade</b>	132	47.4%	(39.9-54.9)	70	25.0%	(18.4-31.6)	80	27.6%	(22.2-33.0)
	<b>11<sup>th</sup> grade</b>	80	43.6%	(35.9-51.3)	44	24.0%	(18.8-29.3)	58	32.4%	(25.9-38.8)
	<b>12<sup>th</sup> grade</b>	72	43.1%	(31.4-54.9)	42	25.8%	(20.0-31.5)	52	31.1%	(19.8-42.4)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	4	47.8%	(15.5-80.2)	3	29.9%	(0.0-61.8)	2	22.3%	(0.0-52.0)
	<b>Asian<sup>d</sup></b>	27	51.6%	(37.5-65.7)	11	19.4%	(9.0-29.9)	17	28.9%	(16.0-41.9)
	<b>Black<sup>d</sup></b>	8	25.2%	(10.4-40.0)	6	21.4%	(6.4-36.3)	17	53.4%	(34.3-72.6)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	6	48.1%	(19.4-76.8)	3	23.7%	(0.0-48.4)	4	28.2%	(3.0-53.4)
	<b>White<sup>d</sup></b>	121	38.5%	(32.0-45.0)	80	25.5%	(20.8-30.3)	107	36.0%	(29.5-42.4)
	<b>Hispanic/Latino</b>	171	51.2%	(45.7-56.7)	74	22.8%	(18.9-26.6)	87	26.0%	(21.2-30.8)
	<b>Other/Multiple<sup>d</sup></b>	20	44.8%	(28.5-61.0)	13	26.2%	(12.9-39.6)	13	29.0%	(10.6-47.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 125: Percentage of high school students who felt close to people at their school — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	258	31.6%	(27.7-35.5)	250	29.2%	(25.7-32.7)	310	39.2%	(34.8-43.5)
<b>Sex</b>	<b>Female</b>	125	31.6%	(26.7-36.5)	126	28.9%	(23.5-34.3)	146	39.5%	(33.6-45.3)
	<b>Male</b>	127	31.3%	(25.9-36.6)	122	29.5%	(25.6-33.5)	160	39.2%	(33.8-44.6)
<b>Age</b>	<b>14 years/younger</b>	23	28.3%	(16.1-40.5)	20	25.0%	(13.6-36.4)	37	46.7%	(32.7-60.7)
	<b>15 years old</b>	66	28.3%	(24.1-32.4)	81	34.8%	(27.2-42.4)	82	36.9%	(30.3-43.6)
	<b>16 years old</b>	64	27.3%	(20.8-33.8)	84	33.7%	(28.7-38.8)	86	39.0%	(31.7-46.3)
	<b>17 years old</b>	67	36.4%	(28.5-44.2)	41	22.3%	(16.0-28.6)	72	41.4%	(30.8-51.9)
	<b>18 years/older</b>	38	40.3%	(29.2-51.4)	24	26.0%	(16.9-35.2)	32	33.7%	(25.9-41.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	53	27.1%	(19.9-34.3)	50	26.9%	(20.3-33.4)	84	46.1%	(40.7-51.4)
	<b>10<sup>th</sup> grade</b>	82	28.4%	(22.6-34.2)	107	38.1%	(32.8-43.4)	90	33.4%	(26.7-40.2)
	<b>11<sup>th</sup> grade</b>	55	31.6%	(24.3-38.9)	47	24.0%	(17.6-30.4)	78	44.4%	(35.7-53.2)
	<b>12<sup>th</sup> grade</b>	66	39.9%	(30.4-49.3)	43	26.2%	(19.1-33.2)	56	34.0%	(25.6-42.4)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	4	42.4%	(15.8-69.1)	1	11.9%	(0.0-32.2)	4	45.6%	(10.7-80.6)
	<b>Asian<sup>d</sup></b>	15	26.2%	(14.7-37.7)	18	33.7%	(20.8-46.6)	22	40.1%	(28.0-52.2)
	<b>Black<sup>d</sup></b>	8	26.1%	(11.9-40.3)	13	39.9%	(22.2-57.6)	10	34.0%	(15.2-52.8)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	5	41.2%	(12.8-69.6)	6	43.7%	(15.3-72.1)	2	15.1%	(0.0-35.8)
	<b>White<sup>d</sup></b>	78	25.6%	(20.4-30.9)	97	31.1%	(25.8-36.4)	131	43.3%	(37.3-49.2)
	<b>Hispanic/Latino</b>	121	38.1%	(33.4-42.8)	87	25.7%	(21.5-29.9)	116	36.2%	(31.4-41.0)
	<b>Other/Multiple<sup>d</sup></b>	13	31.3%	(18.7-43.8)	16	32.5%	(16.5-48.5)	16	36.2%	(22.3-50.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 126: Percentage of high school students who were happy to be at their school — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	283	34.7%	(29.9-39.5)	256	29.9%	(25.9-33.8)	292	35.4%	(30.8-40.0)
<b>Sex</b>	<b>Female</b>	130	32.9%	(27.0-38.8)	143	34.9%	(29.9-39.8)	133	32.2%	(26.3-38.0)
	<b>Male</b>	148	36.1%	(29.9-42.3)	109	25.5%	(19.7-31.4)	155	38.4%	(32.5-44.2)
<b>Age</b>	<b>14 years/younger</b>	30	34.6%	(25.2-44.0)	22	25.0%	(14.4-35.5)	33	40.4%	(29.4-51.4)
	<b>15 years old</b>	81	36.0%	(30.3-41.7)	76	31.2%	(23.3-39.0)	77	32.9%	(24.3-41.5)
	<b>16 years old</b>	75	32.6%	(25.6-39.6)	73	30.6%	(23.6-37.7)	86	36.8%	(29.8-43.8)
	<b>17 years old</b>	57	31.7%	(22.9-40.6)	60	32.4%	(23.5-41.4)	64	35.8%	(24.6-47.0)
	<b>18 years/older</b>	40	42.2%	(29.4-55.0)	25	25.3%	(14.1-36.4)	31	32.5%	(21.6-43.5)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	62	34.1%	(27.1-41.1)	60	29.0%	(20.8-37.2)	71	36.8%	(27.6-46.1)
	<b>10<sup>th</sup> grade</b>	99	35.9%	(27.0-44.8)	86	29.6%	(22.5-36.6)	97	34.5%	(24.8-44.3)
	<b>11<sup>th</sup> grade</b>	61	33.5%	(26.4-40.6)	58	32.9%	(25.0-40.9)	62	33.6%	(26.8-40.4)
	<b>12<sup>th</sup> grade</b>	58	35.5%	(25.3-45.8)	50	28.6%	(19.6-37.6)	58	35.9%	(23.8-48.0)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	4	42.4%	(4.7-80.0)	2	18.2%	(0.0-41.7)	4	39.5%	(7.8-71.1)
	<b>Asian<sup>d</sup></b>	10	18.1%	(9.0-27.1)	21	37.7%	(24.0-51.4)	24	44.3%	(29.6-58.9)
	<b>Black<sup>d</sup></b>	8	26.4%	(12.4-40.4)	11	36.6%	(18.6-54.6)	12	37.0%	(18.0-56.0)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	5	38.6%	(10.7-66.5)	4	31.8%	(4.9-58.7)	4	29.6%	(3.5-55.7)
	<b>White<sup>d</sup></b>	98	31.4%	(24.5-38.4)	99	32.2%	(25.9-38.4)	112	36.4%	(28.9-43.9)
	<b>Hispanic/Latino</b>	128	39.1%	(32.7-45.5)	95	28.1%	(22.9-33.4)	108	32.7%	(27.6-37.9)
	<b>Other/Multiple<sup>d</sup></b>	19	43.4%	(29.0-57.8)	7	16.4%	(3.6-29.2)	19	40.1%	(26.8-53.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

**Table 127: Percentage of high school students who felt like their teachers really care about them and give them a lot of encouragement — Nevada YRBS 2023\***

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	241	29.6%	(24.8-34.4)	285	33.4%	(29.7-37.0)	300	37.1%	(31.7-42.4)
<b>Sex</b>	<b>Female</b>	109	26.7%	(20.5-32.9)	152	37.1%	(31.7-42.6)	142	36.2%	(30.2-42.2)
	<b>Male</b>	128	31.8%	(25.7-37.9)	128	30.2%	(25.4-34.9)	156	38.0%	(31.6-44.4)
<b>Age</b>	<b>14 years/younger</b>	30	35.8%	(25.4-46.1)	33	39.3%	(27.7-51.0)	22	24.9%	(18.4-31.4)
	<b>15 years old</b>	82	37.0%	(31.1-42.9)	78	31.8%	(24.6-39.1)	72	31.1%	(25.2-37.1)
	<b>16 years old</b>	64	27.0%	(19.2-34.8)	80	33.7%	(27.2-40.2)	88	39.3%	(31.0-47.5)
	<b>17 years old</b>	43	24.8%	(15.8-33.9)	60	31.6%	(21.3-41.9)	78	43.6%	(32.0-55.2)
	<b>18 years/older</b>	22	24.3%	(15.1-33.5)	33	33.8%	(23.3-44.3)	40	42.0%	(31.5-52.4)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	68	36.2%	(30.2-42.2)	71	34.8%	(28.0-41.6)	55	29.1%	(23.6-34.5)
	<b>10<sup>th</sup> grade</b>	92	33.5%	(24.1-42.9)	98	34.8%	(29.7-39.8)	89	31.8%	(22.4-41.1)
	<b>11<sup>th</sup> grade</b>	43	24.7%	(18.1-31.2)	58	32.6%	(25.5-39.7)	80	42.7%	(36.8-48.6)
	<b>12<sup>th</sup> grade</b>	37	23.1%	(13.0-33.2)	53	30.9%	(21.9-39.8)	76	46.0%	(33.2-58.8)
<b>Race/Ethnicity</b>	<b>American Indian/ Alaska Native<sup>d</sup></b>	5	58.6%	(29.4-87.8)	1	7.4%	(0.0-22.2)	3	34.1%	(5.6-62.5)
	<b>Asian<sup>d</sup></b>	11	19.1%	(9.3-29.0)	18	32.8%	(19.0-46.5)	26	48.1%	(35.4-60.8)
	<b>Black<sup>d</sup></b>	6	19.0%	(2.9-35.1)	8	28.5%	(10.8-46.2)	16	52.5%	(37.9-67.2)
	<b>Native Hawaiian/ Pacific Islander<sup>d</sup></b>	4	29.7%	(3.8-55.6)	5	37.8%	(10.0-65.6)	4	32.5%	(5.3-59.8)
	<b>White<sup>d</sup></b>	93	29.7%	(22.3-37.1)	102	32.8%	(27.6-38.0)	112	37.5%	(28.8-46.2)
	<b>Hispanic/Latino</b>	104	31.3%	(23.7-38.8)	115	34.7%	(29.9-39.6)	111	34.0%	(27.8-40.2)
	<b>Other/Multiple<sup>d</sup></b>	11	25.1%	(13.2-37.0)	16	32.8%	(17.1-48.6)	19	42.0%	(26.1-58.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

\* **Note: We caution against group comparisons when a cell size is less than 5.**

Other

**Table 128: Percentage of high school students who visited a dentist during the 12 months before the survey<sup>e</sup> — Nevada YRBS 2023\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall</b>	<b>Total</b>	630	74.2%	(70.1-78.4)	212	25.8%	(21.6-29.9)
<b>Sex</b>	<b>Female</b>	312	75.5%	(70.5-80.5)	99	24.5%	(19.5-29.5)
	<b>Male</b>	311	73.5%	(67.9-79.1)	108	26.5%	(20.9-32.1)
<b>Age</b>	<b>14 years old or younger</b>	58	71.3%	(61.8-80.9)	26	28.7%	(19.1-38.2)
	<b>15 years old</b>	185	76.5%	(70.3-82.8)	52	23.5%	(17.2-29.7)
	<b>16 years old</b>	191	80.9%	(73.8-88.0)	44	19.1%	(12.0-26.2)
	<b>17 years old</b>	133	72.3%	(64.9-79.8)	53	27.7%	(20.2-35.1)
	<b>18 years old or older</b>	62	63.2%	(53.0-73.4)	37	36.8%	(26.6-47.0)
<b>Grade</b>	<b>9<sup>th</sup> grade</b>	137	70.8%	(63.7-77.8)	57	29.2%	(22.2-36.3)
	<b>10<sup>th</sup> grade</b>	236	82.6%	(76.0-89.1)	50	17.4%	(10.9-24.0)
	<b>11<sup>th</sup> grade</b>	137	74.4%	(68.0-80.9)	47	25.6%	(19.1-32.0)
	<b>12<sup>th</sup> grade</b>	118	68.6%	(59.8-77.4)	54	31.4%	(22.6-40.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	69.9%	(45.7-94.0)	3	30.1%	(6.0-54.3)
	<b>Asian<sup>d</sup></b>	41	72.3%	(58.2-86.4)	14	27.7%	(13.6-41.8)
	<b>Black<sup>d</sup></b>	24	74.2%	(56.9-91.4)	7	25.8%	(8.6-43.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	9	72.2%	(47.2-97.1)	4	27.8%	(2.9-52.8)
	<b>White<sup>d</sup></b>	246	78.1%	(73.1-83.2)	67	21.9%	(16.8-26.9)
	<b>Hispanic/Latino</b>	241	70.5%	(65.1-75.9)	97	29.5%	(24.1-34.9)
	<b>Other/Multiple<sup>d</sup></b>	36	77.0%	(63.1-90.9)	10	23.0%	(9.1-36.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Saw a dentist for a check-up, exam, teeth cleaning, or other dental work

\* **Note: We caution against group comparisons when a cell size is less than 5.**